

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT IDENTIFICATION

DATE ISSUED: 12/2002

PRODUCT NAME: #1NE WATER SOLUBLE SPOTTER
SUPPLIER'S NAME: Cleantronics, Inc.

DOT CLASSIFICATION: None

PRODUCT #: 1116,1132,1105

SUPPLIER'S ADDRESS:

DOT SHIPPING NAME: None

PRODUCT TYPE: Cleaner

PO Box 338
Windsor, NJ 08561-0338

HAZARD RATING:

CHEMICAL FAMILY: Surfactant Blend

EMERGENCY PHONE: 800-255-3924

HEALTH: 1 FLAMMABILITY: 0
REACTIVITY: 0 PERSONAL PROTECTION: B

SECTION 2 - INGREDIENTS INFORMATION

CHEMICAL NAME	CAS NO.	% / WT.	THRESHOLD LIMIT VALUE
DIPROPYLENE GLYCOL MONOMETHYL ETHER	34590-94-8	TO 3	NA
*ISOPROPANOL	67-63-0	TO 2	400 ppm TWA
NONIONIC SURFACTANT (BLEND)	MIXTURE	TO 1	N/E
PROPYLENE GLYCOL	57-55-6	TO 1	NA
WATER	7732-18-5	TO 94	NONE

*An asterisk indicates the toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372.

SECTION 3 - PHYSICAL DATA

SECTION 4 - REACTIVITY DATA

BOILING RANGE (F): 212-220 °F
SPECIFIC GRAVITY: 1.00
VAPOR PRESSURE: N/D
VAPOR DENSITY: Same as Water
% VOLATILE: 97-98
pH: 5.5-6.0
SOLUBILITY IN WATER: Complete
EVAPORATION RATE: N/A
PHYSICAL DESCRIPTION: Clear Liquid, Lemon Fragrance

STABILITY: Stable
HAZARDOUS POLYMERIZATION: Will Not Occur
INCOMPATIBILITY (MATERIALS TO AVOID): None
HAZARDOUS DECOMPOSITION PRODUCTS: Normal products of combustion

SECTION 5 - FIRE & EXPLOSION HAZARD DATA

SECTION 6 - STORAGE & HANDLING INFORMATION

FLASH POINT: N/A
FLAMMABILITY: Non-Flammable
EXTINGUISHING MEDIA: Water, CO₂
SPECIAL FIRE FIGHTING PROCEDURES: Floor may be slippery
UNUSUAL AND EXPLOSION HAZARDS: None

SPECIAL PRECAUTIONS: Keep out of reach of children.
Use only in well ventilated area.
For institutional and industrial use only.
For use by trained personnel only.
Store and keep in closed container, in a cool place.
Avoid freezing.

SECTION 7 - HEALTH HAZARD DATA

SECTION 8 - FIRST AID PROCEDURE

EYES: May cause irritation.
EXPOSURE LIMITS: N/E
SKIN: May cause irritation.
CARCINOGENICITY: NTP: Not listed
INHALATION: May cause irritation to upper tract.
IARC: Not listed
INGESTION: May cause irritation of mucous membranes.
OSHA: Not regulated
MEDICAL CONDITION AGGRAVATED BY EXPOSURE:
Person with present skin disorder may be more susceptible to irritation.

EYES: Flush with running water for 15 minutes.
SKIN: Wash off with soap and water.
INHALATION: Remove to fresh air.
INGESTION: Do not induce vomiting.
Drink plenty of water.
If unconscious or in convulsion, take to hospital or physician.

SECTION 9 - PRECAUTIONS FOR SAFE HANDLING

SECTION 10 - SPILL OR LEAK

RESPIRATORY PROTECTION: No special requirements.
PROTECTIVE GLOVES: Chemical resistant.
VENTILATION: Good ventilation required.
EYE CONTACT: Goggles or Face Shield.

SPILLAGE: Dike & contain spill, absorb the liquid.
DISPOSAL: Scoop or shovel solid material into a suitable container for recovery or disposal. Area may become slippery.
Flush cleaned area with water.
Dispose according to local, state and federal requirements.

N/D = Not Determined, N/E = Not Established, N/A = Not Applicable

THIS PRODUCT SAFETY DATA SHEET IS OFFERED SOLELY FOR YOUR INFORMATION, CONSIDERATION AND INVESTIGATION.
DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATION SAFETY AND HEALTH.

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

HEALTH

HMIS®

2

REACTIVITY

0

FLAMMABILITY

2

PERSONAL PROTECTION

A

Identity (As Used on Label and List)

2913

Two Oil Soluble Spotter

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

SECTION I

Manufacturer's Name

Cleantronics Inc.

Emergency Telephone Number

1-800-255-3924

Address (Number, Street, City, State, and ZIP Code)

P. O. Box 338

Telephone Number for Information

1-609-443-7103

Windsor, NJ 08561

Date Prepared

October 23, 2001

Signature of Preparer (Optional)

Regulatory Dept.

SECTION II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific

Chemical Identity, Common Name(s))

CAS No.

OSHA PEL

ACGIH-TLV

Other Limits

Recommended

%(Opt.)

Methoxyisopropanol

107-98-2

100 ppm

100 ppm

STEL 150 ppm

1 - 5

Isopropyl Alcohol

67-63-0

400 ppm

400 ppm

STEL 500 ppm

5 - 10

Isobutane

75-28-5

800 ppm

800 ppm

5 - 10

Propane

74-98-6

1000 ppm

Asphyxiant

1 - 5

This product is not known to contain any compound listed and in quantities requiring reporting under SARA Title III Section 313.

Any substance listed as hazardous by the States of California, Florida, Illinois, Michigan, New Jersey, Ohio, Pennsylvania or Texas is described above if known present in regulated concentrations.

SECTION III Physical/Chemical Characteristics

Boiling Point

Concentrate - initial

180° F

Specific Gravity (H₂O = 1)

Concentrate

0.884

Pressure (psig. @ 70° F)

35 ± 5

Melting Point

No Data

Vapor Density (AIR = 1)

Greater than one (1)

Evaporation Rate (Butyl Acetate = 1)

No Data

Solubility in Water

Complete

pH

Not Applicable

Appearance and Odor -

Clear colorless liquid with a citrus scent in an aerosol can.

SECTION IV - Fire and Explosion Hazard Data

USA Flame Projection Test (ASTM D-3065)

>18", no flashback; Flammable

Flammable Limits

No Data

LEL

No Data

UEL

No Data

Extinguishing Media -

Carbon dioxide, dry chemical, halon, polar or alcohol foam or water spray. Water may be ineffective.

Special Fire Fighting Procedures - Use water spray to keep containers cool and vapors down. Do not allow runoff to enter sewers or public watercourses. Wear self-contained breathing apparatus in chemical fires.

Unusual Fire and Explosion Hazards -

Aerosol container (pressurized) may burst if heated over 120° F. Flammable contents.

SECTION V - Reactivity Data

Stability	Unstable		Conditions to Avoid - Extreme heat, direct sunlight
	Stable	X	
Incompatibility (Materials to Avoid) - Strong oxidizing agents, anhydrides, isocyanates, acetaldehyde, ethylene oxide, hydrogen peroxide, aluminum, organometallic contaminants, chlorine, permanganates or dichromates.			
Hazardous Decomposition or Byproducts - Carbon dioxide, carbon monoxide and various organic oxidation compounds.			
Hazardous	May Occur		Conditions to Avoid - None known
Polymerization	Will Not Occur	X	

SECTION VI - Health Hazard Data

Route(s) of Entry	Eyes?	Inhalation?	Skin?	Ingestion?
	Yes	Yes	Yes	Yes
Health Hazards (Acute and Chronic) - Warning. Flammable liquid and vapor. Causes eye irritation. May cause skin irritation. May cause respiratory tract irritation. May be harmful if swallowed. Excessive occupational overexposure to vapors may induce central nervous system effects or lead to Painter's Syndrome. Repeated or prolonged skin contact may lead to dryness or dermatitis. Follow good chemical hygiene practices when using this and other industrial cleaning products.				
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?	
None known	No	No	No	

Signs and Symptoms of Exposure -

Redness, tearing, burning in eyes. Redness, drying or cracking skin. Drowsiness, dizziness, fatigue or loss of coordination. Irritation of nose, throat, respiratory or digestive tracts possible if overexposed.

Medical Conditions Generally Aggravated by Exposure -

Pre-existing skin and lung conditions may be adversely affected. Follow good chemical hygiene practices.

Emergency and First Aid Procedures:

Eyes - Immediately flush with plenty of water for at least 15 minutes lifting eyelids to insure complete removal. Get immediate medical attention. **Ingestion** - Do NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. **Inhalation** - Get to fresh air. If breathing has stopped, qualified personnel should administer artificial respiration. Get immediate medical attention. **Skin** - Immediately flush with plenty of water. Remove and wash contaminated clothing and shoes before reuse. If irritation arises and persists, call a physician.

SECTION VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled - Caution, slip hazard. Wipe up small spills promptly with a towel or other absorbant material. For large spills, isolate traffic and ventilate area. Eliminate all ignition sources. Wear protective gear as necessary. Dike to prevent spread. Pick up on an absorbant material then put in suitable container for proper disposal.

Waste Disposal Method - Consult local, state and federal regulations. Do not puncture or incinerate container. Replace cap on empty can, wrap, then discard container if allowed by applicable statutes.

Precautions to be Taken in Handling and Storing - Do not use around ignition sources such as heat, sparks, open flame, welding arcs, static electricity, etc. Do not smoke while using. Do not get in eyes. Avoid contact with skin and clothing. Wash thoroughly after handling. Avoid inhaling mist or vapors.

Other Precautions - Follow label directions carefully. Keep out of reach of children. Do not swallow. Store in a cool (under 120° F) dry location away from heat, sparks, open flame, and direct sunlight. Do not deliberately concentrate and inhale vapors. Direct spray away from face. Replace cap when not in use. Do not puncture or incinerate container.

SECTION VIII - Control Measures

Respiratory Protection (Specify Type) - Not usually necessary. Use with adequate ventilation. If PELs or TLVs are exceeded (see Section II), use an approved NIOSH/MSHA respirator.

Ventilation	Local Exhaust	Not usually needed	Special	None
	Mechanical (General)	Yes	Other	None

Protective Gloves -

Not usually needed. Avoid direct contact.

Eye Protection -

Yes, goggles or approved safety glasses (ANSI Z87)

Other Protective Clothing or Equipment -

Not usually necessary. If direct contact is possible, wear apron, boots, face shield, etc., as required.

Work/Hygienic Practices -

Normal. Wash thoroughly before eating, drinking, smoking, using restrooms, etc.

WARNING! The use of this product is beyond the control of the manufacturer; therefore, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The user must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

The manufacturer warrants only that this product meets the manufacturer's specifications for such product. THIS WARRANTY IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, AS TO DESCRIPTION, QUALITY, MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, PRODUCTIVITY, OR ANY OTHER MATTER, OF THIS PRODUCT. THE MANUFACTURER SHALL BE IN NO WAY RESPONSIBLE FOR THE IMPROPER USE OF THIS PRODUCT. The sole and exclusive remedy against the manufacturer for breach of warranty shall be reimbursement of the purchase price of the product in the event that a defective condition of the product shall be found to exist. NO OTHER REMEDY (INCLUDING BUT NOT LIMITED TO INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR INJURY TO PERSON OR PROPERTY OR ANY OTHER INCIDENTAL OR CONSEQUENTIAL LOSS) SHALL BE AVAILABLE.

SECTION 1 - PRODUCT IDENTIFICATION**DATE ISSUED: 1/2003****PRODUCT NAME:****CHEWING GUM & WAX REMOVER****SUPPLIER'S NAME:**

Cleantronics, Inc.

DOT CLASSIFICATION: None**PRODUCT:** 3307**SUPPLIER'S ADDRESS:**

PO Box 338

DOT SHIPPING NAME: None**PRODUCT TYPE:** chewing gum remover

Windsor, NJ 08561-0338

HAZARD RATING:**CHEMICAL FAMILY:** mixture packaged in
pressurized aerosol spray container**EMERGENCY PHONE:** 800-255-3924**HEALTH:** 1 **FLAMMABILITY:**
REACTIVITY: 0 **PERSONAL PRO****SECTION 2 - INGREDIENTS INFORMATION**

CHEMICAL NAME	CAS NO.	% / WT.	THRESHOLD LIMIT VALU
PROPANE	74-98-6	Not Est.	1,000 ppm
BUTANE	106-97-8	Not Est.	800 ppm

*An asterisk indicates the toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 4

SECTION 3 - PHYSICAL DATA**SECTION 4 - REACTIVITY DATA**

BOILING RANGE (F): -6.4 to +10.9oF **SPECIFIC GRAVITY:** 0.566

VAPOR PRESSURE: 44 - 46 **VAPOR DENSITY:** Same as Water

% VOLATILE: 100% **pH:** none

SOLUBILITY IN WATER: none **EVAPORATION RATE:** immediate
at temperatures above -6.4oF

PHYSICAL DESCRIPTION: Liquid—clear; Vapor—not visible Odor—sweet
petroleum

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will Not Occur

INCOMPATIBILITY (MATERIALS TO AVOID): None

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon M
Volatile Hydrocarbon Vapors

SECTION 5 - FIRE & EXPLOSION HAZARD DATA**SECTION 6 - STORAGE & HANDLING INFOR**

FLASH POINT: N/A

FLAMMABILITY: Extremely Flammable

EXTINGUISHING MEDIA: Dry Chemical (B-C), H₂O

SPECIAL FIRE FIGHTING PROCEDURES: Keep containers cool using water
spray. Use proper equipment to protect personnel from bursting containers. Extinguish
ALL sources of ignition.

UNUSUAL AND EXPLOSION HAZARDS:

SPECIAL PRECAUTIONS: Keep out of reach of children.
Use only in well ventilated area.
For institutional and industrial use only.
For use by trained personnel only.
Store and keep in closed container, in a
Avoid freezing.

SKIN: YES

CARCINOGENICITY:
NTP: NO

SKIN: Warm affected areas gradually. Flush areas with plenty of water. Get medical attention if there is evidence of tissue damage.

INHALATION: YES

IARC: NO

INHALATION: Do Not Induce Vomiting. Get medical attention immediately.

INGESTION: Unlikely

OSHA: NO

INGESTION: Remove victim to fresh air. Apply artificial respiration if necessary. Get medical attention immediately.

MEDICAL CONDITION AGGRAVATED BY EXPOSURE: None Known

SECTION 9 - PRECAUTIONS FOR SAFE HANDLING

RESPIRATORY PROTECTION: None required for normal use.

PROTECTIVE GLOVES: Not required for normal use

VENTILATION: Maintain adequate ventilation

EYE CONTACT: none required for normal use

SECTION 10 - SPILL OR LEAK

DISPOSAL: Dispose of in accordance with local, state and federal regulations.

SPILLAGE: Avoid sources of ignition-Ventilate area. Use water fog to cool. Do not use high pressure water. Protect body against contact with liquid. If confined space—use proper ventilation apparatus. Consult local fire authorities.

N/D = Not Determined, N/E = Not Established, N/A = Not Applicable

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT IDENTIFICATION

DATE ISSUED: 8/2003

PRODUCT NAME: **4OUR BROWN SPOT
REMOVER**

SUPPLIER'S NAME:
Cleantronics, Inc.

DOT CLASSIFICATION: None

PRODUCT #: 4116,4132, 4105

SUPPLIER'S ADDRESS:
PO Box 338

DOT SHIPPING NAME: None

PRODUCT TYPE: Cleaner

Windsor, NJ 08561-0338

HAZARD RATING:

CHEMICAL FAMILY: Mineral Solution

EMERGENCY PHONE: 800-255-3924

HEALTH: 1 FLAMMABILITY: 0
REACTIVITY: 0 PERSONAL PROTECTION: B

SECTION 2 - INGREDIENTS INFORMATION

CHEMICAL NAME	CAS NO.	% / WT.	THRESHOLD LIMIT VALUE
CITRIC ACID	77-92-9	TO 5	N/E
WATER	7732-18-5	TO 95	NONE

*An asterisk indicates the toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372:

SECTION 3 - PHYSICAL DATA

SECTION 4 - REACTIVITY DATA

BOILING RANGE (F): 212-220 °F SPECIFIC GRAVITY: 1.01
VAPOR PRESSURE: N/D VAPOR DENSITY: Same as Water
% VOLATILE: 94-96 pH: 3-4
SOLUBILITY IN WATER: Complete EVAPORATION RATE: N/A
PHYSICAL DESCRIPTION: Clear Liquid, Sl. Citric Odor

STABILITY: Stable
HAZARDOUS POLYMERIZATION: Will Not Occur
INCOMPATIBILITY (MATERIALS TO AVOID): None
HAZARDOUS DECOMPOSITION PRODUCTS: Normal products
of combustion

SECTION 5 - FIRE & EXPLOSION HAZARD DATA

SECTION 6 - STORAGE & HANDLING INFORMATION

FLASH POINT: Exceeds 200 °F
FLAMMABILITY: Non-Flammable
EXTINGUISHING MEDIA: Water, CO₂
SPECIAL FIRE FIGHTING PROCEDURES: Floor may be slippery
UNUSUAL AND EXPLOSION HAZARDS: None

SPECIAL PRECAUTIONS: Keep out of reach of children.
Use only in well ventilated area.
For institutional and industrial use only.
For use by trained personnel only.
Store and keep in closed container, in a cool place.
Avoid freezing.

SECTION 7 - HEALTH HAZARD DATA

SECTION 8 - FIRST AID PROCEDURE

EYES: May cause irritation. EXPOSURE LIMITS: N/E
SKIN: May cause irritation. CARCINOGENICITY:
NTP: Not listed
INHALATION: May cause irritation to upper tract. IARC: Not listed
INGESTION: May cause irritation of mucous membranes. OSHA: Not regulated
MEDICAL CONDITION AGGRAVATED BY EXPOSURE:
Person with present skin disorder may be more susceptible to irritation.

EYES: Flush with running water for 15 minutes.
SKIN: Wash off with soap and water.
INHALATION: Remove to fresh air.
INGESTION: Do not induce vomiting.
Drink plenty of water.
If unconscious or in convulsion, take to hospital or physician.

SECTION 9 - PRECAUTIONS FOR SAFE HANDLING

SECTION 10 - SPILL OR LEAK

RESPIRATORY PROTECTION: No special requirements.
PROTECTIVE GLOVES: Chemical resistant.
VENTILATION: Good ventilation required.
EYE CONTACT: Goggles or Face Shield.

SPILLAGE: Dike & contain spill, absorb the liquid.
DISPOSAL: Scoop or shovel solid material into a suitable container for
recovery or disposal. Area may become slippery.
Flush cleaned area with water.
Dispose according to local, state and federal requirements.

N/D = Not Determined, N/E = Not Established, N/A = Not Applicable

THIS PRODUCT SAFETY DATA SHEET IS OFFERED SOLELY FOR YOUR INFORMATION, CONSIDERATION AND INVESTIGATION.
DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATION SAFETY AND HEALTH.

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT IDENTIFICATION

DATE ISSUED: 8/2003

PRODUCT NAME: **FIVE RUST AWAY**

SUPPLIER'S NAME:

Cleantronics, Inc.

DOT CLASSIFICATION: None

PRODUCT #: 5116

SUPPLIER'S ADDRESS:

PO Box 338

DOT SHIPPING NAME: None

PRODUCT TYPE: Cleaner

Windsor, NJ 08561-0338

HAZARD RATING:

CHEMICAL FAMILY: Surfactant Blend

EMERGENCY PHONE: 800-255-3924

HEALTH: 1

FLAMMABILITY: 0

REACTIVITY: 0 PERSONAL PROTECTION: B

SECTION 2 - INGREDIENTS INFORMATION

CHEMICAL NAME	CAS NO.	% / WT.	THRESHOLD LIMIT VALUE
PHOSPHORIC ACID	7664-38-2	TO 10	1 mg/M ³
NON-IONIC SURFACTANT	MIXTURE	TO 1	N/E
FRAGRANCE	MIXTURE	TO 1	N/E
WATER	7732-18-5	TO 90	NONE

*An asterisk indicates the toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372.

SECTION 3 - PHYSICAL DATA

BOILING RANGE (F): 212-220 °F SPECIFIC GRAVITY: 1.04
VAPOR PRESSURE: N/D VAPOR DENSITY: Same as Water
% VOLATILE: 88-90 pH: 2
SOLUBILITY IN WATER: Complete EVAPORATION RATE: N/A
PHYSICAL DESCRIPTION: Off White Liquid, Lime Odor

SECTION 4 - REACTIVITY DATA

STABILITY: Stable
HAZARDOUS POLYMERIZATION: Will Not Occur
INCOMPATIBILITY (MATERIALS TO AVOID): None
HAZARDOUS DECOMPOSITION PRODUCTS: Normal products
of combustion

SECTION 5 - FIRE & EXPLOSION HAZARD DATA

FLASH POINT: N/A
FLAMMABILITY: Non-Flammable
EXTINGUISHING MEDIA: Water, CO₂
SPECIAL FIRE FIGHTING PROCEDURES: Floor may be slippery
UNUSUAL AND EXPLOSION HAZARDS: None

SECTION 6 - STORAGE & HANDLING INFORMATION

SPECIAL PRECAUTIONS: Keep out of reach of children.
Use only in well ventilated area.
For institutional and industrial use only.
For use by trained personnel only.
Store and keep in closed container, in a cool place.
Avoid freezing.

SECTION 7 - HEALTH HAZARD DATA

EYES: May cause irritation. EXPOSURE LIMITS: N/E
SKIN: May cause irritation. CARCINOGENICITY:
NTP: Not listed
INHALATION: May cause irritation to upper tract. IARC: Not listed
INGESTION: May cause irritation of mucous membranes. OSHA: Not regulated
MEDICAL CONDITION AGGRAVATED BY EXPOSURE:
Person with present skin disorder may be more susceptible to irritation.

SECTION 8 - FIRST AID PROCEDURE

EYES: Flush with running water for 15 minutes.
SKIN: Wash off with soap and water.
INHALATION: Remove to fresh air.
INGESTION: Do not induce vomiting.
Drink plenty of water.
If unconscious or in convulsion, take to hospital or physician.

SECTION 9 - PRECAUTIONS FOR SAFE HANDLING

RESPIRATORY PROTECTION: No special requirements.
PROTECTIVE GLOVES: Chemical resistant.
VENTILATION: Good ventilation required.
EYE CONTACT: Goggles or Face Shield.

SECTION 10 - SPILL OR LEAK

SPILLAGE: Dike & contain spill, absorb the liquid.
DISPOSAL: Scoop or shovel solid material into a suitable container for
recovery or disposal. Area may become slippery.
Flush cleaned area with water.
Dispose according to local, state and federal requirements.

N/D = Not Determined, N/E = Not Established, N/A = Not Applicable

THIS PRODUCT SAFETY DATA SHEET IS OFFERED SOLELY FOR YOUR INFORMATION, CONSIDERATION AND INVESTIGATION.
DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATION SAFETY AND HEALTH.

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT IDENTIFICATION

DATE ISSUED: 12/2002

PRODUCT NAME: **61X TURBO CLEAN
COFFEE REMOVER**

SUPPLIER'S NAME:
Cleantronics, Inc.

DOT CLASSIFICATION: None

PRODUCT #: 6116,6132,6105

SUPPLIER'S ADDRESS:

DOT SHIPPING NAME: None

PRODUCT TYPE: Cleaner

PO Box 338

Windsor, NJ 08561-0338

HAZARD RATING:

CHEMICAL FAMILY: Mineral Solution

EMERGENCY PHONE: 800-255-3924

HEALTH: 1

FLAMMABILITY: 0

REACTIVITY: 0

PERSONAL PROTECTION: B

SECTION 2 - INGREDIENTS INFORMATION

CHEMICAL NAME	CAS NO.	% / WT.	THRESHOLD LIMIT VALUE
SODIUM METABISULFITE	7681-57-4	TO 4	N/E
NON-IONIC SURFACTANT	MIXTURE	TO 0.5	N/E
WATER	7732-18-5	TO 95	NONE

*An asterisk indicates the toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372.

SECTION 3 - PHYSICAL DATA

SECTION 4 - REACTIVITY DATA

BOILING RANGE (F): 212-220 °F
SPECIFIC GRAVITY: 1.02
VAPOR PRESSURE: N/D
VAPOR DENSITY: Same as Water
% VOLATILE: 96-98
pH: 3-4
SOLUBILITY IN WATER: Complete
EVAPORATION RATE: N/A
PHYSICAL DESCRIPTION: Clear Liquid, Cinnamon Odor

STABILITY: Stable
HAZARDOUS POLYMERIZATION: Will Not Occur
INCOMPATIBILITY (MATERIALS TO AVOID): None
HAZARDOUS DECOMPOSITION PRODUCTS: Normal products
of combustion

SECTION 5 - FIRE & EXPLOSION HAZARD DATA

SECTION 6 - STORAGE & HANDLING INFORMATION

FLASH POINT: Exceeds 200 °F
FLAMMABILITY: Non-Flammable
EXTINGUISHING MEDIA: Water, CO₂
SPECIAL FIRE FIGHTING PROCEDURES: Floor may be slippery
UNUSUAL AND EXPLOSION HAZARDS: None

SPECIAL PRECAUTIONS: Keep out of reach of children.
Use only in well ventilated area.
For institutional and industrial use only.
For use by trained personnel only.
Store and keep in closed container, in a cool place.
Avoid freezing.

SECTION 7 - HEALTH HAZARD DATA

SECTION 8 - FIRST AID PROCEDURE

EYES: May cause irritation.
EXPOSURE LIMITS: N/E
SKIN: May cause irritation.
CARCINOGENICITY:
NTP: Not listed
INHALATION: May cause irritation to upper tract.
IARC: Not listed
INGESTION: May cause irritation of mucous membranes.
OSHA: Not regulated
MEDICAL CONDITION AGGRAVATED BY EXPOSURE:
Person with present skin disorder may be more susceptible to irritation.

EYES: Flush with running water for 15 minutes.
SKIN: Wash off with soap and water.
INHALATION: Remove to fresh air.
INGESTION: Do not induce vomiting.
Drink plenty of water.
If unconscious or in convulsion, take to hospital or physician.

SECTION 9 - PRECAUTIONS FOR SAFE HANDLING

SECTION 10 - SPILL OR LEAK

RESPIRATORY PROTECTION: No special requirements.
PROTECTIVE GLOVES: Chemical resistant.
VENTILATION: Good ventilation required.
EYE CONTACT: Goggles or Face Shield.

SPILLAGE: Dike & contain spill, absorb the liquid.
DISPOSAL: Scoop or shovel solid material into a suitable container for
recovery or disposal. Area may become slippery.
Flush cleaned area with water.
Dispose according to local, state and federal requirements.

N/D = Not Determined, N/E = Not Established, N/A = Not Applicable

THIS PRODUCT SAFETY DATA SHEET IS OFFERED SOLELY FOR YOUR INFORMATION, CONSIDERATION AND INVESTIGATION.
DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATION SAFETY AND HEALTH.

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT IDENTIFICATION

DATE ISSUED: 8/2003

PRODUCT NAME: **7EVEN-ENZYME
CLEANER**

SUPPLIER'S NAME:

DOT CLASSIFICATION: None

PRODUCT #: 7016,7032,7005

SUPPLIER'S ADDRESS:

DOT SHIPPING NAME: None

PRODUCT TYPE: Carpet Care

PO Box 338

Windsor, NJ 08561-0338

HAZARD RATING:

CHEMICAL FAMILY: Enzyme Blend

EMERGENCY PHONE: 800-255-3924

HEALTH: 1

FLAMMABILITY: 0

REACTIVITY: 0 PERSONAL PROTECTION: B

SECTION 2 - INGREDIENTS INFORMATION

CHEMICAL NAME	CAS NO.	% / WT.	THRESHOLD LIMIT VALUE
NATURAL ENZYME	N/E	TO 10	N/E
NON-IONIC SURFACTANT BLEND	MIXTURE	TO 1	N/E
PROPYLENE GLYCOL	57-55-6	TO 1	NA
FRAGRANCE	PROPRIETORY	TO 0.5	N/E
WATER	7732-18-5	TO 86	NONE

*An asterisk indicates the toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372:

SECTION 3 - PHYSICAL DATA

SECTION 4 - REACTIVITY DATA

BOILING RANGE (F): 212-220 °F
SPECIFIC GRAVITY: 1.01
VAPOR PRESSURE: N/D
VAPOR DENSITY: Same as Water
% VOLATILE: 92-94
pH: 6-7
SOLUBILITY IN WATER: Complete
EVAPORATION RATE: N/A
PHYSICAL DESCRIPTION: Clear Blue Liquid, Spice Fragrance

STABILITY: Stable
HAZARDOUS POLYMERIZATION: Will Not Occur
INCOMPATIBILITY (MATERIALS TO AVOID): None
HAZARDOUS DECOMPOSITION PRODUCTS: Normal products
of combustion

SECTION 5 - FIRE & EXPLOSION HAZARD DATA

SECTION 6 - STORAGE & HANDLING INFORMATION

FLASH POINT: Exceeds 200 °F
FLAMMABILITY: Non-Flammable
EXTINGUISHING MEDIA: Water, CO₂
SPECIAL FIRE FIGHTING PROCEDURES: Floor may be slippery
UNUSUAL AND EXPLOSION HAZARDS: None

SPECIAL PRECAUTIONS: Keep out of reach of children.
Use only in well ventilated area.
For institutional and industrial use only.
For use by trained personnel only.
Store and keep in closed container, in a cool place.
Avoid freezing.

SECTION 7 - HEALTH HAZARD DATA

SECTION 8 - FIRST AID PROCEDURE

EYES: May cause irritation.
EXPOSURE LIMITS: N/E
SKIN: May cause irritation.
CARCINOGENICITY:
NTP: Not listed
INHALATION: May cause irritation to upper tract.
IARC: Not listed
INGESTION: May cause irritation of mucous membranes.
OSHA: Not regulated
MEDICAL CONDITION AGGRAVATED BY EXPOSURE:
Person with present skin disorder may be more susceptible to irritation.

EYES: Flush with running water for 15 minutes.
SKIN: Wash off with soap and water.
INHALATION: Remove to fresh air.
INGESTION: Do not induce vomiting.
Drink plenty of water.
If unconscious or in convulsion, take to hospital or physician.

SECTION 9 - PRECAUTIONS FOR SAFE HANDLING

SECTION 10 - SPILL OR LEAK

RESPIRATORY PROTECTION: No special requirements.
PROTECTIVE GLOVES: Chemical resistant.
VENTILATION: Good ventilation required.
EYE CONTACT: Goggles or Face Shield.

SPILLAGE: Dike & contain spill, absorb the liquid.
DISPOSAL: Scoop or shovel solid material into a suitable container for
recovery or disposal. Area may become slippery.
Flush cleaned area with water.
Dispose according to local, state and federal requirements.

N/D = Not Determined, N/E = Not Established, N/A = Not Applicable

THIS PRODUCT SAFETY DATA SHEET IS OFFERED SOLELY FOR YOUR INFORMATION, CONSIDERATION AND INVESTIGATION.
DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATION SAFETY AND HEALTH.