

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name Potassium Chromate 2% Solution

CAS number 7789-00-6

Synonyms N/A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Laboratory chemicals.

1.3 Details of the supplier of the safety data sheet

Company Lab Alley, LLC

12501 Pauls Valley Road Austin, Texas 78737

U.S.A.

Telephone 512-668-9918 Fax 512-886-4008

1.4 Emergency telephone

Emergency Phone # US & Canada: 1-800-535-5053 INFOTRAC

International 1-352-323-3500 INFOTRAC

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Respiratory Sensitizer Category 1
Skin Sensitizer Category 1
Germ Cell Mutagenicity Category 2
Carcinogenicity Category 1
Reproductive Toxicity Category 1
Acute Aquatic Hazard Category 3

Laballey.com Page 1 of 10

2.2 GHS Label elements, including precautionary statements

Pictogram





Signal Word Danger

Hazard statements May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

Suspected of causing genetic defects.

May cause cancer.

May damage fertility; may damage the unborn child.

Harmful to aquatic life.

Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing fumes, mist, vapors, or spray. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Avoid release to the environment. In case of inadequate ventilation wear respiratory protection.

Response: IF exposed or concerned, get medical attention. Specific treatment

(Wash areas of contact with water).

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical attention. Wash contaminated clothing before reuse.

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or physician.

Spills: Collect spillage.

Storage: Store locked up.

Disposal: Dispose of contents in accordance with local, state, federal, and

international regulations.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None identified.

SECTION 3: Composition/information on ingredients

3.1 Components

Laballey.com Page 2 of 10

Chemical name	Common name and synonyms	CAS number	Concentration
Water	Aqua; H2O	7732-18-5	98%
Potassium chromate	Bipotassium chromate	7789-00-6	2%

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

If inhaled If breathing is difficult, remove person to fresh air and keep comfortable for

breathing.

In case of skin contact Wash with plenty of soap and water. May cause slight irritation.

In case of eye contact May cause irritation, redness, pain, and tearing.

If swallowed Dilute immediately with water or milk. Induce vomiting. Call a physician.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing genetic defects. May cause cancer. May damage fertility or the unborn child. Contains Hexavalent Chromium compound, which is a known carcinogen. May cause irritation to eyes and skin.

4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment (Wash areas of contact with water). Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use any means suitable for extinguishing

surrounding fire (Water, water spray, foam, or dry

chemical).

Unsuitable extinguishing mediaNo information available.

5.2 Specific hazards arising from the substance or mixture

Not considered to be a fire or explosion hazard. Contact with oxidizable substances may cause violent combustion.

5.3 Special protective equipment and precautions for firefighters

Laballey.com Page 3 of 10

Use protective clothing and breathing equipment appropriate for the surrounding fire.

5.4 Further information

Flash Point No information available.

Autoignition Temperature No information available.

Explosion limits

Upper No data available.Lower No data available.

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge No information available.

NFPA

Health	Flammability	Instability	Physical hazards
2	0	0	N/A

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

6.2 Environmental precautions

Do not flush to sewer.

6.3 Methods and materials for containment and cleaning up

Absorb with suitable material. Containerize for disposal with a hazardous waste disposal facility. Dispose of in accordance with local regulations.

6.4 Reference to other sections

See Section 2 for full list of hazard and precaution statements.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions on safe handling

As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

Laballey.com Page 4 of 10

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Store locked up. Protect from freezing and physical damage.

Incompatibilities

Reducing Agents, organic compounds.

SECTION 8: Exposure controls/personal protection

8.1 Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	Type	Value
Potassium chromate	TWA	5 μg/m³
	Ceiling	0.1 mg/m³

US. ACGIH Threshold Limit Values

Component	Туре	Value
Potassium chromate	TWA	0.0002 mg/m³
	STEL	0.0005 mg/m³

Biological occupational exposure limits

No information available.

8.2 Exposure controls

Appropriate engineering controls

No specific controls are needed. Normal room ventilation is adequate.

Personal protective equipment

Eye/face protection

Wear protective gloves and eye protection. Safety glasses or goggles.

Skin protection

Wear protective gloves and eye protection. Chemical resistant gloves.

Body Protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Normal room ventilation is adequate.

Control of environmental exposure

No information available.

Laballey.com Page 5 of 10

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State Liquid
Appearance Yellow
Odor Odorless

Odor Threshold Data not available

pH Alkaline

Melting Point/Range Approximately 0°C
Boiling Point/Range Approximately 100°C
Evaporation Rate Data not available
Flammability (solid) Not applicable
Flammability or explosive limit Data not available

Upper

Lower

Vapor Pressure Data not available Vapor Density Data not available Data not available

Solubility Miscible

Partition coefficient: Data not available

n-octanol/water

Autoignition Temp Data not available
Decomposition Temp Data not available
Viscosity Data not available

Molecular Formula K2CrO4

Molecular Weight 194.1896 g/mol
VOC Content(%) Data not available
Oxidizing properties Data not available

9.2 Other safety information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

Stable under normal conditions of use and storage.

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to avoid

Laballey.com Page 6 of 10

Incompatible products.

10.5 Incompatible materials

Reducing Agents, organic compounds.

10.6 Hazardous decomposition products

Will not occur.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product Information, Component Information

Acute toxicity

(Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Pota	ssium chromate	180 mg/kg (Mouse)	-	-

Skin corrosion/irritation

No information available.

Serious eye damage/eye irritation

No information available.

Respiratory or skin sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

Component	CAS	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18-5	Not listed				
Potassium chromate	7789-00-6	Group 1	Known	A1	Х	A1

Specific target organ toxicity - single exposure

No information available.

Specific target organ toxicity - repeated exposure

No information available.

Reproductive toxicity

May damage fertility or the unborn child.

Chronic effects

Laballey.com Page 7 of 10

No information available.

11.2 Additional Information

The toxicological properties have not been fully investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic organisms; may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Do not allow material to contaminate ground water system.

Product		Species	Test Results
Potassium chromate	LC50	Pimephales promelas	40 mg/L/96h
	EC50	Water Flea	0.015 mg/L/48h

12.2 Persistence and degradability

May persist based on information available.

12.3 Bio accumulative potential

No information available.

12.4 Mobility in soil

Will likely be mobile in the environment due to its water solubility.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

SECTION 14: Transport information

DOT (US) Not regulated.

IMDG Not regulated.

Laballey.com Page 8 of 10

SECTION 15: Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Listed, Potassium chromate (CAS #7789-00-6), Section 6.

CERCLA Hazardous Substance List (40 CFR 302.4)

Listed, Potassium chromate (CAS #7789-00-6), RQ: 10 lb.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Listed, Potassium chromate (CAS #7789-00-6).

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

See Section 2 for more information.

SARA 313 (TRI reporting)

Listed, Potassium chromate (CAS #7789-00-6).

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Listed, Potassium chromate (CAS #7789-00-6).

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Listed, Potassium chromate (CAS #7789-00-6), RQ: 10 lb.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Not listed.

US state regulations

US. Massachusetts RTK - Substance List

Listed, Potassium chromate (CAS #7789-00-6).

Laballey.com Page 9 of 10

US. New Jersey Worker and Community Right-to-Know Act

Listed, Potassium chromate (CAS #7789-00-6).

US. Pennsylvania Worker and Community Right-to-Know Law

Listed, Potassium chromate (CAS #7789-00-6).

California Proposition 65

Listed, Potassium chromate (CAS #7789-00-6).

SECTION 16: Other information

Issue date: 11/07/2024

SECTION 17: Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Laballey.com Page 10 of 10