

SAFETY DATA SHEET

1. Identification

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

Product identifier HP LaserJet W1480A-X Print Cartridge

Other means of identification None

Recommended use This product is a toner preparation that is used in HP LaserJet Pro 4001, HP LaserJet Pro 4002,

HP LaserJet Pro 4003, HP LaserJet Pro 4004, HP LaserJet Pro MFP 4101, HP LaserJet Pro MFP

4102, HP LaserJet Pro MFP 4103, HP LaserJet Pro MFP 4104 series printers.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

HP Inc.

1501 Page Mill Road Palo Alto, CA 94304-1112

United States

Telephone 650-857-1501

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: sustainability@hp.com

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement Not available.

Precautionary statement

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Hazard(s) not otherwise classified (HNOC)

None of the other ingredients in this preparation are classified as carcinogens according to

ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		Trade Secret	<50

Material name: W1480A-X

15916 Version #: 02 Revision date: 13-Apr-2023 Issue date: 15-Jun-2022

Chemical name	Common name and synonyms	CAS number	%
Iron oxide		1317-61-9	<45
Wax	Wax	Proprietary	<20
Amorphous silica	Amorphous silica	7631-86-9	<3

4. First-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician. Ingestion

Most important

symptoms/effects, acute and

delayed

Not available.

5. Fire-fighting measures

Suitable extinguishing media

CO2, water, or dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely

dispersed in air.

Special protective equipment and precautions for firefighters Not available.

Fire fighting

equipment/instructions

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

Methods and materials for containment and cleaning up

Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

explosion-proof. Fine powder can form explosive dust-air mixtures.

Environmental precautions Keep out of waterways

7. Handling and storage

Precautions for safe handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with

adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Conditions for safe storage, including any incompatibilities Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

away from strong oxidizers.

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

Components Value Type **TWA** Amorphous silica (CAS 6 mg/m3 7631-86-9)

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Material name: W1480A-X SDS US **Exposure guidelines** Austria: TWA:4 mg/m3 (inhalable fraction)

Czech Republic: TWA: 4 mg/m3

Finland: TWA: 5 mg/m3, STEL: mg/m3

Germany: TRGS TWA: 4 mg/m3 inhalable fraction DFG TWA: 4 mg/m3

Ireland: TWA: 6.4 mg/m3 inhalable fraction, STEL: 2.4 mg/m3 inhalable fraction

UK: TWA: 6 mg/m3 inhalable dust STEL 2.4 mg/m3 respirable dust

Norway: TWA: 1.5 mg/m3 respirable dust STEL: 3 mg/m3 respirable dust

Switzerland: TWA: 4 mg/m3 respirable dust

Appropriate engineering

controls

None established.

Individual protection measures, such as personal protective equipment

Eye/face protection Not available.

Skin protection

Hand protection Not available.

Other Not available.

Respiratory protection Not available.

Thermal hazards Not available.

9. Physical and chemical properties

Appearance Fine powder
Physical state Solid.
Form solid
Color Black.

Odor Slight plastic odor
Odor threshold Not available.

PH Not applicable
Melting point/freezing point Not available.

Initial boiling point and boiling Not applicable

range

Flash point

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Explosive limit - lower (%)

Explosive limit - upper (%)

Vapor pressure

Relative vapor density

Not applicable

Not applicable

Solubility(ies)

Solubility (water) Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNo data availableDecomposition temperature392 °F (200 °C)ViscosityNot applicable

Other information

Oxidizing properties No information available.

Percent volatile Negligible

Softening point 194 - 284 °F (90 - 140 °C)

Specific gravity 1.4 - 1.8

Material name: W1480A-X SDS US

VOC Not applicable

10. Stability and reactivity

Not available. Reactivity

Chemical stability Stable under normal storage conditions.

Possibility of hazardous

reactions

None.

Conditions to avoid None.

Incompatible materials Acids, Bases, Oxidizing agents, Reducing agents.

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

11. Toxicological information

Information on likely routes of exposure

Inhalation Not available. Not available. Skin contact Eye contact Not available. Not available. Ingestion Not available.

Symptoms related to the physical, chemical and toxicological characteristics

Information on toxicological effects

Acute toxicity LD50 > 2000 mg/kg (Ingestion)

Skin corrosion/irritation Non-irritant

Serious eve damage/eve

irritation

Transient slight conjunctival irritation only

Respiratory or skin sensitization

Respiratory sensitization Non - Sensitizing

Based on available data, the classification criteria are not met. Skin sensitization

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Germ cell mutagenicity

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Not available. Specific target organ toxicity -

single exposure

Not available.

Specific target organ toxicity -

repeated exposure

Reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m3 which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m3, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m3. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Not available. **Aspiration hazard**

No information available. **Further information**

12. Ecological information

Ecotoxicity EL50: >100 mg/l, Crustacea, 48.00 Hours

Material name: W1480A-X SDS US

Product Test Results Species W1480A-X Aquatic ErL50 Algae > 100 mg/l, 72 Hours Algae Crustacea EL50 Crustacea > 100 mg/l, 48 Hours Fish LL50 Fish > 100 mg/l, 96 Hours Not available. Persistence and degradability Not available. Bioaccumulative potential

13. Disposal considerations

Mobility in soil

Other adverse effects

Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

Not available. Not available.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

14. Transport information

DOT

UN number Not regulated as dangerous goods.

Not Regulated **UN proper shipping name**

Transport hazard class(es)

Not assigned.

Subsidiary risk

Packing group Not assigned.

Environmental hazards

No Marine pollutant

Special precautions for user Not assigned.

IATA

UN number UN2807

UN proper shipping name Magnetized Material

Transport hazard class(es)

Class 9 Subsidiary risk Packing group None **Environmental hazards** No

Special precautions for user Not assigned

IMDG

UN number Not regulated as dangerous goods.

UN proper shipping name

Transport hazard class(es)

Not Regulated

Class Not assigned.

Subsidiary risk

Packing group Not assigned.

Transport hazard class(es)

Nο Marine pollutant

EmS Not assigned. Special precautions for user Not assigned.

ADR

UN number Not regulated as dangerous goods.

UN proper shipping name

Transport hazard class(es)

Not Regulated

Class Not assigned Subsidiary risk

Hazard No. (ADR) Not assigned **Tunnel restriction code** Not assigned


Material name: W1480A-X

Packing group Not assigned

Environmental hazards No

Soecial precautions for user Not assigned

IATA



Further information 85 or more of these cartridges shipped together in a single package (e.g., box, container), by air,

are regulated as a magnetized material.

15. Regulatory information

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders

under TSCA.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

No intentionally added HAP substances.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Clean Air Act (CAA) No internationally added HAP substances.

16. Other information, including date of preparation or last revision

Issue date15-Jun-2022Revision date13-Apr-2023

Version # 02

Other information This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

Material name: W1480A-X SDS US

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Revision information

1. Product and Company Identification: Product and Company Identification Exposure controls/personal protection: Exposure guidelines

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: W1480A-X SDS US