

# SAFETY DATA SHEET

1. Identification

\*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

HP LaserJet CF237A-X-Y-YC Print Cartridge **Product identifier** 

Other means of identification

Recommended use This product is a toner preparation that is used in HP LaserJet Enterprise M607, HP LaserJet

> Enterprise M608, HP LaserJet Enterprise M609, HP LaserJet Enterprise M631, HP LaserJet Enterprise M632, HP LaserJet Enterprise M633, HP LaserJet Managed E60055, HP LaserJet

Managed E60065, HP LaserJet Managed E60075 series printers.

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

HP Inc.

1501 Page Mill Road Palo Alto. CA 94304-1112

**United States** 

**Telephone** 650-857-1501

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

1-760-710-0048 (Direct)

**HP Inc. Customer Care** 

(Toll-free within the US) 1-800-474-6836 1-208-323-2551 (Direct)

Email: sustainability@hp.com

### 2. Hazard(s) identification

Physical hazards Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

None. Hazard symbol None. Signal word

Not available. **Hazard statement** 

**Precautionary statement** 

Prevention Not available. Not available. Response Not available. Storage Not available. **Disposal** 

Hazard(s) not otherwise

None of the other ingredients in this preparation are classified as carcinogens according to classified (HNOC)

ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

#### 3. Composition/information on ingredients

**Mixtures** 

Material name: CF237A-X-Y-YC SDS US

14247 Version #: 11 Revision date: 05-Aug-2022 Issue date: 17-Aug-2017

Chemical name	Common name and synonyms	CAS number	%
Polyester resin	Polyester resin	Trade Secret	<65
Iron oxide	Iron oxide	1317-61-9	<40
Amorphous silica	Amorphous silica	7631-86-9	<3

#### 4. First-aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician. Ingestion

Most important

symptoms/effects, acute and

delayed

Not available.

## 5. Fire-fighting measures

Suitable extinguishing media

CO2, water, or dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely

dispersed in air.

Special protective equipment

and precautions for firefighters

Not available.

Fire fighting

equipment/instructions

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

Methods and materials for containment and cleaning up

Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a

damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures.

**Environmental precautions** Keep out of waterways

## 7. Handling and storage

Precautions for safe handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with

adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Conditions for safe storage, including any incompatibilities Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

### 8. Exposure controls/personal protection

#### Occupational exposure limits

**US. NIOSH: Pocket Guide to Chemical Hazards** 

Value Components Type **TWA** Amorphous silica (CAS 6 mg/m3 7631-86-9)

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV):

None

Appropriate engineering

controls

None established.

Individual protection measures, such as personal protective equipment

Not available. Eye/face protection

Skin protection

**Hand protection** Not available.

Material name: CF237A-X-Y-YC

Other Not available.

Respiratory protection Not available.

Thermal hazards Not available.

## 9. Physical and chemical properties

Appearance Fine powder

Physical stateSolid.FormsolidColorBlack.

Odor Slight plastic odor
Odor threshold Not available.

pH Not applicable

Melting point/freezing point Not available.

Initial boiling point and boiling Not applicable

range

Flash point Not applicable
Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not flammable

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not applicable

Vapor density Not applicable

Solubility(ies)

**Solubility (water)** Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient

(n-octanol/water)

Not available.

Auto-ignition temperature No data available

Decomposition temperature >= 392 °F (>= 200 °C)

Viscosity Not applicable

Other information

Oxidizing properties No information available.

Softening point 212 - 302 °F (100 - 150 °C)

Specific gravity 1.4 - 1.8

VOC Not applicable

## 10. Stability and reactivity

Reactivity Not available.

**Chemical stability** Stable under normal storage conditions.

Possibility of hazardous

reactions

None.

Conditions to avoid None.

**Incompatible materials** Acids, Bases, Oxidizing agents, Reducing agents.

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

# 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** Not available.

Material name: CF237A-X-Y-YC

Not available. Skin contact Eve contact Not available. Ingestion Not available.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

#### Information on toxicological effects

**Acute toxicity** LD50 > 2000 mg/kg (Ingestion)

Skin corrosion/irritation Non-irritant

Serious eye damage/eye

Transient slight conjunctival irritation only

irritation

#### Respiratory or skin sensitization

Respiratory sensitization Non - Sensitizing

Based on available data, the classification criteria are not met. Skin sensitization

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carcinogenicity

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

## **US. National Toxicology Program (NTP) Report on Carcinogens**

Not listed.

Reproductive toxicity Not available. Specific target organ toxicity -Not available.

single exposure

Droduot

Specific target organ toxicity -

repeated exposure

Reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m3 which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m3, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m3. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Toot Doculto

Not available. **Aspiration hazard** 

No information available. **Further information** 

## 12. Ecological information

**Ecotoxicity** ErL50: > 100 mg/l, Algae, 72.00 Hours

Product		Species	lest Results
CF237A-X-Y-YC			
Aquatic			
Algae	ErL50	Algae	> 100 mg/l, 72 Hours
Crustacea	EL50	Crustacea	> 100 mg/l, 48 Hours
Fish	LL50	Fish	> 100 mg/l, 96 Hours
Persistence and degradability	Not available.		
Bioaccumulative potential	Not available.		
Mobility in soil	Not available.		
Other adverse effects	Not available.		

## 13. Disposal considerations

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely **Disposal instructions** 

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

Species

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

Material name: CF237A-X-Y-YC

## 14. Transport information

DOT

**UN number** Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

**Environmental hazards** 

Marine pollutant No

Special precautions for user Not available.

**IATA** 

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

**IMDG** 

**UN number** Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

EmS Not available. Special precautions for user Not available.

**ADR** 

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Hazard No. (ADR) Not available.

Tunnel restriction code Not available.

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

Further information None known.

#### 15. Regulatory information

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders

under TSCA.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Material name: CF237A-X-Y-YC SDS US

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

No intentionally added HAP substances.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Clean Air Act (CAA)

No intentionally added HAPS substances

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

# 16. Other information, including date of preparation or last revision

Issue date 17-Aug-2017 **Revision date** 05-Aug-2022

Version #

Other information This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or

compatible supplies in our recycling programs.

**Revision information** This document has undergone significant changes and should be reviewed in its entirety.

Material name: CF237A-X-Y-YC SDS US

## **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CF237A-X-Y-YC SDS US