

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent Application Publication

20250259246

Kind Code

A1

Publication Date

August 14, 2025

Inventor(s)

Gross; Ryan Michael et al.

SYSTEMS AND METHODS FOR GENERATING MOBILITY INSURANCE PRODUCTS USING RIDE-SHARING TELEMATICS DATA

Abstract

A personalized insurance (“PI”) computing device for determining an optimal insurance product for a driver operating a vehicle for a transportation network company (“TNC”) during a period of increased demand includes at least one processor in communication with at least one memory. The processor is configured to: (i) receive, from a TNC, data indicating increased demand for transportation services, (ii) retrieve driver data that includes the driver history, (iii) generate an optimal pricing model for the driver based upon the increased demand and the driver data, (iv) execute the model to determine an optimal insurance product having characteristics reflecting at least one risk factor associated with the increased demand for transportation services and a risk profile determined from analyzing the driver data, and (v) transmit an offer to the driver to provide transportation services at an increased earnings rate and with the determined optimal insurance product.

Inventors: Gross; Ryan Michael (Normal, IL), Brannan; Joseph Robert (Bloomington, IL), Harvey; Brian N. (Bloomington, IL)

Applicant: State Farm Mutual Automobile Insurance Company (Bloomington, IL)

Family ID: 1000008563573

Appl. No.: 19/194935

Filed: April 30, 2025

Related U.S. Application Data

parent US continuation 18170800 20230217 parent-grant-document US 12315019 child US 19194935

parent US continuation 16780507 20200203 parent-grant-document US 11599947 child US 18170800

us-provisional-application US 62892853 20190828
us-provisional-application US 62892916 20190828
us-provisional-application US 62934932 20191113
us-provisional-application US 62934948 20191113

Publication Classification

Int. Cl.: **G06Q40/08** (20120101); **G06Q10/20** (20230101); **G06Q20/10** (20120101);
G06Q30/0201 (20230101); **G06Q30/0207** (20230101); **G06Q30/0282** (20230101);
G06Q40/02 (20230101); **G06Q50/40** (20240101); **G07C5/00** (20060101); **G07C5/08**
(20060101); **G10L15/18** (20130101)

U.S. Cl.:

CPC **G06Q40/08** (20130101); **G06Q10/20** (20130101); **G06Q20/102** (20130101);
G06Q30/0206 (20130101); **G06Q30/0215** (20130101); **G06Q30/0282** (20130101);
G06Q40/02 (20130101); **G06Q50/40** (20240101); **G07C5/008** (20130101); **G07C5/0808**
(20130101); **G07C5/085** (20130101); **G10L15/1822** (20130101);

Background/Summary

CROSS-REFERENCE TO RELATED APPLICATIONS [0001] This application is a continuation of, and claims the benefit of priority to, U.S. patent application Ser. No. 18/170,800, filed Feb. 17, 2023, entitled “SYSTEMS AND METHODS FOR GENERATING MOBILITY INSURANCE PRODUCTS USING RIDE-SHARING TELEMATICS DATA,” which is a continuation of, and claims the benefit of priority to, U.S. patent application Ser. No. 16/780,507, filed Feb. 3, 2020, entitled “SYSTEMS AND METHODS FOR GENERATING MOBILITY INSURANCE PRODUCTS USING RIDE-SHARING TELEMATICS DATA,” which claims the benefit of priority to U.S. Provisional Patent Application No. 62/892,853, filed Aug. 28, 2019, entitled “SYSTEMS AND METHODS FOR GENERATING IMPROVED VEHICLE USAGE ANALYTICS BASED UPON VEHICLE SENSOR AND TELEMATICS DATA”, and to U.S. Provisional Patent Application No. 62/892,916, filed Aug. 28, 2019, entitled “SYSTEMS AND METHODS FOR GENERATING MOBILITY INSURANCE PRODUCTS USING RIDE-SHARING TELEMATICS DATA”, and to U.S. Provisional Application No. 62/934,932, filed Nov. 13, 2019, entitled “SYSTEMS AND METHODS FOR GENERATING MOBILITY INSURANCE PRODUCTS USING RIDE-SHARING TELEMATICS DATA”, and to U.S. Provisional Application No. 62/934,948, filed Nov. 13, 2019, entitled “SYSTEMS AND METHODS FOR GENERATING MOBILITY INSURANCE PRODUCTS USING RIDE-SHARING TELEMATICS DATA”, the entire contents and disclosures of which are hereby incorporated by reference herein in their entirety.

FIELD OF THE INVENTION

[0002] The present disclosure relates to systems and methods for analyzing dynamic transportation conditions including ride-sharing services, and more particularly, to systems and methods for determining optimal insurance coverage for a driver associated with a transportation network company based upon the dynamic transportation conditions.

BACKGROUND

[0003] Transportation network companies (“TNC”), such as UBER and LYFT, enable efficient transportation of passengers by providing “ride-sharing” systems that allow independent operators

(e.g., drivers) the ability to offer transportation services to riders seeking transportation.

[0004] Ride-sharing systems may use dynamic pricing models based upon passenger demand and the current supply of vehicles and drivers to determine a market rate. A higher price may be used to encourage drivers to offer rides during high demand or “peak” times when passenger demand is high and low driver supply occurs. By allowing drivers the ability to easily offer or discontinue transportation services, the demand for transportation may be more efficiently met by automatically adjusting the total number of vehicles in operation according to the number of passengers seeking transportation. Prices for transportation services using a flexible model may therefore be lower than if a fixed fleet of vehicles and drivers were deployed.

[0005] Independent operators driving for a TNC may be incentivized to offer services to riders through a number of benefits offered by the TNC including flexible scheduling, freedom from substantial oversight, and potential for significant compensation in highly trafficked areas.

However, these incentives may not be sufficient to motivate an adequate number of drivers.

[0006] Drivers face a number of other difficulties that may deter offering transportation services. For example, driving during peak times may be extremely stressful when dealing with congested traffic conditions. In addition, offering driving services during peak times may also increase the possibility of accidents. Operating a vehicle in highly trafficked areas may also incur added maintenance costs further deterring drivers from offering such transportation services. Enhancing peace of mind and/or providing additional incentives may be desirable to encourage independent operators to offer these TNC transportation services.

BRIEF SUMMARY

[0007] The present embodiments may relate to systems and methods for enhancing dynamic allocation of transportation services by improving ease of access to personalized insurance protection and rewards-based instruments. The system may include a personalized insurance (“PI”) computing device in communication with one or more transportation network companies (“TNC”), one or more financial service providers, one or more user computing devices, and/or one or more databases.

[0008] In one aspect, a personalized insurance (“PI”) computing device may be provided. The PI computing device may be configured to determine an optimal usage-based insurance (“UBI”) product for a driver operating a vehicle for a transportation network company (“TNC”) during a period of increased demand for transportation services. The PI computing device may have at least one processor (and/or associated transceiver) in communication with at least one memory. The processor and/or associated transceiver may be configured to receive, from the TNC, data indicating the increased demand for transportation services. The processor may further be configured to retrieve driver data for a driver operating a vehicle for the transportation network company, wherein the driver data includes at least the driver history. The processor may be further configured to generate an optimal pricing model for the driver based upon the increased demand and the driver data. The processor may be further configured to execute the model to determine an optimal insurance product, where the optimal insurance product includes characteristics reflecting at least one risk factor associated with the increased demand for transportation services and a risk profile determined from analyzing the driver data. The processor and/or associated transceiver may be further configured to transmit, to a user computing device, an offer, to the driver, to provide transportation services at an increased earnings rate and with the determined optimal insurance product. The PI computing device may be configured to perform additional, less, or alternate functionality, including that discussed elsewhere herein.

[0009] In another aspect, a computer-implemented method for determining an optimal usage-based insurance (“UBI”) product for a driver operating a vehicle for a transportation network company (“TNC”) during a period of increased demand for transportation services using a personal insurance (“PI”) computing device may be provided. The PI computing device may have at least one processor (and/or associated transceiver) in communication with at least one memory. The

method may include receiving, via the processor and/or associated transceiver (such as via wireless communication or data transmission over one or more radio frequency links), data from the TNC indicating an increased demand for transportation services. The method may further include retrieving, via the processor, driver data for a driver operating a vehicle for the TNC, where the driver data includes at least the driver history. The method may further include generating, via the processor, an optimal pricing model for the driver based upon the increased demand and the driver data. The method may further include executing, via the processor, the model to determine an optimal insurance product, where the optimal insurance product includes characteristics reflecting at least one risk factor associated with the increased demand for transportation services and a risk profile determined from analyzing the driver data. The method may further include transmitting, via the processor and/or transceiver (such as via wireless communication or data transmission over one or more radio frequency links), to a user computing device, an offer, to the driver, to provide transportation services at an increased earnings rate and with the determined optimal insurance product. The method may include additional, less, or alternate functionality, including that discussed elsewhere herein.

[0010] In another aspect, a non-transitory computer-readable storage media having computer-executable instructions embodied thereon may be provided. When the computer-executable instructions are executed by a personalized insurance (“PI”) computing device having at least one processor (and/or associated transceiver) in communication with at least one memory, the computer-executable instructions may cause the at least one processor and/or associated transceiver to receive, from a transportation network company (“TNC”), data indicating an increased demand for transportation services. The computer-executable instructions may also cause the at least one processor to retrieve driver data for a driver operating a vehicle for the TNC, where the driver data includes at least the driver history. The computer-executable instructions may further cause the at least one processor to generate an optimal pricing model for the driver based upon the increased demand and the driver data. The computer-executable instructions may also cause the at least one processor to execute the model to determine an optimal insurance product where the optimal insurance product includes characteristics reflecting at least one risk factor associated with the increased demand for transportation services and a risk profile determined from analyzing the driver data. The computer-executable instructions may further cause the at least one processor and/or associated transceiver to transmit, to a user computing device, an offer, to the driver, to provide transportation services at an increased earnings rate and with the determined optimal insurance product. The instructions may direct additional, less, or alternate functionality, including that discussed elsewhere herein.

[0011] In yet another aspect, a personalized insurance (“PI”) computing device for facilitating automatic insurance payments through a hybrid savings account (“HSA”) associated with a driver operating a vehicle for a transportation network company (“TNC”) may be provided. The PI computing device may have at least one processor (and/or associated transceiver) in communication with at least one memory. The processor and/or associated transceiver may be configured to receive, from the TNC, funds earned by a driver operating the vehicle for the TNC. The processor and/or associated transceiver may also be configured to transmit the funds to a financial institution to be deposited into the HSA associated with the driver. The processor and/or associated transceiver may be further configured to receive, from a user computing device associated with the driver, a signal indicating (i) initiation of a ride for a passenger, and (ii) a request for insurance coverage for the ride. The processor and/or associated transceiver may also be configured to transfer, from the HSA to an insurance provider, payment for the requested insurance coverage. The PI computing device may be configured to perform additional, less, or alternate functionality, including that discussed elsewhere herein.

[0012] In a further aspect, a computer-implemented method for facilitating automatic insurance payments through a hybrid savings account (“HSA”) associated with a driver operating a vehicle

for a transportation network company (“TNC”) using a personal insurance (“PI”) computing device may be provided. The PI computing device may have at least one processor (and/or associated transceiver) in communication with at least one memory. The method may include, via the processor and/or associated transceiver, receiving, from the TNC, funds earned by a driver operating the vehicle for the TNC. The method may also include transmitting, via the processor and/or associated transceiver, the funds to a financial institution to be deposited into the hybrid savings account associated with the driver. The method may further include receiving, via the processor and/or associated transceiver, from a user computing device associated with the driver, a signal indicating (i) initiation of a ride for a passenger, and (ii) a request for insurance coverage for the ride. The method may also include transferring, via the processor and/or associated transceiver, from the hybrid savings account to an insurance provider, payment for the requested insurance coverage. The method may include additional, less, or alternate functionality, including that discussed elsewhere herein.

[0013] In another aspect, a non-transitory computer-readable storage media having computer-executable instructions embodied thereon may be provided. When the computer-executable instructions are executed by a personalized insurance (“PI”) computing device having at least one processor (and/or associated transceiver) in communication with at least one memory, the computer-executable instructions may cause the at least one processor and/or associated transceiver to receive, from a transportation network company (“TNC”), funds earned by a driver operating a vehicle for the TNC. The computer-executable instructions may further cause the at least one processor and/or associated transceiver to transmit the funds to a financial institution to be deposited into a hybrid savings account (“HSA”) associated with the driver. The computer-executable instructions may further cause the at least one processor and/or associated transceiver to receive, from a user computing device associated with the driver, a signal indicating (i) initiation of a ride for a passenger, and (ii) a request for insurance coverage for the ride. The computer-executable instructions may further cause the at least one processor and/or associated transceiver to transfer, from the HSA to an insurance provider, payment for the requested insurance coverage. The instructions may direct additional, less, or alternate functionality, including that discussed elsewhere herein.

[0014] In another aspect, the PI computing device may determine a ratings-based insurance product for a driver of a transportation network company (“TNC”) operating a vehicle for the TNC. The PI computing device may have at least one processor (and/or associated transceiver) in communication with at least one memory. The processor may also be configured to retrieve ratings for a driver. The processor may be further configured to generate a risk model for the driver based upon the ratings. The processor may be further configured to execute the model to determine an optimal insurance product. The processor and/or associated transceiver may also be configured to transmit the optimal insurance product to the driver. The PI computing device may be configured to perform additional, less, or alternate functionality, including that discussed elsewhere herein.

[0015] In yet another aspect, a computer-implemented method for determining a ratings-based insurance product for a driver of a transportation network company operating a vehicle for the transportation network company may be provided. The method may be implemented using a personalized insurance (“PI”) computing device. The PI computing device may have at least one processor (and/or associated transceiver) in communication with at least one memory. The method may include retrieving, via the processor, ratings for a driver. The method may further include generating, via the processor, a risk model for the driver based upon the ratings. The method may also include generating, via the processor, a risk model for the driver based upon the ratings executing the model to determine an optimal insurance product. The method may further include generating, via the processor, a risk model for the driver based upon the ratings transmitting the optimal insurance product to the driver. The method may include additional, less, or alternate functionality, including that discussed elsewhere herein.

[0016] In another aspect, a non-transitory computer-readable storage media having computer-executable instructions embodied thereon may be provided. When executed by a personalized insurance (“PI”) computing device having at least one processor (and/or associated transceiver) in communication with at least one memory, the computer-executable instructions may cause the at least one processor to retrieve ratings for a driver. The computer-executable instructions may also cause the at least one processor to generate a risk model for the driver based upon the ratings. The computer-executable instructions may also cause the at least one processor to execute the model to determine an optimal insurance product. The computer-executable instructions may also cause the at least one processor and/or associated transceiver to transmit the optimal insurance product to the driver. The instructions may direct additional, less, or alternate functionality, including that discussed elsewhere herein.

[0017] In yet another aspect, a personalized insurance (“PI”) computing device for generating an incentive for a driver operating a vehicle for a transportation network company may be provided. The PI computing device may have at least one processor (and/or associated transceiver) in communication with at least one memory. The processor and/or associated transceiver may be configured to receive, from a maintenance network, maintenance data for a vehicle associated with the driver. The processor may also be configured to analyze the maintenance data to determine a level of maintenance of the vehicle. The processor may also be configured to generate a reward (such as a discount) for the driver based upon the level of maintenance of the vehicle. The PI computing device may be configured to perform additional, less, or alternate functionality, including that discussed elsewhere herein.

[0018] In another aspect, a computer-implemented method for generating an incentive for a driver operating a vehicle for a transportation network company may be provided. The method may be implemented using a personalized insurance (“PI”) computing device. The PI computing device may have at least one processor (and/or associated transceiver) in communication with at least one memory. The method may include receiving, via the processor and/or associated transceiver, maintenance data from a maintenance network for a vehicle associated with the driver. The method may further include analyzing, via the processor, the maintenance data to determine a level of maintenance of the vehicle. The method may further include generating, via the processor, a reward (such as a discount) for the driver based upon the level of maintenance of the vehicle. The method may include additional, less, or alternate functionality, including that discussed elsewhere herein.

[0019] In another aspect, a non-transitory computer-readable storage media having computer-executable instructions embodied thereon may be provided. When executed by a personalized insurance (“PI”) computing device having at least one processor (and/or associated transceiver) in communication with at least one memory, the computer-executable instructions may cause the at least one processor and/or associated transceiver to receive, from a maintenance network, maintenance data for a vehicle associated with the driver. The computer-executable instructions may further cause the at least one processor to analyze the maintenance data to determine a level of maintenance of the vehicle. The computer-executable instructions may further cause the at least one processor to generate a reward, such as a discount, for the driver based upon the level of maintenance of the vehicle. The instructions may direct additional, less, or alternate functionality, including that discussed elsewhere herein.

[0020] Advantages will become more apparent to those skilled in the art from the following description of the preferred embodiments which have been shown and described by way of illustration. As will be realized, the present embodiments may be capable of other and different embodiments, and their details are capable of modification in various respects. Accordingly, the drawings and description are to be regarded as illustrative in nature and not as restrictive.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

[0021] The Figures described below depict various aspects of the systems and methods disclosed therein. It should be understood that each Figure depicts an embodiment of a particular aspect of the disclosed systems and methods, and that each of the Figures is intended to accord with a possible embodiment thereof. Further, wherever possible, the following description refers to the reference numerals included in the following Figures, in which features depicted in multiple Figures are designated with consistent reference numerals.

[0022] There are shown in the drawings arrangements which are presently discussed, it being understood, however, that the present embodiments are not limited to the precise arrangements and are instrumentalities shown, wherein:

[0023] FIG. 1 illustrates an exemplary personal insurance (“PI”) computer system including a PI computing device for providing real-time, usage-based insurance (“UBI”), responsive to dynamic conditions;

[0024] FIG. 2 illustrates an exemplary vehicle used for providing transportation services with a transportation network company;

[0025] FIG. 3 illustrates a simplified block diagram of an exemplary PI computer system for implementing a computer-implemented process, in accordance with one embodiment of the present disclosure;

[0026] FIG. 4 illustrates an exemplary data structure used to generate an optimal pricing model during peak times using a PI computer system;

[0027] FIG. 5 illustrates a simplified block diagram of an exemplary process for determining and providing optimal insurance product offerings using a PI computer system;

[0028] FIG. 6 illustrates an exemplary diagram of a system implementing a hybrid savings account that may be used with a PI computer system;

[0029] FIG. 7 illustrates a flow chart of an exemplary computer-implemented process for operating a hybrid savings account in an exemplary system;

[0030] FIG. 8 illustrates a simplified block diagram of an exemplary data structure used when generating an exemplary overlaid pricing model for use with a PI computer system;

[0031] FIG. 9 illustrates a simplified block diagram of an exemplary process for generating an exemplary overlaid pricing model;

[0032] FIG. 10 illustrates an exemplary system for implementing rewards-based incentives for drivers of transportation network companies;

[0033] FIG. 11 illustrates a simplified block diagram of an exemplary process for implementing rewards-based incentives for drivers of transportation network companies;

[0034] FIG. 12 illustrates an exemplary personalized insurance computing device in a server configuration; and

[0035] FIG. 13 illustrates an exemplary user computing device, in accordance with one embodiment of the present disclosure.

[0036] The Figures depict preferred embodiments for purposes of illustration only. One skilled in the art will readily recognize from the following discussion that alternative embodiments of the systems and methods illustrated herein may be employed without departing from the principles of the invention described herein.

DETAILED DESCRIPTION OF THE DRAWINGS

[0037] The present embodiments may relate to, inter alia, systems and methods for providing easy access to guaranteed and personalized insurance products to encourage independent operators (e.g., drivers) to offer transportation services on behalf of a transportation network company (“TNC”). In particular, efficient insurance product offerings may be generated and offered through established financial accounts enabling immediate transaction completion and instantaneous delivery of insurance coverage. The insurance product offerings may include “usage-based” insurance (“UBI”)

products designed to provide coverage for targeted activities or predetermined periods of time. [0038] UBI products may be precisely priced according to ratings or review-based underwriting models. In some embodiments, UBI products may be defined by specific time frames (e.g., one (1) month, one (1) week, one (1) day, one (1) hour, etc.). In some embodiments, real-time data received from TNCs may be used to dynamically generate insurance product offerings that accurately reflect fluctuating conditions in the environment such as sudden increases in demand or “peak” times. In some cases, inclement weather or other factors may influence accurate assessment of dangers or threats to safety which may also be considered. Other products, vendor agreements, discounts, or other rewards may be offered based upon safety evaluations and/or risk assessments of driving conditions and/or driver performance.

[0039] Obtaining the correct insurance coverage may, in some cases, be difficult for drivers preparing to embark on transportation services for a TNC. In some cases, the correct insurance product may not be offered when it is needed. For example, a driver planning to initiate transportation services at midnight on a weekend may be unable to locate and complete an insurance agreement. In some cases, applying for insurance may require 24 hours or more. In other cases, an application for insurance coverage may require human intervention and/or manual processing. In some cases, the process of acquiring insurance may also be a time-consuming task for drivers and may require inputting a great deal of information for evaluation by insurance providers.

[0040] At least some known insurance product offerings may be for the incorrect time frame. For example, if a driver merely needs additional protection for an evening, minimum insurance coverage options may be in excess of several days, weeks, or months. Further, the correct type of protection may not be available. For example, insurance providers may readily provide collision and liability insurance coverage, however, drivers operating vehicles for TNCs may require personal injury protection insurance and/or business liability insurance coverage. In some cases, acquiring greater liability coverage from insurance providers may require a more lengthy application review that may not be accomplished in time to meet the driver's needs.

[0041] Completing a purchase transaction for insurance may also be difficult. For example, use of cash, payment cards, or other methods of payment may not be readily available. In other cases, drivers may face cash flow constraints. Executing a lump sum, up-front payment for insurance coverage may be difficult for some drivers. In some cases, insurance product offerings providing coverage over a period of time may offer a pre-paid payment schedule; however, these insurance products may present potential problems if drivers become unable to complete scheduled payment transactions over the insurance coverage period.

[0042] In addition to the problems a consumer may face, insurance providers may also face a number of difficulties in providing insurance for TNC drivers. In some cases, estimating the level of risks involved may be difficult. For example, a driver operating a vehicle for a TNC during peak times and in certain locations may require heightened coverage potentially requiring increased cost and/or prices. Without specific information about potential hazards, insurance products offered may be priced higher than necessary if drivers are operating in a relatively safe or low risk location.

[0043] Additionally, the type of vehicle may be a relevant factor when determining the actual cost of coverage. A well-maintained vehicle, for instance, may present fewer risks while an unmaintained vehicle may exhibit heightened brake failures or other hazardous issues. Further, the driver may pose certain risks that may not be accurately accounted for in an insurance product offering. For example, some drivers may be very risk averse drivers while others may be very aggressive, risk-taking drivers. Driving records may be difficult and costly to obtain, and may not accurately reflect a driver's most recent driving habits. Other data, such as data from vehicle sensors, may be helpful in assessing risks, but may be limited and difficult to analyze.

[0044] Insurance providers must expend significant time and resources to evaluate as much information as possible to determine appropriate insurance product offerings that accurately reflect

the risks involved. Retrieving and analyzing multiple sources of data may substantially increase the cost and price of insurance product offerings. In addition, rapidly changing conditions in the environment may result in incorrectly priced insurance instruments leading to insurance product offerings that may mismatch price to actual risk.

[0045] Further, determining the time frame in which insurance coverage is needed may be challenging. For example, a TNC driver may intend to operate during a sports event that may last a limited number of days; however, insurance providers may only offer conventional products for semi-annual or annual coverage.

[0046] Offering coverage periods for longer periods of time may not accurately reflect dynamic environmental conditions or circumstances. Conversely, insurance product offerings for shorter time frames such as a single (1) day may not accurately reflect the risks associated with highly trafficked events. For example, a coverage period of one (1) year may not effectively incorporate heightened risk factors for rapidly developing events such as inclement weather, social unrest, or other events. In other cases, if insurance is needed for a short period of time such as a week or day, the variance of sudden or aberrant events may dramatically increase the cost of providing insurance instruments.

[0047] To compensate for these situations, insurance providers may increase the price to consumers. Alternatively, insurance providers may offer on-demand or usage-based products. However, in these cases, insurance providers may have difficulty determining appropriate cost and/or pricing structures, in particular after an event has occurred. In some further cases, usage-based products may include an initial payment prior to coverage. In some cases, additional per-use fees may be applied. Discounts or refunds after the duration of the agreement has expired may be returned to the consumer. While this process may improve the efficiency of some insurance products through the higher initial payment and subsequent refund, significant risk may remain for the insurance provider. In addition, some consumers may find the system cumbersome.

[0048] Purchasing insurance coverage when driving for a TNC may be a cumbersome and time-consuming task. TNC drivers operating vehicles during peak times may not have the correct level and type of insurance coverage to drive in highly-trafficked areas. In some cases, purchasing insurance may require substantial up-front costs. In other cases, insurance providers may risk potential drivers failing to timely pay for insurance coverage already provided. Further, insurance providers may not be able to easily determine accurate cost and pricing for insurance product offerings. These and other issues may deter independent operators from providing transportation and/or other services, and may deter TNCs from hiring more drivers to services riders.

Exemplary Real-Time Usage-Based Insurance

[0049] In one exemplary embodiment, real-time, usage-based insurance (“UBI”) product offerings may be used to more efficiently and effectively accommodate rapidly changing (e.g., dynamic) conditions. For example, a transportation network company (“TNC”) may periodically experience a higher demand (e.g., peak or surge times) for transportation services (e.g., rides). For example, during a sporting event increased traffic to the area may lead to an increase in demand for transportation services. To incentivize independent operators (e.g., drivers) to offer rides during peak times, prices may be raised to increase the pay rate to drivers. In some cases, a bonus may be provided for drivers operating during peak times. In some cases, the TNC may offer an increased pay rate (e.g. earnings rate), such as a percentage of the price offered.

[0050] In the above described scenarios, a driver driving for a TNC during peak times may wish to purchase or otherwise acquire additional protection for a short period of time. The driver may also intend to only offer transportation services (e.g., rides) during the peak time. After the event has concluded, the driver may wish to no longer offer rides and therefore may be only interested in insurance for a few hours. Such a driver may therefore be interested in a UBI product.

[0051] In the exemplary embodiment, a personalized insurance (“PI”) computing device may be provided. The PI computing device may be in communication with an insurance service provider

and/or a TNC. The PI computing device may also be in communication with a user computing device. The user computing device may be operated by a user (e.g., driver) for the TNC and configured to communicate with the TNC to coordinate, route, and otherwise provide ride-sharing services for and/or with the TNC. The PI computing device may receive and store driver data including preferences for offering transportation services such as time of day, location, and/or driving habits. The PI computing device may also receive market data from the TNC indicating current market supply and demand. The market data may be a continuous stream or may be periodic, discrete updates.

[0052] As an example, the driver may activate an app on a user computing device to begin offering rides to passengers. Using the app, the driver may select from any number of options including selecting a predetermined period of time for which the driver will offer rides. For example, the driver may select a three (3) hour period to offer rides. At the conclusion of the identified time period, the app may automatically disable any further transportation activities. The driver may optionally manually terminate ride services at any time via the user computing device. The driver may also be provided driving options including purchasing insurance products through the app on the user computing device.

[0053] The PI computing device may receive and store, from the TNC and/or remote or other third-party data sources, driver payment data or insurance provider payment data, incentives, bonuses, pricing increases, and/or other methods of encouraging or compensating suppliers or providers to offer services during times of high demand. In the exemplary embodiment, the PI computing device may determine a personalized insurance product offering for a specific driver based upon the market data and the supplier and/or provider compensation data. For example, the TNC may offer a 20% increase in payment to all TNC drivers operating during the peak time. During this period, the PI computing device may receive the 20% increase in payment and deduct 5% of the increase and offer the remaining 15% to the driver along with a UBI product.

[0054] In some embodiments, the TNC may be provided bulk or group discounts or other business partnership agreements to reduce the deduction. The PI computing device may then transmit the combined package offer to the driver. In some embodiments, the UBI product may be offered as an increase in coverage over existing insurance coverage, reduced deductibles, or improved features such as discounted or free vehicle rentals in the event of a disabling event. In some embodiments, variations of combinations of offers may be generated from the above described payments and incentives for selection and/or purchase by the driver.

Exemplary Hybrid Savings Account

[0055] In one exemplary embodiment, a hybrid savings account (“HSA”) or “insurance savings plan” or “flex plan” may be used to fund the purchase of insurance products and/or other services (e.g. vehicle maintenance services). In particular, a user (e.g., a driver for a ride-share company or TNC seeking insurance coverage for operating a passenger vehicle for temporary commercial purposes) may establish an HSA at a financial institution associated with an insurance provider and/or in communication with an insurance provider. In the exemplary embodiment, the user registers for an HSA with the PI computing device. The user may use a user computing device to communicate with the PI computing device to input or upload personal information to the PI computing device.

[0056] In some embodiments, the HSA may be an account under full or partial control of the insurance provider. For example, the insurance provider may be authorized to deduct amounts from the HSA. In the exemplary embodiment, the HSA is administered by a financial institution in communication with the PI computing device where the PI computing device facilitates, coordinates, directs, manages, and/or otherwise determines appropriate transfer of funds from the user to and from the HSA and appropriate transfers of funds from the HSA to and from the insurance provider.

[0057] In the exemplary embodiment, the user may register with the PI or directly with the

insurance provider to apply for and/or establish the HSA. In some embodiments, the insurance provider may host the PI computing device. In the exemplary embodiment, the PI computing device is a remote server in communication with the insurance provider and at least one financial institution offering the HSA services. In the exemplary embodiment, the PI computing device transmits instructions, code, commands, and other data to at least one insurance provider and at least one financial institution administering the HSA. Data transmitted to the insurance provider may include at least registration information identifying the user applying for an insurance coverage product. Data transmitted to the financial institution may include at least similar identification information of the user.

[0058] Upon registration by the user (e.g., via an online portal, app, by phone, or in person) the PI computing device or insurance provider establishes the HSA with a financial institution. In some embodiments, a pre-determined selection of financial institutions may be offered by the insurance provider and presented by the PI computing device for selection by the user. Each financial institution may have a pre-arranged agreement with the insurance provider to act as a third party under a fiduciary obligation to safely and securely facilitate, manage, operate, or otherwise provide financial services consistent with the functionality of the HSA as described herein. In some embodiments, the user may independently apply for an HSA with a preferred financial institution and the preferred financial institution may then communicate with the PI computing device and/or directly with the insurance provider to establish the HSA.

[0059] In the exemplary embodiment, the user may make periodic deposits to the HSA but may not withdraw funds from the HSA for a predetermined period of time (e.g., the duration of the insurance coverage period or other pre-arranged or agreed upon period of time). In some embodiments, the user may dictate, direct, or otherwise determine a type of savings and/or investment plan for the funds held in the HSA. For example, the user may be provided a limited selection of financial investment options and may direct the funds held in the HSA to be invested in at least one of the provided investment options. In the exemplary embodiment, the user may direct funds held in the HSA for the purchase of certain insurance products offered by the insurance provider.

[0060] In the exemplary embodiment, the funds held in the HSA may be used to purchase or are otherwise applied to insurance products or services offered by the insurance provider. In one embodiment, an insurance product may provide coverage by travel distance (e.g., feet, miles, kilometers, etc.). For example, as the user travels, coverage may be provided on a per-mile basis and a corresponding cost or per-mile fee may be calculated and subsequently deducted or withdrawn from the HSA.

[0061] In other embodiments, per-use insurance coverage or UBI products, as described above, may be calculated by time, activity, participation, presence, location, or device. As another example, UBI may include coverage for use of TNC ride-hailing or ride-sharing services.

[0062] As the user requests and embarks on a ride, UBI coverage may be applied towards each ride undertaken and the corresponding UBI fee may be automatically deducted from the HSA. In some embodiments, the PI computing device may be used to facilitate ride-sharing services including receiving requests for rides, managing and/or coordinating TNC drivers, managing payment, and offering insurance products to the user and/or the driver. In some embodiments, the TNC may host the PI computing device.

[0063] In the exemplary embodiment, the PI computing device records and/or transmits each UBI-based transaction to the financial institution administering the HSA for payment of UBI fees to the insurance provider. In some embodiments, a user computing device may be used to automatically and/or manually record and transmit each instance of use of UBI-based insurance coverage. For example, a TNC ride-sharing app may be used to both request TNC ride services while simultaneously transmitting a notification or otherwise communicating with the financial institution to deduct funds from the HSA and transfer the funds to the insurance provider. In some

embodiments, the insurance provider receives the notification and withdraws funds from the HSA. In the exemplary embodiment, the PI computing device may record UBI-based transactions and additionally communicate with the financial institution administering the HSA and the insurance provider.

[0064] Upon expiration of the insurance coverage period and/or termination of the insurance agreement, any excess and/or unused funds may be released or returned (e.g., refunded) to the user via a disbursement or by way of the insurance provider relinquishing control of the HSA, such as by a lifting or removal of the restrictions or limitations on the HSA. In the exemplary embodiment, the user may be provided with the option to renew or re-purchase the same or similar insurance product and/or purchase an entirely new or different insurance product using the remaining funds in the HSA. In some cases, the user may need to and/or wish to add funds to the HSA prior to acquiring or renewing insurance coverage.

[0065] In some embodiments, renewal (e.g., re-purchase) of the insurance product may be automatic. The user may be provided the option to disable (e.g., opt-out) or enable (e.g., opt-in) the automatic renewal. Renewal of the insurance coverage may include “rolling over” excess funds to the next coverage period whereby the excess funds are automatically applied to the purchase price of the insurance product offering. In some embodiments, insurance coverage may be automatically initiated and any shortage or amount owed by the user may be requested from the user. For example, the user may be billed and/or notified of any shortage and prompted to deposit additional funds into the HSA.

[0066] In some embodiments, insurance coverage may not be initiated until sufficient funds are deposited into the HSA. In some embodiments, additional payment sources may be linked to the HSA (e.g., credit card, debit card, bank account, etc.) and funds may be authorized for withdrawal from the other sources so that insurance coverage does not lapse.

Exemplary Ratings-Based Model

[0067] In one exemplary embodiment, a ratings-based underwriting model may be used to generate personalized insurance product offerings. The PI computing device may generate a model to determine optimal pricing for consumers (e.g., passengers). In the exemplary embodiment, the PI computing device may be configured to receive passenger ratings from a passenger via a user computing device in communication with the PI computing device. In the exemplary embodiment, an app and/or an online interface configured to receive passenger input may receive a numerical score and/or a written description, narrative, and/or summary of the product or service (e.g., ride).

[0068] For example, the passenger may request a ride from the TNC using an app installed on a user computing device. Upon reaching the requested destination, the passenger may wish to review and/or rate the transportation services provided. Using the app and/or an online interface, the passenger may input and upload to the PI computing device a review of the provided service. The PI computing device may store the received review in a database. In the exemplary embodiment, the PI computing device may categorize, sort, parse, and/or otherwise process aggregated reviews using statistical analysis, machine learning, natural language processing, and/or other methods of analyzing comprehensive data sets.

[0069] In the exemplary embodiment, the review may include a numerical evaluation or rating of the product or service. Ratings may be aggregated across the same and/or similar products or service for analysis to determine a score. For example, a driver for a TNC may provide a number of rides to passengers over a day. Each passenger may rate the driver on any number of objective and/or subjective factors. For example, a passenger may rate the time take to reach the destination.

[0070] In some embodiments, objective measures of performance may be automatically recorded by, for example, a user computing device associated with the driver and/or measurement, computing, and transmitting devices installed on the vehicle. Subjective performance metrics may include, for example, the courtesy and conversation of the driver. If a driver is particularly helpful and informative, a passenger may provide a high rating for the driver.

[0071] In the exemplary embodiment, the PI computing device uses aggregated ratings as at least one factor of a risk assessment model for a particular product or service. For example, passenger reviews of a particular type of vehicle may be factored into the model. A vehicle reviewed by drivers, passengers, and/or industry experts as a safe vehicle may reduce the insurance price to operators of the vehicle. In some embodiments, ratings and reviews from agencies, organizations, and governments (e.g., U.S. Department of Transportation) may be also used to generate the risk assessment model.

[0072] In the exemplary embodiment, the PI computing device may be in communication with a TNC computing device configured to transmit passenger ratings to the PI computing device. The PI computing device updates the risk assessment model associated with the TNC driver that receives a passenger rating.

[0073] In the exemplary embodiment, the PI computing device may combine or overlay passenger ratings with additional data relevant to the product or service. For example, for a TNC driver review, the requested ride may have occurred along a route in a specific geographic area. Certain geographic areas known to be safer (e.g., areas having fewer incidents leading to insurance claims) may be factored into the model, and thereby allow for reduced insurance product pricing or other insurance-cost savings.

[0074] In addition to location-based data, incident-based or claims-based analysis may be applied towards other products and services. For example, vehicle types receiving fewer insurance claims may be factored into the model to determine that operation of that vehicle type may permit reduced and/or discounted insurance product pricing. The PI computing device may retrieve data from multiple sources such as ride data (e.g., from onboard computers, ride-sharing app APIs, etc.), location data (e.g., GPS, mapping, etc.), telematics data (e.g., accelerating, breaking, and cornering data from the vehicle), app or online ratings, and may combine the data to generate a dynamic model to easily and efficiently determine precise user profiles and optimized product pricing.

Exemplary Rewards-Based Incentives System

[0075] In one exemplary embodiment, rewards-based insurance product offerings may be used to incentivize drivers to offer transportation services for a TNC by providing personalized rewards to drivers. In some cases, the TNC may retain a portion (e.g., cut) of the total price paid by a passenger for a ride.

[0076] In the exemplary embodiment, the PI computing device may be provided. The PI computing device may be configured to receive telematics data, generate a trip score and/or a driver score, and determine a corresponding reward based upon the generated score. In the exemplary embodiment, the trip and/or driver score may be determined based upon safe driving, or risk averse driving. For example, a rules-based algorithm may be applied to the received telematics data. The received telematics data may be processed (e.g., by categorizing, inserting into a database, establishing database relationships, etc.) and compared to predetermined thresholds to determine whether a trip and/or a driver is above or below a threshold or series of thresholds.

[0077] For example, if the telematics data is evaluated and determined to be above a first threshold (e.g., a very safe driver or risk averse driver), the PI computing device may transmit to the associated TNC, a partial refund or discount of the TNC portion for the trip thereby enabling the driver to receive higher earnings for the trip. The refund or discount may be processed by, for example, a payment transaction initiated by the PI computing device causing an associated insurance provider (or another third-party) to transmit the determined funds to the TNC. If the telematics data is evaluated and determined to be above a second threshold (e.g., indicating an extremely safe driver), the refund or discount may be for a full amount of the TNC portion.

[0078] Thresholds may be a statistical measure determined from relevant environmental and aggregated driver data from a history of all drivers in a geographic area. For example, if a driver is driving at the speed limit for the road and is within the lane by more than 50 percent of all other drivers, the driver may be above the first threshold and may receive benefits associated with being

above the threshold. In some embodiments, the refund or discount may be deposited into a hybrid savings account as described above. In some embodiments, cash may be deposited at a financial institution of the driver.

[0079] In some embodiments, the PI computing device may be configured to offer third-party discounts and/or rewards. For example, to reduce the cost of maintaining a vehicle used for ride-sharing, discounted or free maintenance may be offered to the driver in lieu of cash back or higher pay rates with the TNC, and/or a combination of rewards may be offered to the driver. In some embodiments, the PI computing device may be in communication with a network of preferred maintenance providers. The network of preferred providers may offer a wider array of maintenance and repair options.

[0080] In some embodiments, the network of preferred maintenance providers may establish a business partnership with other entities such as the insurance provider and/or the financial institutions associated with the driver. Group or collective discounts and/or combinations of rewards may be generated to incentivize drivers. In the exemplary embodiment, the network of preferred maintenance providers may transmit to the PI computing device periodic or continuous updates on maintenance activities undertaken by vehicles operating for the TNC. Well-maintained vehicles may receive additional discounts and/or other rewards to further incentivize safe vehicle operation.

[0081] In some embodiments, the PI computing device may be in communication with a financial institution and may transmit to the financial institution a command to establish a specialized vehicle replacement savings account. The vehicle replacement account may be designed to accumulate funds for the purchase of a new vehicle when maintenance fees on an older vehicle used for TNC driving. In some embodiments, the PI computing device may direct refunds and discounts into the vehicle replacement savings account. In some embodiments, the driver may also initiate transactions to independently deposit funds into the account. Third parties such as an insurance provider and/or a vehicle manufacturer may additionally deposit matching funds into the account to assist in facilitating the purchase of a replacement vehicle for TNC driving.

[0082] Accordingly, the systems and methods described herein address at least these problems. Specifically, the systems and methods described herein may be implemented using computer programming or engineering techniques including computer software, firmware, hardware, or any combination or subset thereof, wherein the technical effects may be achieved by performing at least one of the following steps: (i) receiving, from a transportation network company, data indicating an increased demand for transportation services, (ii) retrieving driver data for a driver operating a vehicle for the transportation network company, wherein the driver data includes at least the driver history, (iii) generating an optimal pricing model for the driver based upon the increased demand and the driver data, (iv) executing the model to determine an optimal insurance product, wherein the optimal insurance product includes characteristics reflecting the risks associated with the increased demand for transportation services and a risk profile determined from analyzing the driver data, (v) transmitting, to a user computing device, an offer to provide transportation services to passengers at an increased earnings rate and with the determined insurance product.

[0083] Exemplary technical effects of the systems, methods, and computer-readable media described herein may include, for example: (i) determining an optimally priced insurance products for drivers providing transportation services for transportation network companies during peak times; (ii) reducing the cost of providing insurance products to drivers through analysis of telematics data, environment data, and traffic data indicating peak times; (iii) providing efficient means for drivers to pay for the insurance product through associated hybrid savings accounts; (iv) providing protection to insurance providers against consumer default; (v) reducing the costs of generating driver risk profiles of drivers driving for transportation network companies through the use of ratings and telematics data; (vi) generating insurance discounts to encourage safer or risk averse driving behavior; (v) generating rewards based upon safe or risk averse driving habits; (vi)

generating rewards to encourage regular vehicle maintenance; and/or (vii) providing incentive-based financial systems to encourage savings for replacement vehicles. **EXEMPLARY SYSTEM FOR PROVIDING REAL-TIME USAGE-BASED INSURANCE**

[0084] FIG. 1 illustrates an exemplary personalized insurance (“PI”) computer system **100** including a PI computing device for providing real-time, usage-based insurance responsive to dynamic conditions. In the exemplary embodiment, system **100** includes a PI computing device **102**. PI computing device **102** may be in communication with a database **104**. PI computing device **102** may be in communication with a transportation network company (“TNC”) **106**, an insurance provider **108**, a user computing device **110**, a financial institution **112**, and/or a third party **114**, such as via wireless communication or data transmission over one or more radio frequency links. [0085] In the exemplary embodiment, TNC may be in communication with at least one vehicle **116** used for providing transportation services (“rides”) for passengers. Vehicle **116** may include an in-vehicle computing device **118**. In-vehicle computing device **118** may include a communication device **120**. Communication device **120** may be used to communicate with user computing device **110**. In the exemplary embodiment, vehicle **116** may include sensors (not shown) capable of detecting travel conditions in the surrounding environment **122**.

[0086] Environment **122** may be data sources providing relevant data such as weather related data, traffic conditions, etc. In some embodiments, PI computing device **102** may retrieve relevant data from environment **122**. Environment **122** may also be information collected by vehicle **116** using sensors to detect current environmental conditions.

[0087] A driver operating vehicle **116** may be interested in temporarily providing rides for passengers with TNC **106**. Environment **122** may present a variety of hazards. In particular, environment **122** may include data indicating times and locations experiencing high traffic and/or events causing higher demand for transportation services (e.g., peak times). In the exemplary embodiment, PI computing device **102** may receive data from environment **122** and analyze the data to determine dangers and risks of providing rides at the given time. PI computing device **102** may additionally retrieve data from TNC **106** to analyze the supply and demand for rides. In the exemplary embodiment, PI computing device **102** stores the relevant data in database **104** for processing and analysis.

[0088] In the exemplary embodiment, PI computing device **102** may generate a model to determine an optimal insurance product offering to provide insurance coverage to a driver operating vehicle **116**. In some embodiments, PI computing device **102** may transmit the model to insurance provider **108** and request authorization to offer the determined optimal insurance product offering to the driver. In some embodiments, the insurance product may be offered via TNC **106**. In the exemplary embodiment, PI computing device **102** transmits the generated insurance product to user computing device **110** for acceptance. The user may use user computing device **110** to purchase the insurance product and transmit payment to the PI computing device **102**. PI computing device **102** may transmit the funds to insurance provider **108** with instructions to initiate insurance coverage.

[0089] FIG. 2 illustrates an exemplary vehicle **116** used for providing transportation services with the TNC **106** as described above. In-vehicle computing device **118** may include a vehicle controller **200** in communication with communication device **120**. In-vehicle computing device **118** may be in communication with sensors **202** and sub-systems **204**. Communication device **120** may be used to communicate with user computing device **110**. User computing device **110** may be used to coordinate rides with passengers. In the exemplary embodiment, other user computing devices (not shown) may be used by passengers to arrange for rides through TNC **106**.

[0090] In the exemplary embodiment, vehicle **116** may be in communication with TNC **106**. In some embodiments, vehicle **116** may be in communication with PI computing device **102**. In the exemplary embodiment, sub-systems **204** may be configured to control, monitor, and record various aspects of vehicle operations such as acceleration, breaking, and cornering data. Sensors **202** may include temperature sensors, terrain sensors, weather sensors, accelerometers, gyroscopes,

radar, LIDAR, Global Positioning System (GPS), video devices, imaging devices, cameras (e.g., 2D and 3D cameras), audio recorders, and computer vision. Sensors **202** may be configured to detect external conditions such as traffic, weather, and the like. Sensor data and data from sub-systems **204** may be transmitted via communication device **120** to TNC **106** and/or PI computing device **102**.

[0091] FIG. **3** illustrates a simplified block diagram **300** of an exemplary personal insurance (“PI”) computing device **102** configured to implement a computer-implemented process. The PI computing device **102** may include a modeling module **302** configured to receive data, process the data, and generate models as described below. PI computing device **102** may also include a communications module **304** for communicating with, for example, TNC **106**, insurance provider **108**, user computing device **110**, financial institution **112**, third party **114**.

[0092] PI computing device **102** may also include a telematics analysis module **306** for analyzing telematics data received from, for example, vehicle **116**. PI computing device **102** may also include a rewards module **308** for generating rewards and/or other incentives as described below. In the exemplary embodiment, PI computing device **102**

[0093] PI computing device **102** may be in communication with TNC **106**, insurance provider **108**, user computing device **110**, financial institution **112**, and third party **114**. PI computing device **102** may also be in communication with database **104**. Database **104** may include a plurality of database storing information such as vehicle data **310**, user data **312**, environmental data **314**, and third party data **316**. PI computing device **102** may store and retrieve data respectively to and from each corresponding data set.

Exemplary Method for Modeling Peak Pricing

[0094] FIG. **4** illustrates an exemplary data structure **400** used to generate an optimal pricing model during peak times using PI computer system **100**. In the exemplary embodiment, PI computing device **102** performs a peak demand analysis **402** by retrieving from database **104** data such as vehicle data **404**, insurance data **406**, environment data **408**, and location data **410**. Peak demand analysis **402** may include processing the data sets by, for example, calculating statistics and/or applying machine learning and/or artificial intelligence algorithms, to generate an optimal peak pricing model **412**. The optimal peak pricing model **412** may be executed to determine a unique insurance product offering to the driver of vehicle **116** to provide optimal insurance coverage at an efficient cost.

[0095] In the exemplary embodiment, vehicle data **404** may include data such as driver statistics and/or driving history, mechanical information of vehicle **116** such as type, size, age, etc., and telematics data such as driving performance data. Insurance data **406** may include insurance type, coverage period, and coverage amounts. Environment data **408** may be retrieved from environment **122** and may include weather information, traffic information, and event information. Location data **410** may include route information and GPS location data. A data structure may be created using the data sets to perform efficient processing and analysis of the data.

Exemplary Method for Determining Optimal and Efficient Insurance Products

[0096] FIG. **5** illustrates a simplified block diagram of an exemplary process **500** for determining and providing optimal insurance product offerings using PI computer system **100**. In the exemplary embodiment the PI computing device **102** may receive **502** environment data. The environment data may include weather data, event data, and/or other data associated with an increase in demand for transportation services. PI computing device **102** may determine **504** a level of demand including increased payment offers to drivers. PI computing device **102** may retrieve **506** driver data to identify a potential driver and to retrieve relevant driver statistics and vehicle information.

[0097] PI computing device **102** may generate **508** an optimal pricing model based upon the retrieved data. The model may be executed **510** to determine **512** an insurance product offering. PI computing device **514** may transmit the insurance product offering along with the increased payment offers to the identified driver.

Exemplary Hybrid Savings Account Implementation

[0098] FIG. 6 illustrates an exemplary diagram of a system **600** implementing a hybrid savings account (“HSA”) that may be used with PI computer system **100**. In the exemplary embodiment, the system **600** may include the PI computing device **102** as described above. PI computing device **102** may be in communication with TNC **106** as described above. TNC **106** may be in communication with at least one vehicle **116** used for providing transportation services (e.g., rides). Vehicle **116** may include in-vehicle computing device **118** including communication device **120**. In the exemplary embodiment, communication device **120** may be used to communicate with user computing device **110** and in communication with insurance provider **108**. PI computing device **102** may also be in communication with financial institution **112** and in communication with a database **104**

[0099] In the exemplary embodiment, PI computing device **102** may offer to establish an HSA for a user using user computing device **110**. User computing device **110** may be used by the user to apply for and/or register for the HSA by inputting personal information and a request to establish the HSA into user computing device **110**. PI computing device **102** may receive the personal user data from user computing device **110** and process the personal user data to establish the HSA. In some embodiments, PI computing device **102** may transmit a plurality of financial institutions to user computing device **110** to enable a user to select a preferred financial institution to establish and maintain the HSA.

[0100] PI computing device **102** receives the financial institution selection from user computing device **110**. In the exemplary embodiment, financial institution **112** is used to establish and maintain the HSA in accordance with applicable financial rules and regulations.

[0101] In the exemplary embodiment, insurance provider **108** may offer insurance services to the user and may be associated with the HSA. In some embodiments, insurance provider **108** may be permitted to directly withdraw funds from the HSA by executing a transaction with financial institution **112**. In the exemplary embodiment, insurance provider **108** transmits requests to PI computing device **102** indicating services have been rendered and payment is due. PI computing device **102** withdraws the funds from the HSA by executing a financial transaction with financial institution **112**. PI computing device **102** transmits the funds to insurance provider **108** or otherwise causes the funds to be transferred to insurance provider **108**.

[0102] In the exemplary embodiment, as the user provides rides to passengers for TNC **106**, TNC **106** receives payment from the passengers, retains a portion or percentage, and deposits, transfers, or otherwise provides payment for transportation services provided to PI computing device **102**. In some embodiments, payments are deposited in the HSA at financial institution **112**.

[0103] In some embodiments, funds held in the HSA may be used to purchase supplemental and/or additional insurance coverage from insurance provider **108**. PI computing device **102** may facilitate insurance related transactions. Payment transactions for other purposes using funds in the HSA may be otherwise limited.

[0104] FIG. 7 illustrates a flow chart **700** of an exemplary computer-implemented process for operating a hybrid savings account that may be used with PI computer system **100**. In the exemplary embodiment, a user registers **702** with PI computing device **102** for an HSA. The PI computing device **102** processes **704** the application by, for example, parsing personal information from user input data provided by the user during user registration **702**. Processing **704** the application may also include determining a default or user selected service providers (e.g., a preferred financial institution to establish the HSA, a third party service provider such as a preferred insurance provider, etc.) to establish and manage the HSA.

[0105] In the exemplary embodiment, PI computing device **102** transmits **706** commands to respective determined parties to: (i) establish the HSA at financial institution **112**, and (ii) notify insurance provider **108** of the HSA and to initialize services (e.g., provide insurance coverage) for the user. In the exemplary embodiment, financial institution **112** establishes **708** the HSA based

upon the information transmitted from PI computing device **102**. Financial institution **112** receives **710** payments and from PI computing device **102** and deposits funds accordingly into the HSA. In some embodiments, the payments may be deposited by the user. In the exemplary embodiment, PI computing device **102** receives **712** payments from a third party (e.g., TNC **106**) for performance of services such as driving for TNC **106**. PI computing device **102** deposits **714** or causes to be deposited, funds from TNC **106** into the HSA.

[0106] Third party entities such as insurance provider **108** initiates **716** insurance coverage based upon information transmitted **706** from PI computing device **102**. In the exemplary embodiment, insurance provider **108** may apply **718** the prescribed insurance coverage for the user. Insurance provider **108** may withdraw **720** fees from the HSA based upon the type of insurance coverage requested. For example, for a driver operating a vehicle for a TNC, insurance coverage may be provided on a per-mile basis and fees may be determined based upon accumulate mileage calculated on a periodic basis (e.g., per hour, per day, per week, per month, etc.) and withdrawn on a predetermined timetable.

[0107] In the exemplary embodiment, insurance coverage terminates **722** after a period of time. In some embodiments, insurance coverage may terminate **722** after the conclusion of a predetermined event (e.g., at the conclusion of a concert). Upon termination, insurance provider **108** may offer to renew **724** insurance coverage under the same or similar conditions. In some embodiments, renewal **724** may be automatic. PI computing device **102** may instruct insurance provider **108** to again initiate **716** insurance coverage. The user may choose to discontinue the HSA and PI computing device may remit **726** remaining funds to the user.

Exemplary Ratings-Based Model

[0108] FIG. **8** illustrates a simplified block diagram **800** of an exemplary data structure used when generating an exemplary overlaid pricing model for use with PI computer system **100**. In the exemplary embodiment, PI computing device **102** performs a ratings analysis **802**. PI computing device **102** may retrieve **804** driver data, telematics data **806**, and passenger rating data **808**. PI computing device **102** may analyze the data by, for example, conducting a statistical analysis and/or applying machine learning and/or artificial intelligence algorithms to the data to generate an overlaid pricing model **810**.

[0109] The retrieved **804** driver data may include, for example, a driving history for the driver and/or attributes associated with the driver such as language spoken, educational background, etc. Telematics data **806** may include vehicle data for vehicle **116** such as vehicle type, performance, age, etc. Telematics data **806** may also include location information of vehicle **116** and route information for a respective trip. Passenger data **808** may include trip data, numerical ratings provided by the passengers on each respective trip, and additional comments input by the passengers on the trip.

[0110] Overlaid pricing model **810** may include each data set analyzed and aligned such that each rating is applicable to telematics data for that trip. Overlaid pricing model **810** may be executed to determine a driver profile and an optimized insurance product pricing based upon the telematics performance analysis and the ratings received for the driver. In some embodiments, natural language processing may be used to analyze comments input by passengers. For example, word parsing may be used to identify certain driver behaviors where if passengers frequently input words or phrases relating to speed and/or risky driving and the like, overlaid pricing model **810** may reflect the data and indicate higher insurance costs and/or pricing.

[0111] FIG. **9** illustrates a simplified block diagram of an exemplary process **900** for generating an exemplary overlaid pricing model **810**. In the exemplary embodiment, PI computing device **102** may use modeling module **302** to generate overlaid pricing model **810**. PI computing device **102** may retrieve **902** driver data for the driver operating vehicle **116**, retrieve **904** ratings data for the driver, and retrieve **906** telematics data for vehicle **116**. PI computing device **102** may analyze **908** the retrieved data sets by, for example, categorizing the data, applying natural language parsing of

the data, performing statistical analysis on the data, and/or applying machine learning and/or artificial intelligence algorithms on the data.

[0112] PI computing device **102** may generate **910** an overlaid pricing model based upon the analysis. PI computing device **912** may execute the overlaid pricing model to determine **914** an optimal insurance product. PI computing may transmit **916** the optimal insurance product to the driver.

Exemplary Rewards-Based Incentive System

[0113] FIG. **10** illustrates an exemplary system **1000** for implementing rewards-based incentives for drivers of transportation network companies. In the exemplary embodiment, PI computing device **102** may be in communication with TNC **106**, insurance provider **108**, user computing device **110**, financial institution **112**, third party providers **114**, and/or a maintenance network **1002**.

[0114] In the exemplary embodiment, PI computing device **102** may request and/or retrieve maintenance data for vehicle **116** from maintenance network **1002**. PI computing device may use the maintenance data to determine a level of operational performance and efficiency and/or otherwise apply a safety rating for vehicle **116**.

[0115] In the exemplary embodiment, PI computing device **102** may retrieve at least telematics data from database **104** to generate a trip score and/or a driver score for each respective trip provided by the driver of vehicle **116**. PI computing device **102** may also retrieve predetermined thresholds from database **104**. PI computing device **102** may compare and/or otherwise analyze trip scores and/or driver scores against the thresholds to determine a discount, refund, and/or reward for the driver based upon the analysis. PI computing device may transmit the discounts, cash back, and/or other rewards to a user via user computing device **110**.

[0116] In the some embodiments, PI computing device **102** may transmit a request, command, and/or message to insurance provider **108** to instruct insurance provider **108** to offer a discount on an insurance product. In some embodiments, third party providers **114** and maintenance network **1002** may be similarly instructed to provide a discount. In some embodiments, rewards for safe vehicle operation well maintained vehicles may be in the form of cash deposits in a hybrid savings account as described above.

[0117] FIG. **11** illustrates a simplified block diagram of an exemplary process **1100** for implementing rewards-based incentives for drivers of transportation network companies. In the exemplary embodiment, PI computing device **102** may retrieve **1102** telematics data for vehicle **116** for at least one ride provided. PI computing device **102** may generate **1104** a trip score based upon the telematics data, and may compare **1106** the trip score to a predetermined threshold. PI computing device **102** may determine **1108** a reward based upon the comparison. PI computing device **102** may receive **1110** payment from a passenger for a completed ride.

[0118] In some embodiments, TNC **106** may receive the payment from the passenger and PI computing device **102** may directed TNC **106** to retain a percentage of the payment and transmit the remaining percentage to the driver. In the exemplary embodiment, PI computing device **102** may transmit **1112** a percentage of the received payment to TNC **106** based upon the determined reward. PI computing device **102** may transmit **1114** the remaining payment to the driver. In some embodiments, the reward may be a discount and/or another benefit provided by third party provider **114** or maintenance network **1002**. For example, maintenance network **1002** may offer discounted maintenance services for vehicle **116**.

Exemplary User Computing Device

[0119] FIG. **12** illustrates an exemplary personalized insurance (“PI”) computing device **102** (shown in FIG. **1**) in a server system **1200** configuration. In the exemplary embodiment, server system **1200** may include a processor **1202** for executing instructions. Instructions may be stored in a memory area **1204**. Processor **1202** may include one or more processing units (e.g., in a multi-core configuration) for executing instructions. The instructions may be executed within a variety of different operating systems on server system such as PI computing device **102** in a server

configuration, such as UNIX, LINUX, Microsoft Windows®, etc. It should also be appreciated that upon initiation of a computer-based method, various instructions may be executed during initialization. Some operations may be required in order to perform one or more processes described herein, while other operations may be more general and/or specific to a particular programming language (e.g., C, C#, C++, Java, or other suitable programming languages, etc.). [0120] Processor **1202** may be operatively coupled to a communication interface **1206** such that server system **1200** is capable of communicating with TNC **106**, insurance provider **108**, user computing device **110**, financial institution **112**, third party **114** (all shown in FIG. 1), or another server system **1200**. For example, communication interface **1206** may receive requests from user computing device **110** via the Internet.

[0121] Processor **1202** may also be operatively coupled to a storage device **1210**, such as database **104** (shown in FIG. 1). Storage device **1210** may be any computer-operated hardware suitable for storing and/or retrieving data. In some embodiments, storage device **1210** may be integrated in server system **1200**. For example, server system **1200** may include one or more hard disk drives as storage device **1210**.

[0122] In other embodiments, storage device **1210** may be external to server system **1200** and may be accessed by a plurality of server systems **1200**. For example, storage device **1210** may include multiple storage units such as hard disks or solid state disks in a redundant array of inexpensive disks (RAID) configuration. Storage device **1210** may include a storage area network (SAN) and/or a network attached storage (NAS) system.

[0123] In some embodiments, processor **1202** may be operatively coupled to storage device **1210** via a storage interface **1208**. Storage interface **1208** may be any component capable of providing processor **1202** with access to storage device **1210**. Storage interface **1208** may include, for example, an Advanced Technology Attachment (ATA) adapter, a Serial ATA (SATA) adapter, a Small Computer System Interface (SCSI) adapter, a RAID controller, a SAN adapter, a network adapter, and/or any component providing processor **1202** with access to storage device **1210**.

[0124] Memory area **1204** may include, but is not limited to, random access memory (RAM) such as dynamic RAM (DRAM) or static RAM (SRAM), read-only memory (ROM), erasable programmable read-only memory (EPROM), electrically erasable programmable read-only memory (EEPROM), and non-volatile RAM (NVRAM). The above memory types are exemplary only, and are thus not limiting as to the types of memory usable for storage of a computer program.

Exemplary Client Computing Device

[0125] FIG. 13 illustrates an exemplary user computing device **110** shown in FIG. 1. User computing device **110** may include a processor **1302** for executing instructions. In some embodiments, executable instructions may be stored in a memory area **1304**. Processor **1302** may include one or more processing units (e.g., in a multi-core configuration). Memory area **1304** may be any device allowing information such as executable instructions and/or other data to be stored and retrieved. Memory area **1304** may include one or more computer readable media.

[0126] In exemplary embodiments, user computing device **110** may also include at least one media output component **1306** for presenting information to a user **1300**. Media output component **1306** may be any component capable of conveying information to user **1300**. In some embodiments, media output component **1306** may include an output adapter such as a video adapter and/or an audio adapter. An output adapter may be operatively coupled to processor **1302** and operatively coupleable to an output device such as a display device (e.g., a liquid crystal display (LCD), light emitting diode (LED) display, organic light emitting diode (OLED) display, cathode ray tube (CRT) display, “electronic ink” display, or a projected display) or an audio output device (e.g., a speaker or headphones).

[0127] User computing device **110** may also include an input device **1308** for receiving input from user **1300**. Input device **1308** may include, for example, a keyboard, a pointing device, a mouse, a stylus, a touch sensitive panel (e.g., a touch pad or a touch screen), a gyroscope, an accelerometer,

a position detector, or an audio input device. A single component such as a touch screen may function as both an output device of media output component **1306** and input device **1308**. [0128] User computing device **110** may also include a communication interface **1310**, which can be communicatively coupled to a remote device such as PI computing device **102** (shown in FIG. **1**). Communication interface **1310** may include, for example, a wired or wireless network adapter or a wireless data transceiver for use with a mobile phone network (e.g., Global System for Mobile communications (GSM), 3G, 4G or Bluetooth) or other mobile data network (e.g., Worldwide Interoperability for Microwave Access (WIMAX)).

[0129] Stored in memory area **1304** may be, for example, computer readable instructions for providing a user interface to user **1300** via media output component **1306** and, optionally, receiving and processing input from input device **1308**. A user interface may include, among other possibilities, a web browser and client application. Web browsers may enable users, such as user **1300**, to display and interact with media and other information typically embedded on a web page or a website. A client application may allow user **1300** to interact with a server application from PI computing device **102**.

[0130] Memory area **1304** may include, but is not limited to, random access memory (RAM) such as dynamic RAM (DRAM) or static RAM (SRAM), read-only memory (ROM), erasable programmable read-only memory (EPROM), electrically erasable programmable read-only memory (EEPROM), and non-volatile RAM (NVRAM). The above memory types are exemplary only, and are thus not limiting as to the types of memory usable for storage of a computer program.

Exemplary Embodiments & Functionality

[0131] A personalized insurance (“PI”) computing device for determining an optimal usage-based insurance product for a driver operating a vehicle for the transportation network company (“TNC”) during a period of increased demand for transportation services may be provided. The PI computing device may have at least one processor (and/or associated transceiver) in communication with at least one memory. The processor and/or associated transceiver may be configured to receive, from a transportation network company, data indicating the increased demand for transportation services (such as via wireless communication or data transmission over one or more radio frequency links). The processor and/or associated transceiver may be further configured to receive or retrieve driver data for a driver operating a vehicle for the transportation network company, wherein the driver data includes at least the driver history. The processor may be further configured to generate an optimal pricing model for the driver based upon the increased demand and the driver data. The processor may be further configured to execute the model to determine an optimal insurance product, wherein the optimal insurance product includes characteristics reflecting the risks associated with the increased demand for transportation services and a risk profile from analyzing the driver data. The processor and/or associated transceiver may be further configured to transmit, to a user computing device, an offer to: (i) provide transportation services to passengers at an increased payment rate with (ii) the determined insurance product.

[0132] In one embodiment, the processor and/or associated transceiver may be further configured to receive or retrieve event data from a third party, the event data indicating an increased demand for transportation services and a time period for the increased demand. In another embodiment, the processor and/or associated transceiver may be further configured to receive or retrieve weather data from a weather service, and wherein generating the optimal pricing model includes factoring in the weather data. The weather data may include a time period for at least one predicted weather event, and the insurance product may include an expiration associated with the time period predicted at least one weather event.

[0133] In another embodiment, the PI computing device may be in communication with an insurance provider and the insurance product is underwritten by an insurance provider. In another embodiment, the increased payment rate is based upon a payment rate offered by the TNC, wherein the increased payment rate less than the payment rate offered by the TNC, and wherein the

difference between the increased payment rate and the payment rate offered by the TNC is transferred to the insurance provider. In another embodiment, executing the model to determine the optimal insurance product may include determining a price for the insurance product, wherein determining the price may be based upon at least the difference between the increased payment rate and the payment rate offered by the TNC.

[0134] In another aspect, a personalized insurance (“PI”) computing device for facilitating automatic insurance payments through a hybrid savings account (“HSA”) associated with a driver operating a vehicle for a transportation network company (“TNC”) may be provided. The PI computing device having at least one processor (and/or associated transceiver) in communication with at least one memory, the processor and/or associated transceiver) may be configured to receive, from the TNC, funds earned by a driver operating the vehicle for the TNC (such as via wireless communication or data transmission over one or more radio frequency links). The processor and/or associated transceiver may be further configured to transmit (such as via wireless communication or data transmission over one or more radio frequency links) the funds to the financial institution to be deposited into the HSA associated with the driver. The processor and/or transceiver may be further configured to receive (such as via wireless communication or data transmission over one or more radio frequency links), from a user computing device associated with the driver, a signal indicating (i) initiation of a ride for a passenger, and (ii) a request for insurance coverage for the ride. The processor may be further configured to transfer, from the HSA to an insurance provider, payment for the requested insurance coverage.

[0135] In one embodiment, the processor and/or associated transceiver may be further configured to transmit a message to the insurance provider indicating a completion of the ride to terminate the insurance coverage. In another embodiment, the processor and/or associated transceiver may be further configured to transmit a message to the insurance provider server to automatically renew the insurance coverage upon termination of the insurance coverage. In another embodiment, the processor and/or associated transceiver may be further configured to receive a message to close the HSA, determine a balance owed to the insurance provider, withdraw the funds from the HSA, and transmit the balance to the insurance provider server or other computing device, and/or transmit remaining funds to a computing device associated with the driver.

[0136] In one embodiment, the processor and/or associated transceiver may be further configured to receive a request to withdraw funds from the HSA by the insurance provider. In another embodiment, the processor and/or associated transceiver may be further configured to transmit a message to the financial institution to establish the HSA, the message including at least one entity authorized to access the HSA. In another embodiment, the processor and/or associated transceiver may be in communication with a third-party and wherein the processor and/or associated transceiver is configured to (i) receive a request from the user computing device for a purchase from a computing device of the third-party, and (ii) transmit funds to the third-party computing device from the HSA.

Machine Learning & Other Matters

[0137] The computer-implemented methods discussed herein may include additional, less, or alternate actions, including those discussed elsewhere herein. The methods may be implemented via one or more local or remote processors, transceivers, servers, and/or sensors (such as processors, transceivers, servers, and/or sensors mounted on vehicles or mobile devices, or associated with smart infrastructure or remote servers), and/or via computer-executable instructions stored on non-transitory computer-readable media or medium.

[0138] Additionally, the computer systems discussed herein may include additional, less, or alternate functionality, including that discussed elsewhere herein. The computer systems discussed herein may include or be implemented via computer-executable instructions stored on non-transitory computer-readable media or medium.

[0139] A processor or a processing element may be trained using supervised or unsupervised

machine learning, and the machine learning program may employ a neural network, which may be a convolutional neural network, a deep learning neural network, a reinforced or reinforcement learning module or program, or a combined learning module or program that learns in two or more fields or areas of interest. Machine learning may involve identifying and recognizing patterns in existing data in order to facilitate making predictions for subsequent data. Models may be created based upon example inputs in order to make valid and reliable predictions for novel inputs.

[0140] Additionally or alternatively, the machine learning programs may be trained by inputting sample data sets or certain data into the programs, such as images, object statistics and information, historical estimates, and/or actual repair costs. The machine learning programs may utilize deep learning algorithms that may be primarily focused on pattern recognition, and may be trained after processing multiple examples. The machine learning programs may include Bayesian Program Learning (BPL), voice recognition and synthesis, image or object recognition, optical character recognition, and/or natural language processing—either individually or in combination. The machine learning programs may also include natural language processing, semantic analysis, automatic reasoning, and/or machine learning.

[0141] Supervised and unsupervised machine learning techniques may be used. In supervised machine learning, a processing element may be provided with example inputs and their associated outputs, and may seek to discover a general rule that maps inputs to outputs, so that when subsequent novel inputs are provided the processing element may, based upon the discovered rule, accurately predict the correct output. In unsupervised machine learning, the processing element may be required to find its own structure in unlabeled example inputs. In one embodiment, machine learning techniques may be used to extract data about infrastructures and users associated with a building to detect events and correlations between detected events to identify trends.

[0142] Based upon these analyses, the processing element may learn how to identify characteristics and patterns that may then be applied to analyzing image data, model data, and/or other data. For example, the processing element may learn, with the user's permission or affirmative consent, to identify the type of building events that occurred based upon collected images of building. The processing element may also learn how to identify building trends that may not be readily apparent based upon collected sensor data.

ADDITIONAL CONSIDERATIONS

[0143] As will be appreciated based upon the foregoing specification, the above-described embodiments of the disclosure may be implemented using computer programming or engineering techniques including computer software, firmware, hardware or any combination or subset thereof. Any such resulting program, having computer-readable code means, may be embodied or provided within one or more computer-readable media, thereby making a computer program product, i.e., an article of manufacture, according to the discussed embodiments of the disclosure. The computer-readable media may be, for example, but is not limited to, a fixed (hard) drive, diskette, optical disk, magnetic tape, semiconductor memory such as read-only memory (ROM), SD card, memory device and/or any transmitting/receiving medium, such as the Internet or other communication network or link. The article of manufacture containing the computer code may be made and/or used by executing the code directly from one medium, by copying the code from one medium to another medium, or by transmitting the code over a network.

[0144] These computer programs (also known as programs, software, software applications, “apps”, or code) include machine instructions for a programmable processor, and can be implemented in a high-level procedural and/or object-oriented programming language, and/or in assembly/machine language. As used herein, the terms “machine-readable medium” and “computer-readable medium” refer to any computer program product, apparatus and/or device (e.g., magnetic discs, optical disks, memory, Programmable Logic Devices (PLDs)) used to provide machine instructions and/or data to a programmable processor, including a machine-readable medium that receives machine instructions as a machine-readable signal. The “machine-readable

medium” and “computer-readable medium,” however, do not include transitory signals. The term “machine-readable signal” refers to any signal used to provide machine instructions and/or data to a programmable processor.

[0145] As used herein, a processor may include any programmable system including systems using micro-controllers, reduced instruction set circuits (RISC), application specific integrated circuits (ASICs), logic circuits, and any other circuit or processor capable of executing the functions described herein. The above examples are example only, and are thus not intended to limit in any way the definition and/or meaning of the term “processor.”

[0146] As used herein, the terms “software” and “firmware” are interchangeable, and include any computer program stored in memory for execution by a processor, including RAM memory, ROM memory, EPROM memory, EEPROM memory, and non-volatile RAM (NVRAM) memory. The above memory types are example only, and are thus not limiting as to the types of memory usable for storage of a computer program.

[0147] In one embodiment, a computer program is provided, and the program is embodied on a computer-readable medium. In an example embodiment, the system is executed on a single computer system, without requiring a connection to a server computer. In a further example embodiment, the system is being run in a Windows® environment (Windows is a registered trademark of Microsoft Corporation, Redmond, Washington). In yet another embodiment, the system is run on a mainframe environment and a UNIX® server environment (UNIX is a registered trademark of X/Open Company Limited located in Reading, Berkshire, United Kingdom). In a further embodiment, the system is run on an iOS® environment (iOS is a registered trademark of Cisco Systems, Inc. located in San Jose, CA). In yet a further embodiment, the system is run on a Mac OS® environment (Mac OS is a registered trademark of Apple Inc. located in Cupertino, CA). In still yet a further embodiment, the system is run on Android® OS (Android is a registered trademark of Google, Inc. of Mountain View, CA). In another embodiment, the system is run on Linux® OS (Linux is a registered trademark of Linus Torvalds of Boston, MA). The application is flexible and designed to run in various different environments without compromising any major functionality. The following detailed description illustrates embodiments of the disclosure by way of example and not by way of limitation. It is contemplated that the disclosure has general application to providing an on-demand ecosystem in industrial, commercial, and residential applications.

[0148] In some embodiments, the system includes multiple components distributed among a plurality of computing devices. One or more components may be in the form of computer-executable instructions embodied in a computer-readable medium. The systems and processes are not limited to the specific embodiments described herein. In addition, components of each system and each process can be practiced independent and separate from other components and processes described herein. Each component and process can also be used in combination with other assembly packages and processes. The present embodiments may enhance the functionality and functioning of computers and/or computer systems.

[0149] As used herein, an element or step recited in the singular and preceded by the word “a” or “an” should be understood as not excluding plural elements or steps, unless such exclusion is explicitly recited. Furthermore, references to “example embodiment” or “one embodiment” of the present disclosure are not intended to be interpreted as excluding the existence of additional embodiments that also incorporate the recited features.

[0150] The patent claims at the end of this document are not intended to be construed under 35 U.S.C. § 112(f) unless traditional means-plus-function language is expressly recited, such as “means for” or “step for” language being expressly recited in the claim(s).

[0151] This written description uses examples to disclose the disclosure, including the best mode, and also to enable any person skilled in the art to practice the disclosure, including making and using any devices or systems and performing any incorporated methods. The patentable scope of

the disclosure is defined by the claims, and may include other examples that occur to those skilled in the art. Such other examples are intended to be within the scope of the claims if they have structural elements that do not differ from the literal language of the claims, or if they include equivalent structural elements with insubstantial differences from the literal language of the claims.

Claims

1. A computing device for developing an optimal pricing model for a driver operating a vehicle for a transportation network company (“TNC”) providing transportation services, the computing device having at least one processor in communication with at least one memory, the at least one processor configured to: train one or more machine learning programs using historical supply and demand data associated with a plurality of TNC vehicles and historical driver data associated with the driver; receive, in real-time, current supply and demand data associated with the plurality of TNC vehicles, wherein the current supply and demand data is indicative of current supply and demand for the transportation services; re-train, in real-time, the one or more machine learning programs using the current supply and demand data; generate the optimal pricing model for the driver using the one or more re-trained machine learning programs; determine, in real-time, an optimal usage-based insurance (“UBI”) product for the driver by executing the optimal pricing model; and transmit, in-real time, a message to a user computing device associated with the driver, the message including the determined optimal UBI product.
2. The computing device of claim 1, wherein the at least one processor is further configured to update the optimal pricing model using one or more further re-trained machine learning programs.
3. The computing device of claim 1, wherein the optimal UBI product is personalized for the driver and includes current driving characteristics reflecting at least one risk factor associated with the current supply and demand for the transportation services.
4. The computing device of claim 1, wherein the at least one processor is further configured to retrieve driver data for the driver, wherein the driver data includes at least recent driving history associated with the driver.
5. The computing device of claim 1, wherein the at least one processor is further configured to transmit an offer to provide the transportation services with the determined optimal UBI product and at an increased payment rate based upon the current supply and demand data.
6. The computing device of claim 1, wherein the at least one processor is further configured to retrieve weather data from a weather service, and wherein generating the optimal pricing model includes factoring in the weather data.
7. The computing device of claim 1, wherein the at least one processor is further configured to communicate with an insurance provider, and wherein the optimal UBI product is underwritten by the insurance provider.
8. A computer-implemented method for developing an optimal pricing model for a driver operating a vehicle for a transportation network company (“TNC”) providing transportation services, the method implemented by a computing device having at least one processor in communication with at least one memory, the method comprising: training one or more machine learning programs using historical supply and demand data associated with a plurality of TNC vehicles and historical driver data associated with the driver; receiving, in real-time, current supply and demand data associated with the plurality of TNC vehicles, wherein the current supply and demand data is indicative of current supply and demand for the transportation services; re-training, in real-time, the one or more machine learning programs using the current supply and demand data; generating the optimal pricing model for the driver using the one or more re-trained machine learning programs; determining, in real-time, an optimal usage-based insurance (“UBI”) product for the driver by executing the optimal pricing model; and transmitting, in-real time, a message to a user computing device associated with the driver, the message including the determined optimal UBI product.

9. The computer-implemented method of claim 8 further comprising updating the optimal pricing model using one or more further re-trained machine learning programs.
 10. The computer-implemented method of claim 8, wherein the optimal UBI product is personalized for the driver and includes current driving characteristics reflecting at least one risk factor associated with the current supply and demand for the transportation services.
 11. The computer-implemented method of claim 8 further comprising retrieving driver data for the driver, wherein the driver data includes at least recent driving history associated with the driver.
 12. The computer-implemented method of claim 8 further comprising transmitting an offer to provide the transportation services with the determined optimal UBI product and at an increased payment rate based upon the current supply and demand data.
 13. The computer-implemented method of claim 8 further comprising retrieving weather data from a weather service, and wherein generating the optimal pricing model includes factoring in the weather data.
 14. The computer-implemented method of claim 8 further comprising communicating with an insurance provider, and wherein the optimal UBI product is underwritten by the insurance provider.
 15. At least one non-transitory computer-readable storage medium having computer-executable instructions embodied thereon, when executed by a computing device for developing an optimal pricing model for a driver operating a vehicle for a transportation network company ("TNC") providing transportation services, the computing device having at least one processor in communication with at least one memory, the computer-executable instructions cause the at least one processor to: train one or more machine learning programs using historical supply and demand data associated with a plurality of TNC vehicles and historical driver data associated with the driver; receive, in real-time, current supply and demand data associated with the plurality of TNC vehicles, wherein the current supply and demand data is indicative of current supply and demand for the transportation services; re-train, in real-time, the one or more machine learning programs using the current supply and demand data; generate the optimal pricing model for the driver using the one or more re-trained machine learning programs; determine, in real-time, an optimal usage-based insurance ("UBI") product for the driver by executing the optimal pricing model; and transmit, in-real time, a message to a user computing device associated with the driver, the message including the determined optimal UBI product.
 16. The at least one non-transitory computer-readable medium of claim 15, wherein the computer-executable instructions further cause the at least one processor to update the optimal pricing model using one or more further re-trained machine learning programs.
 17. The at least one non-transitory computer-readable medium of claim 15, wherein the optimal UBI product is personalized for the driver and includes current driving characteristics reflecting at least one risk factor associated with the current supply and demand for the transportation services.
 18. The at least one non-transitory computer-readable medium of claim 15, wherein the computer-executable instructions further cause the at least one processor to retrieve driver data for the driver, wherein the driver data includes at least recent driving history associated with the driver.
 19. The at least one non-transitory computer-readable medium of claim 15, wherein the computer-executable instructions further cause the at least one processor to transmit an offer to provide the transportation services with the determined optimal UBI product and at an increased payment rate based upon the current supply and demand data.
 20. The at least one non-transitory computer-readable medium of claim 15, wherein the computer-executable instructions further cause the at least one processor to retrieve weather data from a weather service, and wherein generating the optimal pricing model includes factoring in the weather data.
-