

US Patent & Trademark Office

Patent Public Search | Text View

United States Patent Application Publication	20250256195
Kind Code	A1
Publication Date	August 14, 2025
Inventor(s)	Klein; Jason et al.

Shin And Knee Protector

Abstract

The invention relates to a shin and knee protector comprising separate shin and knee guards each with a separate padding layer. The guards are joined together by straps. The invention includes inside and outside wings over the kneecap.

Inventors: Klein; Jason (Stratford, CT), Foerster; Michael (Newtown Square, PA), Swanson; Tanner (Seattle, WA)

Applicant: Force3 Pro Gear (Stratford, CT)

Family ID: 1000008438898

Appl. No.: 19/048607

Filed: February 07, 2025

Related U.S. Application Data

us-provisional-application US 63552027 20240209

Publication Classification

Int. Cl.: A63B71/12 (20060101)

U.S. Cl.:

CPC A63B71/1225 (20130101); A63B2071/125 (20130101); A63B2071/1258 (20130101)

Background/Summary

[0001] The present invention relates to a shin and knee protector, comprising shin, knee with wing guards and separate padding layers fitted inside the guards.

[0002] In shin and knee protectors used in various sports activities and other applications, a protector comprises a hard outer layer and a padding layer fitted therein. Sports activities employing protectors include baseball, football, ice hockey, field hockey, lacrosse, cricket and mountain biking. In baseball, shin and knee protectors are used in particular by catchers.

[0003] An object of the invention is to provide a new type of protector for a baseball catcher or in other sports such as football, ice hockey, field hockey, lacrosse, cricket, and soccer that employ a player that may use shin and knee protectors. The object is to allow the catcher or comparable player to not have to overcome the drag of a shin guard on the ground with his or her whole leg and allow him or her to plant, throw or move faster since he or she does not have to overcome the weight and drag of the entire shin guard.

[0004] Another object of the invention is to provide a knee protector that has an additional wing guard area that covers an exposed area encountered by the catcher that occurs during the use of the protector. In the past, contact with the exposed area has caused catchers to suffer significant injuries that can sideline them.

[0005] A further object is to provide an invention including a wing guard that acts as a stabilizer and allows the catcher to move and slide on the ground and provide support for his knees and ensure that a knee does not roll out of the shin guard when the catcher is sliding and planting to throw.

[0006] A protector according to the invention comprises a shin guard, a knee guard and wing guard area, all of said guards being separately attached to padding which is fitted in the guards. In a preferred embodiment, the guards are attached to straps which can be both elastic and non-elastic straps.

Description

[0007] The invention will now be described in more detail with reference made to the accompanying photographs in which

[0008] FIG. 1 is a front view of the protector of the invention,

[0009] FIGS. 2 and 3 are side views of the protector of FIG. 1,

[0010] FIG. 4 is a rear view of the protector of FIG. 1,

[0011] FIGS. 5 and 6 are views of the separate padding layer fit inside the guards, and

[0012] FIG. 7 is a view of the padding layer.

[0013] As shown in FIGS. 1-4, a protector of the invention consists of a lower shin guard 1, a lower knee guard 3, an upper thigh guard 7, and wing guards 5 placed between the shin and knee guards 1, 3. A padding layer 9 is fitted inside each of the guards as shown particularly in FIG. 4. The shin guard can laterally rotate from the portion under the knee in both directions. Shin guard rotation is accomplished by splitting the shin guard to allow part of the shin guard to move freely from the rest of the shin guard. The split in the shin guard is created so that the top third and bottom two-thirds are separated. The top third and bottom two-thirds of the shin guards are held together by elastic and non-elastic straps 17.

[0014] The wing guard area 11 has inside and outside coverage, 13 and 15. The wing 13 on the inside of the leg moves into position to cover any exposed area between the shin and knee guards 3, 5, to avoid possible injury to the catcher from contact with the exposed area during use of the protector. The outside wings are positioned adjacent the outside of the legs and act as a stabilizer. The outside wings 13 allow the catcher to move and slide on the ground and provide support to the knee so that the knee does not roll out of the shin guard when sliding or planting to throw.

[0015] In FIGS. 1-4, the shin, wing and knee guards are held together by straps 15. The straps also

connect the top third to bottom two-thirds of the shin guards. The invention also features the addition of cradles (not shown) that keep the top portion of the shin guards from slipping behind the bottom portion. In addition, a retainer strap **17** is shown in FIGS. **3-4** and **6**. The retainer strap **17** is made of an elastic portion and non-elastic portion that hold the top third of the shin guard and prevent the top third of the shin guard from completely coming off the rest of the shin guard. The straps keep both sections of the guard together making it look like a traditional shin guard.

Claims

1. A shin and knee protector comprising a lower shin guard, a knee guard and wing guards between the shin and knee guards, wherein the guards each have a separate padding layer and are joined together by means of straps wherein, the shin guard is split into two parts and undergoes rotation under the knee, the knee guard is above the shin guard, and inside and outside wing guards are positioned over the knee cap, act as a stabilizer and facilitate catcher movement.
 2. The shin and knee protector of claim 1 for a baseball catcher.
 3. The shin and knee protector of claim 1 wherein the top third and bottom two-thirds of the shin guard are held together by straps.
 4. The shin and knee protector of claim 1 wherein the inside wing guard area moves into position to cover any exposed area on the inside of the leg between shin and knee guards.
-