

Technical Data: ROMAN 234 Updated: 11-18-21



ROMAN 234

PREMIUM HEAVY DUTY CLEAR

Strippable, Ideal for pasting machines

Product Number(s):

Base: Starch, Water-based

Product Information

ROMAN 234 Premium Clear Wallcovering Adhesive's exclusive formula allows you to create the perfect viscosity for your project. ROMAN 234 is ideal for installing Type I, II and III wallcoverings.

Stir ROMAN 234 with a drill mixer, on a shaker or manually to achieve the desired viscosity.

ROMAN 234 offers superior wet tack and ample slip for pattern matching and positioning.

ROMAN 234 may rolled on and is ideal for pasting machines.

ROMAN 234 is dry strippable.

Recommended Use: For installing most types of wallpaper, including vinyl, non-woven, grass cloth, delicates, and more.

Key Features:

Whip, stir, or shake to desired consistency

- Strippable
- Exceptional adhesion
- Applies easily with a roller, brush, or pasting machine
- Cleans up easily with water
- Covers up to 280 square feet per gallon
- VOC (Actual): <1%
- VOC (Regulatory): <5g/L



Technical Data: ROMAN 234 Updated: 11-18-21

Specification Data

Coverage: Approximately 280 square feet per gallon

Color: Off-white

Viscosity: Approximately 180,000 unstirred cps

pH: 9.30

Percent Solids: Approximately 39%

Storage: Keep in cool dry place.

Application Instructions

Surface Preparation: Make sure wall surface is sound, clean and dry.

Plaster: New plaster must age at least 30 days before hanging wallcovering.

Application: Hang wallcovering according to manufacturer's instructions. Stir to thin paste to desired consistency. **DO NOT DILUTE**. Apply evenly, making sure sufficient adhesive is on edges and corners. Apply to wallcovering with a roller, stiff brush or pasting machine.

Clean-up: **Immediately** remove adhesive from the face of washable wallcoverings and adjacent surfaces with a clean wet sponge. Dry with a clean, lint free towel to check for paste residue. Clean equipment with water.

Strippability: Adhesive and primer (if used) must be cured prior to stripping. **Coverage:** Approximately 280 square feet per gallon. Coverage rates can vary depending on condition of the substrate, priming, sizing, weather conditions and method of application.

Warning

If you scrape, sand, or remove old paint, you may release lead dust. LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE, ESPECIALLY IN CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE. Wear a NIOSH-approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. Before you start, find out how to protect yourself and your family by contacting the National Lead Information Hotline at 1-800-424-LEAD or log on to www.epa.gov/lead.

Roman Products, LLC does not endorse the use of any product in an installation that does not meet a Class A fire rating or any applicable code. Testing by a certified laboratory should be conducted to verify that the installation meets a Class A fire rating and to guarantee compliance with all applicable codes. Specifically, if a Roman product is used to hang wallpaper over existing wallpaper, it is unlikely to meet these standards.



Technical Data: ROMAN 234 Updated: 11-18-21

Limited Warranty

Roman Products, LLC warrants that it will replace this product free of charge, if, within 12 months of manufacture, it is found to be defective in material or workmanship. This warranty is in lieu of any other. The exclusive remedy is limited to the replacement of the product and Roman disclaims all liability for consequential, punitive, and special damages. Conditions of use are beyond our control.

Caution

KEEP OUT OF REACH OF CHILDREN AND PETS.

FIRST AID: Eye contact: Flush with water for at least 15 minutes holding eyelids open. Skin Contact: Wash thoroughly with soap and water. Inhalation: Move to fresh air. Seek medical attention if irritation or other symptoms occur and persist. If swallowed: DO NOT induce vomiting. Never give anything by mouth to an unconscious or drowsy person. Rinse mouth with water. Immediately call a physician or poison control center.