

SAFETY DATA SHEET

Propylene Chemical Grade

Section 1. Identification

Propylene Chemical Grade

propene

propylene; 1-Propene; propylene in gaseous state, impure; propylene liquefied, impure; propene, pure; R1270; propylene, pure; Methylethene; Methylethylene; prop-1-ene; propylene (not chemically pure)

⊘as.

SOPROPYL ALCOHOL, POLYPROPYLENE, SYNTHETIC GLYCEROL, ACRYLONITRILE, PROPYLENE OXIDE, HEPTENE, CUMENE, POLYMER GASOLINE; ACRYLIC ACID; VINYL RESINS; OXO CHEMICALS.

Saudi Basic Industries Corporation (SABIC) P.O. Box 5101 Riyadh, 11422 Kingdom of Saudi Arabia

Asia Pacific: 001-760-476-3960 (0-24h) Middle East: 001-760-476-3959 (0h - 24h) Australia: +61 1 800 686 951 (0-24h) New Zealand: +64 800 451719 (0-24h)

SABIC Access Code: 333619

: GHS product identifier

: Chemical name

: Other means of identification

: Product type

: Use of the substance/

mixture

: Manufacturer

: Emergency telephone number (with hours of

operation)

Section 2. Hazards identification

AMMABLE GASES - Category 1A
GASES UNDER PRESSURE - Liquefied gas
AQUATIC HAZARD (ACUTE) - Category 3

: Classification of the substance or mixture

GHS label elements





: Hazard pictograms

: Hazard statements

Danger : Signal word

Extremely flammable gas.

Contains gas under pressure; may explode if heated.

Harmful to aquatic life.

Precautionary statements

Read carefully and follow all instructions. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid release to the environment.

Leaking gas fire: Do not extinguish, unless leak can be stopped safely. In case of leakage, eliminate all ignition sources.

Protect from sunlight. Store in a well-ventilated place.

Dispose of contents and container in accordance with all local, regional, national and international regulations.

: General

: Prevention

: Response

: Storage

: Disposal

None known.

: Other hazards which do not result in classification

Section 3. Composition/information on ingredients

Substance : Substance/mixture

propene : Chemical name

propylene; 1-Propene; propylene in gaseous state, impure; propylene liquefied, : Other means of impure; propene, pure; R1270; propylene, pure; Methylethene; Methylethylene; propidentification

1-ene; propylene (not chemically pure)

CAS number/other identifiers

115-07-1 : CAS number 204-062-1 : EC number

CAS number	%	Ingredient name
115-07-1	95 - 100	propene

: Inhalation

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. To avoid the risk of static discharges and gas ignition, soak contaminated : Skin contact

clothing thoroughly with water before removing it. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ks this product is a gas, refer to the inhalation section.

Most important symptoms/effects, acute and delayed

Potential acute health effects

No known significant effects or critical hazards.: Eye contactNo known significant effects or critical hazards.: InhalationNo known significant effects or critical hazards.: Skin contactAs this product is a gas, refer to the inhalation section.: Ingestion

Over-exposure signs/symptoms

No specific data.: Eye contactNo specific data.: InhalationNo specific data.: Skin contactNo specific data.: Ingestion

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically. Contact poison treatment specialist immediately if large : Notes to physician

quantities have been ingested or inhaled.

No specific treatment: : Specific treatments

3/4/2022 : Date of issue/Date of revision 1 : Version

Section 4. First aid measures

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

: Protection of first-aiders

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

None known.

: Suitable extinguishing media

: Unsuitable extinguishing media

Contains gas under pressure. Extremely flammable gas. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. This material is harmful to aquatic life. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Decomposition products may include the following materials: carbon dioxide carbon monoxide

: Specific hazards arising from the chemical

: Hazardous thermal decomposition products

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Contact supplier immediately for specialist advice. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. If involved in fire, shut off flow immediately if it can be done without risk. If this is impossible, withdraw from area and allow fire to burn. Fight fire from protected location or maximum possible distance. Eliminate all ignition sources if safe to do so.

for fire-fighters

: Special protective actions

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

: Special protective equipment for fire-fighters

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Accidental releases pose a serious fire or explosion hazard. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing gas. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

: For non-emergency personnel

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

: For emergency responders

Ensure emergency procedures to deal with accidental gas releases are in place to avoid contamination of the environment. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

: Environmental precautions

Methods and materials for containment and cleaning up

Immediately contact emergency personnel. Stop leak if without risk. Use spark-proof tools and explosion-proof equipment.

Immediately contact emergency personnel. Stop leak if without risk. Use spark-proof tools and explosion-proof equipment. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

: Large spill

: Small spill

3/4/2022 : Date of issue/Date of revision 1 : Version

Section 6. Accidental release measures

Section 7. Handling and storage

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

: Precautions for safe handling

Store in accordance with local regulations. Store in a segregated and approved area. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Eliminate all ignition sources. Keep container tightly closed and sealed until ready for use. See Section 10 for incompatible materials before handling or use.

: Conditions for safe storage, including any incompatibilities

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Exposure limits	Product/ingredient name	
CGIH TLV (United States, 1/2021).	propene	
TWA: 500 ppm 8 hours.		
ACGIH TLV (United States, 1/2021).	propene	
TWA: 500 ppm 8 hours.		

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

: Recommended monitoring procedures

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

: Appropriate engineering controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

: Environmental exposure controls

Individual protection measures

Wash hands, forearms and face thoroughly after handling chemical products, before : Hygiene measures eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: full-face mask

: Eye/face protection

Date of issue/Date of revision 3/4/2022 Version

Section 8. Exposure controls/personal protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. 4 - 8 hours (breakthrough time): Insulated gloves suitable for low temperatures; neoprene, nitrile rubber

: Hand protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.

: Body protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

: Other skin protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: self-contained breathing apparatus (SCBA)

: Respiratory protection

Section 9. Physical and chemical properties

Appearance

Gas. [Compressed gas.] : Physical state

Colorless. : Color

Mild. : Odor

23 to 80 ppm : Odor threshold

Not applicable. : pH -185°C (-301°F) : Mel

-185°C (-301°F) : Melting point/freezing point

✓8°C (-54.4°F) : Boiling point

©losed cup: -107.78°C (-162°F) : Flash point

Not applicable. : Burning time

Not applicable.

Surning time

Burning rate

Not available. : Evaporation rate

Not available. : Flammability (solid, gas)

Fower: 2% : Lower and upper explosive (flammable) limits

₹158 kPa (8685.71 mm Hg) : Vapor pressure

✓.5 [Air = 1]✓.5 (Air = 1)✓.6 (Relative density)

Very slightly soluble in the following materials: cold water. : Solubility

7.2 g/l

7.77 : Partition coefficient: n-octanol/water

455°C (851°F) : Auto-ignition temperature

Not available. : Decomposition temperature

Not available.

Not available.

SADT

Not applicable.

Viscosity

√45803592 J/kg : Heat of combustion

Page: 6/10 Propylene Chemical Grade

Section 10. Stability and reactivity

No specific test data related to reactivity available for this product or its ingredients. : Reactivity

The product is stable. : Chemical stability

Under normal conditions of storage and use, hazardous reactions will not occur. : Possibility of hazardous

reactions

Woold all possible sources of ignition (spark or flame). Do not pressurize, cut, weld,

braze, solder, drill, grind or expose containers to heat or sources of ignition.

: Conditions to avoid

No specific data. : Incompatible materials

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

: Hazardous decomposition

products

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Exposure	Dose	Species	Result	Product/ingredient name
4 hours	>86 mg/l	Rat	LC50 Inhalation Gas.	Propylene

Based on available data, the classification criteria are not met.

: Conclusion/Summary

Irritation/Corrosion

Not available.

Conclusion/Summary

Non-irritating to the skin. : Skin

Non-irritating to the eyes. : Eyes

Based on available data, the classification criteria are not met. : Respiratory

Sensitization

Not available.

Conclusion/Summary

No known significant effects or critical hazards. : Skin

No known significant effects or critical hazards. : Respiratory

Mutagenicity

Not available.

No known significant effects or critical hazards. : Conclusion/Summary

Carcinogenicity

Not available.

Based on available data, the classification criteria are not met. : Conclusion/Summary

Reproductive toxicity

Not available.

No known significant effects or critical hazards. : Conclusion/Summary

Teratogenicity

Not available.

No known significant effects or critical hazards. : Conclusion/Summary

Specific target organ toxicity (single exposure)

Not available.

3/4/2022 : Date of issue/Date of revision 1 : Version

Section 11. Toxicological information

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Routes of entry anticipated: Inhalation. : Information on the likely

routes of exposure

Potential acute health effects

No known significant effects or critical hazards. : Eye contact

No known significant effects or critical hazards. : Inhalation

No known significant effects or critical hazards. : Skin contact

As this product is a gas, refer to the inhalation section. : Ingestion

Symptoms related to the physical, chemical and toxicological characteristics

No specific data.: Eye contactNo specific data.: InhalationNo specific data.: Skin contactNo specific data.: Ingestion

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Not available. : Potential immediate

effects

Not available. : Potential delayed effects

Long term exposure

Not available. : Potential immediate

effects

Not available. : Potential delayed effects

Potential chronic health effects

Not available.

No known significant effects or critical hazards. : Conclusion/Summary

No known significant effects or critical hazards. : General

No known significant effects or critical hazards. : Carcinogenicity

No known significant effects or critical hazards. : Mutagenicity

No known significant effects or critical hazards. : Teratogenicity

No known significant effects or critical hazards. : Developmental effects

No known significant effects or critical hazards. : Fertility effects

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Exposure	Species	Result	Product/ingredient name
96 hours	Aquatic plants	EC50 12.1 mg/l Fresh water	propene
96 hours	Aquatic plants	NOEC 4.5 mg/l Fresh water	
48 hours	Daphnia - Daphnia sp.	Acute LC50 28.2 mg/l Fresh water	
96 hours	Fish	Acute LC50 51.7 mg/l Fresh water	
16 days	Daphnia - Daphnia sp.	Chronic LC50 3.1 mg/l Fresh water	
30 days	Fish	Chronic NOEC 51.7 mg/l Fresh water	

Based on available data, the classification criteria are not met.

: Conclusion/Summary

Persistence and degradability

Biodegradability	Photolysis	Aquatic half-life	Product/ingredient name
-	0.61 day(s)	-	propene

Bioaccumulative potential

Potential	BCF	LogPow	Product/ingredient name	
<mark>lo</mark> w	-	1.77	propene	

Mobility in soil

Not available.

: Soil/water partition coefficient (Koc)

No known significant effects or critical hazards.

: Other adverse effects

Section 13. Disposal considerations

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Empty pressure vessels should be returned to the supplier. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

: Disposal methods

Section 14. Transport information

IATA	IMDG	UN	
UN1077	UN1077	UN1077	UN number
Propylene	PROPYLENE	PROPYLENE	UN proper shipping name
2.1	2.1	2.1	Transport hazard class(es)
-	-	-	Packing group

3/4/2022 : Date of issue/Date of revision 1 : Version

Page: 9/10	Propylene Chemical Grade

Section 14. Transport information

No.	No.	No.	Environmental hazards
Quantity limitation Passenger and Cargo Aircraft: Forbidden. Packaging instructions: Forbidden. Cargo Aircraft Only: 150 kg. Packaging instructions: 200. Limited Quantities - Passenger Aircraft: Forbidden. Packaging instructions: Forbidden. Special provisions A1	Emergency schedules F-D, S-U	-	Additional information

Not available.

: Transport in bulk according to Annex I/II of Marpol and the IBC Code

Section 15. Regulatory information

No known specific national and/or regional regulations applicable to this product (including its ingredients).

: Safety, health and environmental regulations specific for the product

Chemical Weapons

Convention List Schedule I

Chemicals

Chemical Weapons

Convention List Schedule II

Chemicals

Chemical Weapons

Convention List Schedule III

Chemicals

: Not listed

: Not listed

: Not listed

: National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Section 16. Other information

History

3/4/2022 : Date of printing

3/4/2022 : Date of issue/Date of

revision

6/26/2017 : Date of previous issue

1 : Version

ADN = European Provisions concerning the International Carriage of Dangerous : Key to abbreviations

Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC Code = International Bulk Chemical Code

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

RID = The Regulations concerning the International Carriage of Dangerous Goods

by Rail

UN = United Nations

Not available. : References

Indicates information that has changed from previously issued version.

Notice to reader

This Safety Data Sheet (SDS) information is provided based on the hazard communication regulations for the region or country in which the purchaser is located and for the use of the persons required to receive this information under those regulations. The information is neither designed nor recommended for any other use or for use by any other person, including for compliance with other laws. This SDS is valid and applicable only to this product as initially sold by us. This SDS is not valid unless it has been obtained directly from Saudi Basic Industries Corporation or any of its affiliates, or posted or viewed on a SABIC website. Modification of this SDS, unless specifically authorized by us, is strictly prohibited. This SDS is based on information that is believed to be reliable at the date of its issuance, but may be subject to change as new information becomes available. Because it is not possible to anticipate all conditions of use, each purchaser and user of this product is responsible for making its own determination as to: (i) the safe and proper handling of this product in its own particular use of this material; and (ii) the suitability of this product for the user's particular use. THE INFORMATION SET FORTH HEREIN DOES NOT CONSTITUTE OR CREATE ANY REPRESENTATION OR WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND DOES NOT ALTER OUR STANDARD CONDITIONS OF SALE.