according to Hazard Communication Standard; 29 CFR 1910.1200



# Pledge Expert Care Wood Oil Trigger

Version 1.0 Print Date 03/02/2022

Revision Date 02/24/2021 SDS Number 350000040388 GEN SOF Number 72043

1. PRODUCT AND COMPANY IDENTIFICATION

**Product information** 

**Product name** : Pledge Expert Care Wood Oil Trigger

**Recommended use** : Furniture Polish/Cleaner

**Restrictions on use** : Use only as directed on label

Manufacturer, importer,

supplier

: S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

**Telephone** : +1-800-558-5252

**Emergency telephone** 

number

: 24 Hour Medical Emergency Phone: (866)231-5406 24 Hour Transport Emergency Phone: (800)424-9300

#### 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

## Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

Labelling

**Precautionary statements** 

Other hazards : None identified

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Hydrocarbons, C16-C20, n-alkanes,	64742-46-7	30.00 - 60.00

according to Hazard Communication Standard; 29 CFR 1910.1200



# **Pledge Orange Oil Trigger**

Version 1.0 Print Date 03/02/2022

Revision Date 02/24/2021 SDS Number 350000040388 GEN SOF Number 72043

isoalkanes, cyclics, <2% aromatics		
White Mineral Oil, (Petroleum)	8042-47-5	30.00 - 60.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

#### 4. FIRST AID MEASURES

## **Description of first aid measures**

**Eye contact** : No special requirements

**Skin contact** : No special requirements

**Inhalation** : No special requirements.

**Ingestion** : No special requirements

## Most important symptoms and effects, both acute and delayed

Eyes : No adverse effects expected when used as directed.

Skin effect : No adverse effects expected when used as directed.

Inhalation : No adverse effects expected when used as directed.

Ingestion : No adverse effects expected when used as directed.

## Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

#### **5. FIREFIGHTING MEASURES**

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

: Container may melt and leak in heat of fire.

according to Hazard Communication Standard; 29 CFR 1910.1200



## **Pledge Orange Oil Trigger**

Version 1.0 Print Date 03/02/2022

Revision Date 02/24/2021 SDS Number 350000040388

GEN SOF Number 72043

**Further information** Fight fire with normal precautions from a reasonable distance.

> Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing

apparatus.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wash thoroughly after handling.

**Environmental** precautions

: Outside of normal use, avoid release to the environment.

Methods and materials for containment and

cleaning up

: Dike large spills.

Clean residue from spill site.

#### 7. HANDLING AND STORAGE

Handling

**Precautions for safe** 

handling

: Avoid contact with skin, eyes and clothing. For personal protection see section 8.

Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection

against fire and explosion

: Normal measures for preventive fire protection.

**Storage** 

Requirements for storage

areas and containers

: Keep container closed when not in use.

according to Hazard Communication Standard; 29 CFR 1910.1200



## **Pledge Orange Oil Trigger**

Version 1.0 Print Date 03/02/2022

Revision Date 02/24/2021 SDS Number 350000040388 GEN SOF Number 72043

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
White Mineral Oil, (Petroleum)	8042-47-5	5 mg/m3	-	1	OSHA TWA

Personal protective equipment

**Respiratory protection** : No special requirements.

**Hand protection** : No special requirements.

**Eye protection** : No special requirements.

**Skin and body protection** : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : yellow

Odour : Citrus

Odour Threshold : Test not applicable for this product type

**pH** : Test not applicable for this product type

Melting point/freezing point : Test not applicable for this product type

Initial boiling point and

boiling range

: No data available

according to Hazard Communication Standard; 29 CFR 1910.1200



# **Pledge Orange Oil Trigger**

Version 1.0 Print Date 03/02/2022

SDS Number 350000040388 Revision Date 02/24/2021 GEN\_SOF Number 72043

Flash point : 216 °F

Method: Tag Closed Cup (TCC)

**Evaporation rate** : Test not applicable for this product type

Flammability (solid, gas) : Does not sustain combustion.

explosive limits

**Upper/lower flammability or** : Test not applicable for this product type

Vapour pressure : Test not applicable for this product type

Vapour density : Test not applicable for this product type

Relative density : 0.85 g/cm3 at 40 C

Solubility(ies) : immiscible

Partition coefficient: n-

octanol/water

: Test not applicable for this product type

Auto-ignition temperature : Test not applicable for this product type

**Decomposition temperature**: Test not applicable for this product type

Viscosity, dynamic : 24 mPa.s

Viscosity, kinematic : 28.5 mm2/s

according to Hazard Communication Standard; 29 CFR 1910.1200



# **Pledge Orange Oil Trigger**

Version 1.0 Print Date 03/02/2022

Revision Date 02/24/2021 SDS Number 350000040388

GEN\_SOF Number 72043

Oxidizing properties : Test not applicable for this product type

Volatile Organic Compounds Total VOC (wt. %)\* : 0.3 % - additional exemptions may apply

\*as defined by US Federal and State Consumer Product

Regulations

Other information : None identified

#### 10. STABILITY AND REACTIVITY

**Reactivity** : No dangerous reaction known under conditions of normal use.

**Chemical stability** : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Stable under recommended storage conditions.

Conditions to avoid : Direct sources of heat.

Incompatible materials : None known.

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

#### 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 > 5000 mg/kg
Acute inhalation toxicity : LC50 9.4 mg/L

Acute dermal toxicity : LD50 2127 mg/kg

GHS Properties	Classification	ssification Routes of entry	
Acute toxicity	No classification proposed	d Oral	

according to Hazard Communication Standard; 29 CFR 1910.1200



# **Pledge Orange Oil Trigger**

Version 1.0 Print Date 03/02/2022

Revision Date 02/24/2021 SDS Number 350000040388 GEN\_SOF Number 72043

Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical : None known.

Condition

## 12. ECOLOGICAL INFORMATION

**Product :** The product itself has not been tested.

## **Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is

according to Hazard Communication Standard; 29 CFR 1910.1200



# Pledge Orange Oil Trigger

Version 1.0 Print Date 03/02/2022

Revision Date 02/24/2021 SDS Number 350000040388 GEN\_SOF Number 72043

expected when used according to label directions.

## Toxicity to fish

Components	End point	Species	Value	Exposure time
Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, <2% aromatics	LC50	Scophthalmus maximus	> 1,028 mg/l	96 h
	QSAR NOEC	Fish	> 1,000 mg/l	28 d
White Mineral Oil, (Petroleum)	LC50	Oncorhynchus mykiss (rainbow trout)	> 100 mg/l	96 h

## **Toxicity to aquatic invertebrates**

Components	End point	Species	Value	Exposure time
Hydrocarbons, C16-C20, n- alkanes, isoalkanes, cyclics, <2% aromatics	static test LC50 Measured	other aquatic crustacea: DM	> 3,193 mg/l	48 h
	QSAR NOELR QSAR	Daphnia magna	> 1,000 mg/l	21 d
White Mineral Oil, (Petroleum)	LC50	Daphnia magna (Water flea)	> 100 mg/l	48 h

## Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Hydrocarbons, C16-C20, n-	static test	Skeletonema costatum	> 3.200	72 h

according to Hazard Communication Standard; 29 CFR 1910.1200



# **Pledge Orange Oil Trigger**

Version 1.0 Print Date 03/02/2022

Revision Date 02/24/2021 SDS Number 350000040388

GEN\_SOF Number 72043

alkanes, isoalkanes, cyclics, <2% aromatics	ErC50 Measured		mg/l	
White Mineral Oil, (Petroleum)	NOEC	Green algae	>= 100 mg/l	72 h

Persistence and degradability

crosscence and acgradability		•	
Component	Biodegradation	Exposure time	Summary
Hydrocarbons, C16-C20, n- alkanes, isoalkanes, cyclics, <2% aromatics	74 %	28 d	Readily biodegradable.
White Mineral Oil, (Petroleum)	50 %	28 d	Not readily biodegradable.

## **Bioaccumulative potential**

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, <2% aromatics	No data available	No data available
White Mineral Oil, (Petroleum)	No data available	> 6

## **Mobility**

Component	End point	Value
Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, <2% aromatics	No data available	-
White Mineral Oil, (Petroleum)	No data available	

## PBT and vPvB assessment

Component	Results
Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, <2% aromatics	Not fulfilling PBT and vPvB criteria
White Mineral Oil, (Petroleum)	Not fulfilling PBT and vPvB criteria

according to Hazard Communication Standard; 29 CFR 1910.1200



## **Pledge Orange Oil Trigger**

Version 1.0 Print Date 03/02/2022

Revision Date 02/24/2021 SDS Number 350000040388

GEN\_SOF Number 72043

Other adverse effects : None known.

## 13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

## 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

## Land transport

Not classified as dangerous in the meaning of transport regulations.

#### Sea transport

Not classified as dangerous in the meaning of transport regulations.

## Air transport

Not classified as dangerous in the meaning of transport regulations.

#### 15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

according to Hazard Communication Standard; 29 CFR 1910.1200



# **Pledge Orange Oil Trigger**

Version 1.0 Print Date 03/02/2022

Revision Date 02/24/2021 SDS Number 350000040388 GEN SOF Number 72043

**16. OTHER INFORMATION** 

#### **HMIS Ratings**

Health	1
Flammability	1
Reactivity	0

NFPA Ratings

NEFA Kalliys	
Health	1
Fire	1
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

## **Further information**

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &	
,	Regulatory Affairs (GSARA)	