according to Hazard Communication Standard; 29 CFR 1910.1200



# **GLADE® SPRAY - Stay Cool Watermelon**

Version 1.1 Print Date 03/01/2022

Revision Date 12/11/2020 SDS Number 350000040100 GEN SOF Number 71431

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product information** 

Product name : GLADE® SPRAY - Stay Cool Watermelon

**Recommended use** : Air Freshener

**Restrictions on use** : Use only as directed on label

Manufacturer, importer,

supplier

: S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

**Telephone** : +1-800-558-5252

**Emergency telephone** 

number

: 24 Hour Medical Emergency Phone: (866)231-5406 24 Hour Transport Emergency Phone: (800)424-9300

#### 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

	(/	
Hazard classification	Hazard category	Hazards identification
Aerosol	Category 2	Flammable aerosol.
Gases under pressure	Compressed gas	Contains gas under pressure;
		may explode if heated.

### Labelling

### **Hazard symbols**

Flame

Gas cylinder

### Signal word

Warning

### **Hazard statements**

Flammable aerosol.

Contains gas under pressure; may explode if heated.

according to Hazard Communication Standard; 29 CFR 1910.1200



# **GLADE® SPRAY - Stay Cool Watermelon**

Version 1.1 Print Date 03/01/2022

Revision Date 12/11/2020 SDS Number 350000040100 GEN SOF Number 71431

#### **Precautionary statements**

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Store in a well-ventilated place.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Other hazards : Intentional misuse by deliberately concentrating and inhaling

contents can be harmful or fatal.

Excessive exposure to spray mist, fog or vapour may cause

respiratory irritation.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Isobutane	75-28-5	10.00 - 30.00
Propane	74-98-6	5.00 - 10.00
Fragrance - Trade Secret	Mixture	0.10 - 1.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

#### 4. FIRST AID MEASURES

### **Description of first aid measures**

**Eye contact** : No special requirements

**Skin contact** : No special requirements

**Inhalation** : No special requirements.

**Ingestion** : No special requirements

Most important symptoms and effects, both acute and delayed

according to Hazard Communication Standard; 29 CFR 1910.1200



# **GLADE® SPRAY - Stay Cool Watermelon**

Version 1.1 Print Date 03/01/2022

Revision Date 12/11/2020 SDS Number 350000040100

GEN\_SOF Number 71431

Eyes : May irritate eyes.

Skin effect : No adverse effects expected when used as directed.

May cause skin irritation.

Inhalation : Intentional misuse by deliberately concentrating and inhaling

contents can be harmful or fatal.

Excessive exposure to spray mist, fog or vapour may cause

respiratory irritation.

Ingestion : No adverse effects expected when used as directed.

Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

### **5. FIREFIGHTING MEASURES**

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

: Aerosol Product - Containers may rocket or explode in heat of

fire

**Further information** : Fight fire from maximum distance or protected area. Cool and

use caution when approaching or handling fire-exposed containers. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or

explosion do not breathe fumes.

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions** : Remove all sources of ignition.

Wash thoroughly after handling.

Environmental

precautions

: Outside of normal use, avoid release to the environment.

**Methods and materials** : If damage occurs to aerosol can:

according to Hazard Communication Standard; 29 CFR 1910.1200



# **GLADE® SPRAY - Stay Cool Watermelon**

Version 1.1 Print Date 03/01/2022

Revision Date 12/11/2020 SDS Number 350000040100 GEN SOF Number 71431

for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13). Use only non-sparking equipment.

Dike large spills.

Clean residue from spill site.

### 7. HANDLING AND STORAGE

Handling

**Precautions for safe** 

handling

Avoid contact with skin, eyes and clothing. For personal protection see section 8.

Note: Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. For more

information visit www.inhalant.org.

Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Pressurized container.

Do not pierce or burn, even after use.

Advice on protection against fire and explosion Keep away from sources of ignition - No smoking. Do not spray on an open flame or other ignition source.

**Storage** 

Requirements for storage areas and containers

Protect from sunlight. Do not expose to temperatures

exceeding 50 °C/ 122 °F.

Keep in a dry, cool and well-ventilated place.

Other data Stable under normal conditions.

according to Hazard Communication Standard; 29 CFR 1910.1200



# **GLADE® SPRAY - Stay Cool Watermelon**

Version 1.1 Print Date 03/01/2022

Revision Date 12/11/2020 SDS Number 350000040100 GEN\_SOF Number 71431

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH STEL
Propane	74-98-6	1,800 mg/m3	1,000 ppm	-	OSHA TWA
Propane	74-98-6	-	-	-	ACGIH TWA

Personal protective equipment

**Respiratory protection**: No special requirements.

**Hand protection** : No special requirements.

**Eye protection** : No special requirements.

**Skin and body protection** : No special requirements.

**Hygiene measures** : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : aerosol

Color : clear

Odour : Fruity

Odour Threshold : Test not applicable for this product type

**pH** : 8.6

according to Hazard Communication Standard; 29 CFR 1910.1200



# **GLADE® SPRAY - Stay Cool Watermelon**

Version 1.1 Print Date 03/01/2022

SDS Number 350000040100 Revision Date 12/11/2020 GEN SOF Number 71431

**Melting point/freezing point**: Test not applicable for this product type

Initial boiling point and

boiling range

: Test not applicable for this product type

: < -7 °C Flash point

< 19.4 °F

Method: Tag Closed Cup (TCC)

Propellant > 64 °C > 147.2 °F liquid

**Evaporation rate** : Test not applicable for this product type

Flammability (solid, gas) : Sustains combustion

explosive limits

**Upper/lower flammability or** : Test not applicable for this product type

Vapour pressure : Test not applicable for this product type

Vapour density : Test not applicable for this product type

: 0.86 g/cm3 at 24 °C Relative density

Solubility(ies) : partly miscible

Partition coefficient: n-

octanol/water

: Test not applicable for this product type

Auto-ignition temperature : not auto-flammable

according to Hazard Communication Standard; 29 CFR 1910.1200



# **GLADE® SPRAY - Stay Cool Watermelon**

Version 1.1 Print Date 03/01/2022

Revision Date 12/11/2020 SDS Number 350000040100 GEN SOF Number 71431

**Decomposition temperature** : Test not applicable for this product type

Viscosity, dynamic : Test not applicable for this product type

Viscosity, kinematic : Test not applicable for this product type

Oxidizing properties : Not applicable

Volatile Organic Compounds Total VOC (wt. %)\* 19.7 % - additional exemptions may apply
\*as defined by US Federal and State Consumer Product

Regulations

Other information : None identified

### 10. STABILITY AND REACTIVITY

**Reactivity**: No dangerous reaction known under conditions of normal use.

**Chemical stability** : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: If accidental mixing occurs and toxic gas is formed, exit area

immediately. Do not return until well ventilated.

**Conditions to avoid** : Heat, flames and sparks.

**Incompatible materials** : Strong oxidizing agents

Do not mix with bleach or any other household cleaners.

Strong bases

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

according to Hazard Communication Standard; 29 CFR 1910.1200



# **GLADE® SPRAY - Stay Cool Watermelon**

Version 1.1 Print Date 03/01/2022

Revision Date 12/11/2020 SDS Number 350000040100 GEN\_SOF Number 71431

### 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 > 5,000 mg/kg Acute inhalation toxicity : LC50 > 10 mg/L

Acute dermal toxicity : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-

according to Hazard Communication Standard; 29 CFR 1910.1200



# **GLADE® SPRAY - Stay Cool Watermelon**

Version 1.1 Print Date 03/01/2022

Revision Date 12/11/2020 SDS Number 350000040100

GEN\_SOF Number 71431

Aspiration hazard	No classification proposed	-	

Aggravated Medical

Condition

: None known.

### 12. ECOLOGICAL INFORMATION

**Product :** The product itself has not been tested.

### **Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

### Toxicity to fish

Components	End point	Species	Value	Exposure time
Isobutane	LC50 QSAR	Fish	27.98 mg/l	96 h
Propane	LC50	Fish	27.98 mg/l	96 h
Fragrance - Trade Secret	No data available			

### **Toxicity to aquatic invertebrates**

Components	End point	Species	Value	Exposure time
Isobutane	LC50 QSAR	Daphnid	16.33 mg/l	48 h
Propane	LC50	Daphnid	14.22 mg/l	48 h

according to Hazard Communication Standard; 29 CFR 1910.1200



# **GLADE® SPRAY - Stay Cool Watermelon**

Version 1.1 Print Date 03/01/2022

Revision Date 12/11/2020 SDS Number 350000040100 GEN\_SOF Number 71431

Fragrance - Trade Secret	No data available		

## Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Isobutane	EC50 QSAR	Green algae	8.57 mg/l	96 h
Propane	No data available			
Fragrance - Trade Secret	No data available			

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Isobutane	70 %	< 10 d	Readily biodegradable.
Propane	70 %	< 10 d	Readily biodegradable.
Fragrance - Trade Secret	No data available		

### **Bioaccumulative potential**

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Isobutane	1.57 - 1.97	2.8
Propane	No data available	2.36
Fragrance - Trade Secret	No data available	No data available

according to Hazard Communication Standard; 29 CFR 1910.1200



# **GLADE® SPRAY - Stay Cool Watermelon**

Version 1.1 Print Date 03/01/2022

Revision Date 12/11/2020 SDS Number 350000040100

GEN\_SOF Number 71431

### Mobility

Component	End point	Value
Isobutane	No data available	
Propane	No data available	
Fragrance - Trade Secret	No data available	

#### PBT and vPvB assessment

Component	Results
Isobutane	Not fulfilling PBT and vPvB criteria
Propane	Not fulfilling PBT and vPvB criteria
Fragrance - Trade Secret	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

### 13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

### 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

according to Hazard Communication Standard; 29 CFR 1910.1200



# **GLADE® SPRAY - Stay Cool Watermelon**

Version 1.1 Print Date 03/01/2022

Revision Date 12/11/2020 SDS Number 350000040100 GEN\_SOF Number 71431

	Land transport	Sea transport	Air transport
UN number	1950	1950	1950
UN proper	AEROSOLS,	AEROSOLS,	AEROSOLS,
shipping name	Flammable	Flammable	Flammable
Transport hazard class(es)	2.1	2	2.1
Packing group	-	-	-
Environmental	-	-	-
hazards			
Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Product not transported as bulk.	Product not transported as bulk.	Product not transported as bulk.

## 15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

California Prop. 65 : This product is not subject to the reporting requirements under

California's Proposition 65.

according to Hazard Communication Standard; 29 CFR 1910.1200



# **GLADE® SPRAY - Stay Cool Watermelon**

Version 1.1 Print Date 03/01/2022

Revision Date 12/11/2020 SDS Number 350000040100 GEN SOF Number 71431

### **16. OTHER INFORMATION**

### **HMIS Ratings**

Health	1	
Flammability	4	
Reactivity	0	

### NFPA Ratings

NEPA Kaungs		
Health	1	
Fire	4	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

### **Further information**

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)