according to Hazard Communication Standard; 29 CFR 1910.1200



# KIWI® SCUFF COVER™ WHITE INSTANT WAX SHINE

Version 1.0 Print Date 05/23/2018

Revision Date 05/05/2015 SDS Number 350000025635

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product information** 

Product name : KIWI® SCUFF COVER™ WHITE INSTANT WAX SHINE

Recommended use : Shoe Polish

Manufacturer, importer,

supplier

: S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

**Telephone** : +18005585252

Emergency telephone

number

: 24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887

24 Hour Transport Emergency Phone: (800)424-9300

### 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

## Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

Labelling

**Precautionary statements** 

Other hazards : None identified

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name               | CAS-No.    | Weight percent |
|-----------------------------|------------|----------------|
| Titanium Dioxide            | 13463-67-7 | 10.00 - 30.00  |
| 2-AMINO-2-METHYL-1-PROPANOL | 124-68-5   | 1.00 - 5.00    |

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

according to Hazard Communication Standard; 29 CFR 1910.1200



# KIWI® SCUFF COVER™ WHITE INSTANT WAX SHINE

Version 1.0 Print Date 05/23/2018

Revision Date 05/05/2015 SDS Number 350000025635

## 4. FIRST AID MEASURES

Eve contact : No special requirements

Skin contact No special requirements

Inhalation : No special requirements.

Ingestion No special requirements

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

: Container may melt and leak in heat of fire.

Further information : Fight fire with normal precautions from a reasonable distance.

> Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing

apparatus.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Wash thoroughly after handling.

**Environmental** 

precautions

: Outside of normal use, avoid release to the environment.

Methods and materials

for containment and

cleaning up

: Dike large spills.

Clean residue from spill site.

## 7. HANDLING AND STORAGE

Handling

Precautions for safe : Avoid contact with skin, eyes and clothing.

according to Hazard Communication Standard; 29 CFR 1910.1200



# KIWI® SCUFF COVER™ WHITE INSTANT WAX SHINE

Version 1.0 Print Date 05/23/2018

Revision Date 05/05/2015 SDS Number 350000025635

handling For personal protection see section 8.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection

against fire and explosion

: Normal measures for preventive fire protection.

Storage

areas and containers

Requirements for storage : Keep container closed when not in use.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Occupational Exposure Limits**

| Components       | CAS-No.    | mg/m3    | ppm | Non-<br>standard<br>units | Basis        |
|------------------|------------|----------|-----|---------------------------|--------------|
| Titanium Dioxide | 13463-67-7 | 15 mg/m3 | 1   | 1                         | OSHA TWA     |
| Titanium Dioxide | 13463-67-7 | 10 mg/m3 | -   | -                         | ACGIH<br>TWA |

### Personal protective equipment

Respiratory protection : No special requirements.

Hand protection : No special requirements.

Eye protection No special requirements.

Skin and body protection : No special requirements.

Hygiene measures Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Form liquid

Color : white

according to Hazard Communication Standard; 29 CFR 1910.1200



# KIWI® SCUFF COVER™ WHITE INSTANT WAX SHINE

Version 1.0 Print Date 05/23/2018

Revision Date 05/05/2015 SDS Number 350000025635

Odor odourless

Odour Threshold : Test not applicable for this product type

pН : 10.6

at (25 °C)

Melting point/freezing point : Test not applicable for this product type

Initial boiling point and

boiling range

: > 100 °C

Flash point : > 96 °C

> 204.8 °F

Method: Tag Closed Cup (TCC)

**Evaporation rate** : Test not applicable for this product type

Flammability (solid, gas) : Does not sustain combustion.

explosive limits

Upper/lower flammability or : Test not applicable for this product type

Vapour pressure : Test not applicable for this product type

Vapour density : No data available

: 1.126 g/cm3 at 25 °C Relative density

Solubility(ies) : soluble

Partition coefficient: n-

octanol/water

: Test not applicable for this product type

according to Hazard Communication Standard; 29 CFR 1910.1200



# KIWI® SCUFF COVER™ WHITE INSTANT WAX SHINE

Version 1.0 Print Date 05/23/2018

Revision Date 05/05/2015 SDS Number 350000025635

**Auto-ignition temperature** : Test not applicable for this product type

**Decomposition temperature**: Test not applicable for this product type

Viscosity, dynamic : 50 mPa.s

at 20 °C

Viscosity, kinematic : Test not applicable for this product type

Oxidizing properties : Test not applicable for this product type

**Volatile Organic** : 1.8 % - additional exemptions may apply

Compounds

Total VOC (wt. %)\* Regulations

Other information : None identified

### 10. STABILITY AND REACTIVITY

Possibility of hazardous

reactions

Possibility of hazardous

reactions

: No decomposition if stored normally.

: If accidental mixing occurs and toxic gas is formed, exit area

\*as defined by US Federal and State Consumer Product

immediately. Do not return until well ventilated.

Conditions to avoid : Direct sources of heat.

**Incompatible materials** : Do not mix with bleach or any other household cleaners.

Strong bases

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

according to Hazard Communication Standard; 29 CFR 1910.1200



# KIWI® SCUFF COVER™ WHITE INSTANT WAX SHINE

Version 1.0 Print Date 05/23/2018

Revision Date 05/05/2015 SDS Number 350000025635

## 11. TOXICOLOGICAL INFORMATION

**Emergency Overview**: This product does not meet the criteria for classification in any

hazard class according to regulation OSHA 29 CFR

1910.1200.

Acute oral toxicity : LD50 Oral

Calculated > 5,000 mg/kg

Acute inhalation toxicity : Inhalation LC50

Calculated > 5.0 mg/l

Acute dermal toxicity : LD50 Dermal

Calculated > 5,000 mg/kg

| GHS Properties                    | Classification             | Routes of entry            |
|-----------------------------------|----------------------------|----------------------------|
| Acute toxicity                    | No classification proposed | Oral                       |
| Acute toxicity                    | No classification proposed | Dermal                     |
| Acute toxicity                    | No classification proposed | Inhalation - Dust and Mist |
| Acute toxicity                    | No classification proposed | Inhalation - Vapour        |
| Acute toxicity                    | No classification proposed | Inhalation - Gas           |
| Skin corrosion/irritation         | No classification proposed | -                          |
| Serious eye damage/eye irritation | No classification proposed | -                          |
| Skin sensitisation                | No classification proposed | -                          |
| Respiratory sensitisation         | No classification proposed | -                          |
| Germ cell mutagenicity            | No classification proposed | -                          |

according to Hazard Communication Standard; 29 CFR 1910.1200



# KIWI® SCUFF COVER™ WHITE INSTANT WAX SHINE

Version 1.0 Print Date 05/23/2018

Revision Date 05/05/2015 SDS Number 350000025635

| Carcinogenicity                                    | No classification proposed | - |
|--|----------------------------|---|
| Carcinogenicity                                    | No classification proposed | - |
| Reproductive toxicity                              | No classification proposed | - |
| Specific target organ toxicity - single exposure   | No classification proposed | - |
| Specific target organ toxicity - repeated exposure | No classification proposed | - |
| Aspiration hazard                                  | No classification proposed | - |

**Aggravated Medical** 

Condition

: None known.

# 12. ECOLOGICAL INFORMATION

**Product :** The product itself has not been tested.

#### Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

# Toxicity to fish

| Components                      | End point            | Species             | Value    | Exposure time |
|---------------------------------|----------------------|---------------------|----------|---------------|
| Titanium Dioxide                | No data<br>available |                     |          |               |
| 2-AMINO-2-METHYL-1-<br>PROPANOL | static test<br>LC50  | Lepomis macrochirus | 190 mg/l | 96 h          |

# Toxicity to aquatic invertebrates

according to Hazard Communication Standard; 29 CFR 1910.1200



# KIWI® SCUFF COVER™ WHITE INSTANT WAX SHINE

Version 1.0 Print Date 05/23/2018

Revision Date 05/05/2015 SDS Number 350000025635

|                                 |                      |                            |          | time |
|---------------------------------|----------------------|----------------------------|----------|------|
| Titanium Dioxide                | No data<br>available |                            |          |      |
| 2-AMINO-2-METHYL-1-<br>PROPANOL | EC50                 | Daphnia magna (Water flea) | 193 mg/l | 48 h |

# Toxicity to aquatic plants

| Components                      | End point           | Species                         | Value    | Exposure time |
|---------------------------------|---------------------|---------------------------------|----------|---------------|
| Titanium Dioxide                | static test<br>EC50 | Pseudokirchneriella subcapitata | 61 mg/l  | 72 h          |
| 2-AMINO-2-METHYL-1-<br>PROPANOL | static test<br>EC50 | Scenedesmus sp.                 | 402 mg/l | 72 h          |

Persistence and degradability

| reisisterice ariu degradabili   | Ly                |               |                       |
|---------------------------------|-------------------|---------------|-----------------------|
| Component                       | Biodegradation    | Exposure time | Summary               |
| Titanium Dioxide                | No data available |               |                       |
| 2-AMINO-2-METHYL-1-<br>PROPANOL | 89.3 %            | 28 d          | Readily biodegradable |

# **Bioaccumulative potential**

| Component                       | Bioconcentration factor (BCF) | Partition Coefficient n-<br>Octanol/water (log) |
|---------------------------------|-------------------------------|---|
| Titanium Dioxide                | No data available             | No data available                               |
| 2-AMINO-2-METHYL-1-<br>PROPANOL | < 1                           | -0.63   |

according to Hazard Communication Standard; 29 CFR 1910.1200



# KIWI® SCUFF COVER™ WHITE INSTANT WAX SHINE

Version 1.0 Print Date 05/23/2018

Revision Date 05/05/2015 SDS Number 350000025635

# **Mobility**

| Component                       | End point         | Value |
|---------------------------------|-------------------|-------|
| Titanium Dioxide                | No data available |       |
| 2-AMINO-2-METHYL-1-<br>PROPANOL | No data available |       |

### PBT and vPvB assessment

| Component           | Results                          |
|---------------------|----------------------------------|
| 2-AMINO-2-METHYL-1- | Fulfilling PBT and vPvB criteria |
| PROPANOL            |                                  |

Other adverse effects : None known.

## 13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

### 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

#### Land transport

Not classified as dangerous in the meaning of transport regulations.

#### Sea transport

Not classified as dangerous in the meaning of transport regulations.

#### Air transport

Not classified as dangerous in the meaning of transport regulations.

# 15. REGULATORY INFORMATION

**Notification status** : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

according to Hazard Communication Standard; 29 CFR 1910.1200



# KIWI® SCUFF COVER™ WHITE INSTANT WAX SHINE

Version 1.0 Print Date 05/23/2018

Revision Date 05/05/2015 SDS Number 350000025635

Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

California Prop. 65 : This product is not subject to the reporting requirements under

California's Proposition 65.

## 16. OTHER INFORMATION

# **HMIS Ratings**

| riiii o ratii go |   |
|------------------|---|
| Health           | 1 |
| Flammability     | 0 |
| Reactivity       | 0 |

**NFPA Ratings** 

| Health     | 1 |  |
|------------|---|--|
| Fire       | 0 |  |
| Reactivity | 0 |  |
| Special    | - |  |

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

## **Further information**

according to Hazard Communication Standard; 29 CFR 1910.1200



# KIWI® SCUFF COVER™ WHITE INSTANT WAX SHINE

Version 1.0 Print Date 05/23/2018

Revision Date 05/05/2015 SDS Number 350000025635

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

| Prepared by | SC Johnson Global Safety Assessment & |
|-------------|---------------------------------------|
|             | Regulatory Affairs (GSARA)            |