according to Hazard Communication Standard; 29 CFR 1910.1200



# **KIWI® BOOT CLEANER**

Version 1.0 Print Date 05/23/2018

Revision Date 02/26/2015 SDS Number 350000027879

GEN\_SOF Number 54199

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product information** 

Product name : KIWI® BOOT CLEANER

Recommended use : Shoe Polish

Manufacturer, importer, :

supplier

: S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

**Telephone** : +18005585252

Emergency telephone

number

24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887

24 Hour Transport Emergency Phone: (800)424-9300

### 2. HAZARDS IDENTIFICATION

### Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Aerosol	Category 2	Flammable aerosol.
Gases under pressure	Liquefied gas	Contains gas under pressure;
		may explode if heated.

### Labelling

### **Hazard symbols**

Flame

Gas cylinder

# Signal word

Warning

### **Hazard statements**

Flammable aerosol.

Contains gas under pressure; may explode if heated.

#### **Precautionary statements**

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

according to Hazard Communication Standard; 29 CFR 1910.1200



# **KIWI® BOOT CLEANER**

Version 1.0 Print Date 05/23/2018

Revision Date 02/26/2015 SDS Number 350000027879

GEN\_SOF Number 54199

Protect from sunlight. Store in a well-ventilated place.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

Other hazards : None identified

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Diethylene glycol monobutyl ether	112-34-5	1.00 - 5.00
Isobutane	75-28-5	1.00 - 5.00
Isopropanol	67-63-0	1.00 - 5.00
Alcohols, C10-12, ethoxylated propoxylated	68154-97-2	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

### 4. FIRST AID MEASURES

**Eye contact** : No special requirements

**Skin contact** : No special requirements

**Inhalation** : No special requirements.

**Ingestion** : No special requirements

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

**Specific hazards during** : Aerosol Product - Containers may rocket or explode in heat of

according to Hazard Communication Standard; 29 CFR 1910.1200



### **KIWI® BOOT CLEANER**

Version 1.0 Print Date 05/23/2018

Revision Date 02/26/2015 SDS Number 350000027879

GEN SOF Number 54199

firefighting fire.

**Further information** Fight fire from maximum distance or protected area. Cool and

> use caution when approaching or handling fire-exposed containers. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or

explosion do not breathe fumes.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Remove all sources of ignition.

Wash thoroughly after handling.

Environmental precautions

Outside of normal use, avoid release to the environment.

Methods and materials for containment and

cleaning up

: If damage occurs to aerosol can:

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13). Use only non-sparking equipment.

Dike large spills.

Clean residue from spill site.

### 7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Avoid contact with skin, eyes and clothing. For personal protection see section 8.

Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Pressurized container.

Do not pierce or burn, even after use.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Do not spray on an open flame or other ignition source.

Storage

according to Hazard Communication Standard; 29 CFR 1910.1200



# **KIWI® BOOT CLEANER**

Version 1.0 Print Date 05/23/2018

Revision Date 02/26/2015 SDS Number 350000027879

GEN\_SOF Number 54199

areas and containers

**Requirements for storage**: Protect from sunlight. Do not expose to temperatures

exceeding 50 °C/ 122 °F.

Keep in a dry, cool and well-ventilated place.

Protect from sunlight.

Store in a well-ventilated place.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Diethylene glycol monobutyl ether	112-34-5	-	35 ppm	-	SUPPLIER
Diethylene glycol monobutyl ether	112-34-5	-	10 ppm	-	ACGIH TWA
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH STEL
Isopropanol	67-63-0	980 mg/m3	400 ppm	-	OSHA TWA
Isopropanol	67-63-0	-	400 ppm	-	ACGIH STEL
Isopropanol	67-63-0	-	200 ppm	-	ACGIH TWA

#### Personal protective equipment

Respiratory protection : No special requirements.

Hand protection : No special requirements.

Eye protection No special requirements.

Skin and body protection : No special requirements.

: Handle in accordance with good industrial hygiene and safety Hygiene measures

practice. Wash thoroughly after handling.

according to Hazard Communication Standard; 29 CFR 1910.1200



# **KIWI® BOOT CLEANER**

Version 1.0 Print Date 05/23/2018

Revision Date 02/26/2015 SDS Number 350000027879

GEN\_SOF Number 54199

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : aerosol

compressed liquefied gas

Color colourless

Odor odourless

**Odour Threshold** : Test not applicable for this product type

pН : Test not applicable for this product type

: Test not applicable for this product type Melting point/freezing point

Initial boiling point and

boiling range

: 99 °C

Flash point : 66 °C

150.8 °F

Method: Tag Closed Cup (TCC)

liquid -80 °C -112 °F

Method: Tag Closed Cup (TCC)

Propellant

**Evaporation rate** : Test not applicable for this product type

Flammability (solid, gas) : Sustains combustion

explosive limits

Upper/lower flammability or : Test not applicable for this product type

according to Hazard Communication Standard; 29 CFR 1910.1200



# **KIWI® BOOT CLEANER**

Version 1.0 Print Date 05/23/2018

Revision Date 02/26/2015 SDS Number 350000027879

GEN\_SOF Number 54199

Vapour pressure : Test not applicable for this product type

Vapour density : Test not applicable for this product type

Relative density : 0.97 g/cm3 at 21 °C

Solubility(ies) : soluble

Partition coefficient: n-

octanol/water

: Test not applicable for this product type

Auto-ignition temperature : not auto-flammable

**Decomposition temperature**: Test not applicable for this product type

Viscosity, dynamic : Test not applicable for this product type

Viscosity, kinematic : Test not applicable for this product type

Oxidizing properties : Test not applicable for this product type

**Volatile Organic** : 8.7 % - additional exemptions may apply

Compounds \*as defined by US Federal and State Consumer Product

Total VOC (wt. %)\* Regulations

Other information : None identified :

#### 10. STABILITY AND REACTIVITY

**Possibility of hazardous** : No decomposition if stored normally.

according to Hazard Communication Standard; 29 CFR 1910.1200



# **KIWI® BOOT CLEANER**

Version 1.0 Print Date 05/23/2018

Revision Date 02/26/2015 SDS Number 350000027879

GEN\_SOF Number 54199

reactions

Possibility of hazardous

reactions

: Stable under recommended storage conditions.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

**Hazardous decomposition** 

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

# 11. TOXICOLOGICAL INFORMATION

Emergency Overview : Warning

Acute oral toxicity : LD50

> 5,000 mg/kg

Acute inhalation toxicity : LC50

> 5.0 mg/l

Acute dermal toxicity : LD50

> 5,000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	-
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-

according to Hazard Communication Standard; 29 CFR 1910.1200



# **KIWI® BOOT CLEANER**

Version 1.0 Print Date 05/23/2018

Revision Date 02/26/2015 SDS Number 350000027879 GEN\_SOF Number 54199

Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical

Condition

: None known.

# 12. ECOLOGICAL INFORMATION

**Product :** The product itself has not been tested.

### **Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

### Toxicity to fish

Components	End point	Species	Value	Exposure time
Diethylene glycol monobutyl ether	static test LC50	Lepomis macrochirus (Bluegill sunfish)	1,300 mg/l	96 h
Isobutane	LC50	Fish	27.98 mg/l	96 h
Isopropanol	LC50	Pimephales promelas (fathead minnow)	9,640 mg/l	96 h
Alcohols, C10-12, ethoxylated	No data			

according to Hazard Communication Standard; 29 CFR 1910.1200



# **KIWI® BOOT CLEANER**

Version 1.0 Print Date 05/23/2018

Revision Date 02/26/2015 SDS Number 350000027879 GEN\_SOF Number 54199

propoxylated	available		

# Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Diethylene glycol monobutyl ether	static test EC50	Daphnia magna (Water flea)	> 100 mg/l	48 h
Isobutane	LC50	Daphnid	16.33 mg/l	48 h
Isopropanol	EC50	Daphnia magna (Water flea)	13,299 mg/l	48 h
Alcohols, C10-12, ethoxylated propoxylated	No data available			

# Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Diethylene glycol monobutyl ether	Growth inhibition EC50	Desmodesmus subspicatus (green algae)	> 100 mg/l	96 h
Isobutane	EC50	Green algea	8.57 mg/l	96 h
Isopropanol	EC50	Desmodesmus subspicatus (green algae)	> 1,000 mg/l	72 h
Alcohols, C10-12, ethoxylated	No data			

according to Hazard Communication Standard; 29 CFR 1910.1200



# **KIWI® BOOT CLEANER**

Version 1.0 Print Date 05/23/2018

Revision Date 02/26/2015 SDS Number 350000027879 GEN\_SOF Number 54199

propoxylated	propoxylated	available			
--------------	--------------	-----------	--	--	--

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Diethylene glycol monobutyl ether	80 - 90 %	28 d	Readily biodegradable
Isobutane	70 %	< 10 d	Readily biodegradable
Isopropanol	53 %	5 d	Readily biodegradable
Alcohols, C10-12, ethoxylated propoxylated	No data available		

# **Bioaccumulative potential**

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Diethylene glycol monobutyl ether	1.12 estimated	1
Isobutane	1.57 - 1.97	2.8
Isopropanol	0.96 estimated	0.05
Alcohols, C10-12, ethoxylated propoxylated	No data available	No data available

# **Mobility**

Component	End point	Value
Diethylene glycol monobutyl ether	No data available	
Isobutane	No data available	
Isopropanol	No data available	
Alcohols, C10-12, ethoxylated propoxylated	No data available	

### PBT and vPvB assessment

Component	Results
Diethylene glycol monobutyl	Not fulfilling PBT and vPvB criteria
ether	

according to Hazard Communication Standard; 29 CFR 1910.1200



# **KIWI® BOOT CLEANER**

Version 1.0 Print Date 05/23/2018

Revision Date 02/26/2015 SDS Number 350000027879 GEN\_SOF Number 54199

Isobutane	Not fulfilling PBT and vPvB criteria
Isopropanol	Not fulfilling PBT and vPvB criteria
Alcohols, C10-12, ethoxylated propoxylated	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

### 13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

### 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

	Land transport	Sea transport	Air transport
UN number	1950	1950	1950
UN proper	UN 1950 AEROSOLS,	UN 1950	UN 1950 AEROSOLS,
shipping name	Flammable, 2.1, LTD	AEROSOLS,	Flammable, 2.1, LTD
	QTY	Flammable, 2.1, LTD	QTY
		QTY	
Transport hazard	2.1	2	2.1
class(es)			
Packing group	-	-	-
Environmental	-	-	-
hazards			
Special	Limited quantities	Limited quantities	Limited quantities
precautions for	derogation may be	derogation may be	derogation may be
user	applicable to this	applicable to this	applicable to this
	product, please check	product, please	product, please check
	transport documents.	check transport	transport documents.
		documents.	

### 15. REGULATORY INFORMATION

according to Hazard Communication Standard; 29 CFR 1910.1200



# **KIWI® BOOT CLEANER**

Version 1.0 Print Date 05/23/2018

Revision Date 02/26/2015 SDS Number 350000027879

GEN\_SOF Number 54199

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

California Prop. 65 : This product is not subject to the reporting requirements under

California's Proposition 65.

### 16. OTHER INFORMATION

HM	IS	Rati	ngs
----	----	------	-----

Health	0
Flammability	4
Reactivity	0

**NFPA Ratings** 

Health	0	
Fire	4	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

#### **Further information**

according to Hazard Communication Standard; 29 CFR 1910.1200



# **KIWI® BOOT CLEANER**

Version 1.0 Print Date 05/23/2018

Revision Date 02/26/2015 SDS Number 350000027879 GEN\_SOF Number 54199

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)