Version 1.0 Revision Date 12.01.2024 Print Date 12.01.2024

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : Carbon Nanotubes

CAS-No. : 308068-56-6

Manufacturer or supplier's details

Manufacturer/Supplier : Qatar Shell Research & Technology Centre

QSTP LLC P.O. Box 3747,

Doha

State of Qatar

Telephone : +974 4459 9899

Telefax

Emergency telephone

number

: +974 4459 9899

Recommended use of the chemical and restrictions on use

Recommended use : Research and development product.

Restrictions on use :

This product must not be used in applications other than those

listed in Section 1 without first seeking the advice of the

supplier.

2. HAZARDS IDENTIFICATION

Classification (REGULATION (EC) No 1272/2008)

Skin irritation : Category 2 Serious eye damage/eye : Category 2

irritation

Specific target organ toxicity - : Category 1

repeated exposure

Label elements

Hazard pictograms :





Signal word : Danger

Hazard statements : PHYSICAL HAZARDS:

Not classified as a physical hazard according to CLP criteria.

HEALTH HAZARDS: H315 Causes skin irritation.

H319 Causes serious eye irritation.

H372 Causes damage to organs through prolonged or repeated

exposure.

Version 1.0 Revision Date 12.01.2024 Print Date 12.01.2024

ENVIRONMENTAL HAZARDS:

Not classified as environmental hazard according to CLP

criteria.

Precautionary statements : **Prevention:**

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.?.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water and soap. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/

attention.

P337 + P313 If eye irritation persists: Get medical advice/

attention. Storage:

No precautionary phrases.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Chemical nature : Research and development product.

Hazardous components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.	(REGULATION	(% w/w)
	Registration	(EC) No	
	number	1272/2008)	
Multi-walled Carbon	308068-56-6	Eye Irrit. 2; H319	100
Nanotubes		Skin Irrit. 2; H315	
		STOT RE 1; H372	

For explanation of abbreviations see section 16.

4. FIRST-AID MEASURES

General advice : Not expected to be a health hazard when used under normal

conditions.

If inhaled : No treatment necessary under normal conditions of use. If

symptoms persist, obtain medical advice.

In case of skin contact : Remove contaminated clothing. Immediately flush skin with

large amounts of water for at least 15 minutes, and follow by

Version 1.0	Revision Date 12.01.2024	Print Date 12.01.2024
In case of eye contact	washing with soap and water if avapain and/or blisters occur, transportacility for additional treatment. Immediately flush eye(s) with plent Remove contact lenses, if present rinsing. Transport to the nearest medical fatreatment.	rt to the nearest medical ty of water. and easy to do. Continue
If swallowed	 Do not induce vomiting. If victim is drink 1/2 to 1 glass of water to help give liquids to a drowsy, convulsing Transport to nearest medical facilit 	o dilute the material. Do not g, or unconscious person.
Most important symptoms and effects, both acute and delayed	 Not considered to be an inhalation conditions of use. Possible respiratory irritation signs a temporary burning sensation of to coughing, and/or difficulty breathin Skin irritation signs and symptoms sensation, redness, swelling, and/or Eye irritation signs and symptoms sensation, redness, swelling, and/or No specific hazards under normal Ingestion may result in nausea, vo 	and symptoms may include the nose and throat, ag. may include a burning or blisters. may include a burning or blurred vision. use conditions.
Protection of first-aiders	 When administering first aid, ensurance appropriate personal protective eq incident, injury and surroundings. 	re that you are wearing the
Notes to physician	: IMMEDIATE TREATMENT IS EXT Call a doctor or poison control cen Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon
------------------------------	---	---

dioxide, sand or earth may be used for small fires only.

Unsuitable extinguishing

media

: Do not use water in a jet.

Specific hazards during

firefighting

: Hazardous combustion products may include:

A complex mixture of airborne solid and liquid particulates and

gases (smoke).

Carbon monoxide may be evolved if incomplete combustion

occurs.

Unidentified organic and inorganic compounds. Accumulation of dust can create an explosion hazard.

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Special protective equipment

for firefighters

: Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to

Version 1.0 Revision Date 12.01.2024 Print Date 12.01.2024

relevant Standards (e.g. Europe: EN469).

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Environmental precautions : Avoid contact with skin and eyes.

: Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate

barriers.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth

or other containment material.

For solids, shovel into a suitable clearly marked container for disposal or reclamation in accordance with local regulations.

Allow product to cool and solidify.

Additional advice : For guidance on selection of personal protective equipment

see Section 8 of this Safety Data Sheet.

For guidance on disposal of spilled material see Section 13 of

this Safety Data Sheet.

7. HANDLING AND STORAGE

General Precautions : Use local exhaust ventilation if there is risk of inhalation of

vapours, mists or aerosols.

Use the information in this data sheet as input to a risk assessment of local circumstances to help determine

appropriate controls for safe handling, storage and disposal of

this material.

Advice on safe handling : Avoid prolonged or repeated contact with skin.

Avoid inhaling vapour and/or mists.

Avoid generation or accumulation of dusts.

When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning

materials in order to prevent fires.

Avoidance of contact : Strong oxidising agents.

Storage

Other data : Keep container tightly closed and in a cool, well-ventilated

place.

Use properly labeled and closable containers.

Packaging material : Suitable material: For containers or container linings, use mild

steel or high density polyethylene.

Unsuitable material: PVC.

Container Advice : Polyethylene containers should not be exposed to high

temperatures because of possible risk of distortion.

Version 1.0 Print Date 12.01.2024 Revision Date 12.01.2024

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components with workplace control parameters

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering measures

: The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations. Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated. General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating,

Version 1.0 Revision Date 12.01.2024 Print Date 12.01.2024

drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

Protective measures

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

accordance with local regulations.

Respiratory protection

: Select a filter suitable for particulates.
If engineering controls do not maintain airborne
concentrations to a level which is adequate to protect worker
health, select respiratory protection equipment suitable for the
specific conditions of use and meeting relevant legislation.
Check with respiratory protective equipment suppliers.
Where air-filtering respirators are suitable, select an
appropriate combination of mask and filter.
Where air-filtering respirators are unsuitable (e.g. airborne
concentrations are high, risk of oxygen deficiency, confined
space) use appropriate positive pressure breathing apparatus.
All respiratory protection equipment and use must be in

Hand protection Remarks

: Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739, AS/NZS:2161) made from the following materials may provide suitable chemical protection: When prolonged or frequent repeated contact occurs, Nitrile gloves may be suitable. (Breakthrough time of > 240 minutes.) For incidental contact/splash protection Neoprene, PVC gloves may be suitable.

For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model.

Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended.

Version 1.0 Revision Date 12.01.2024 Print Date 12.01.2024

Eye protection : Safety glasses

Wear goggles for use against liquids and gas. Eye protection

Skin and body protection : Use protective clothing which is chemical resistant to this

material. Safety shoes and boots should also be chemical

resistant.

Wear chemical resistant gloves/gauntlets and boots. Where

risk of splashing, also wear an apron.

Environmental exposure controls

General advice Local guidelines on emission limits for volatile substances

must be observed for the discharge of exhaust air containing

vapour.

Minimise release to the environment. An environmental assessment must be made to ensure compliance with local

environmental legislation.

Information on accidental release measures are to be found in

section 6.

Take appropriate measures to fulfil the requirements of

relevant environmental protection legislation. Avoid

contamination of the environment by following advice given in Section 6. If necessary, prevent undissolved material from being discharged to waste water. Waste water should be treated in a municipal or industrial waste water treatment plant

before discharge to surface water.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : black

Odour : odourless

Odour Threshold : Not applicable Ha : Not applicable

: 3.652 - 3.697 °C / 6.606 - 6.687 °F Melting point/range

Data not available

Flash point : Not applicable Evaporation rate : Not applicable Flammability (solid, gas) : Not applicable

Upper explosion limit : Not applicable Lower explosion limit : Not applicable

Vapour pressure : Data not availableNot applicable

Relative vapour density : Not applicable

: Data not available Relative density

: 2.100 kg/m3 (20 °C / 68 °F) Density

Solubility(ies)

SAFETY DATA SHEET

Carbon Nanotubes

Version 1.0 Revision Date 12.01.2024 Print Date 12.01.2024

Water solubility : insoluble

Solubility in other solvents : Data not available

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : Data not available Decomposition temperature : Data not available

Viscosity

Viscosity, dynamic : Not applicable Viscosity, kinematic : Not applicable

Explosive properties : Classification Code: Not classified

Oxidizing properties : Not applicable

Conductivity : This material is not expected to be a static accumulator.

Particle size : Data not available

: Data not available

10. STABILITY AND REACTIVITY

Reactivity : The product does not pose any further reactivity hazards in

addition to those listed in the following sub-paragraph.

Chemical stability : Stable. Accumulation of dust can create an explosion hazard.

Dust can be ignited by static electricity, sparks and heat.

Possibility of hazardous

reactions

: Reacts with strong oxidising agents.

Conditions to avoid : Extremes of temperature and direct sunlight. Incompatible materials

Hazardous decomposition

products

: Strong oxidising agents.

: Hazardous decomposition products are not expected to form

during normal storage.

11. TOXICOLOGICAL INFORMATION

Basis for assessment : Information given is based on product testing, and/or similar

products, and/or components.

Acute toxicity

Product:

SAFETY DATA SHEET

Carbon Nanotubes

Version 1.0 Revision Date 12.01.2024 Print Date 12.01.2024

Acute oral toxicity : LD50 Rat: > 5.000 mg/kg

Remarks: Low toxicity

Based on available data, the classification criteria are not met.

Acute inhalation toxicity : LC50 Rat: > 20 mg/l

Exposure time: 4 h

Remarks: Low toxicity if inhaled.

Based on available data, the classification criteria are not met.

Acute dermal toxicity : LD50 Rat: > 5.000 mg/kg

Remarks: Low toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Product:

Remarks: Irritating to skin.

Serious eye damage/eye irritation

Product:

Remarks: Irritating to eyes.

Respiratory or skin sensitisation

Product:

Test Method: Respiratory sensitisation

Remarks: Not a sensitiser.

Based on available data, the classification criteria are not met.

Test Method: Skin sensitisation Remarks: Not a skin sensitiser.

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Product:

Remarks: Based on available data, the classification criteria

are not met.

Carcinogenicity

Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Material	GHS/CLP Carcinogenicity Classification
Multi-walled Carbon Nanotubes	No carcinogenicity classification.

9 / 13 800010062788

Version 1.0 Revision Date 12.01.2024 Print Date 12.01.2024

Reproductive toxicity

Product:

Remarks: Not a developmental toxicant., Based on available data, the classification criteria are not met., Does not impair

fertility.

STOT - single exposure

Product:

Remarks: Inhalation of vapours or mists may cause irritation to the respiratory system.

STOT - repeated exposure

Product:

Remarks: Causes damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Product:

Not an aspiration hazard.

Further information

Product:

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

12. ECOLOGICAL INFORMATION

Basis for assessment : Information given is based on product testing.

Ecotoxicity

Product:

Toxicity to fish (Acute

toxicity)

Remarks: Practically non toxic:

LL/EL/IL50 > 100 mg/l

Toxicity to crustacean (Acute

toxicity) Remarks: Practically non toxic:

LL/EL/IL50 > 100 mg/l

Toxicity to algae/aquatic

plants (Acute toxicity) Remarks: Practically non toxic:

LL/EL/IL50 > 100 mg/l

Toxicity to fish (Chronic

toxicity)

: Remarks: Data not available

Toxicity to crustacean : Remarks: Data not available

Version 1.0 Revision Date 12.01.2024 Print Date 12.01.2024

(Chronic toxicity)

Toxicity to microorganisms

(Acute toxicity)

: Remarks: Practically non toxic:

LL/EL/IL50 > 100 mg/l

Persistence and degradability

Product:

Biodegradability : Remarks: Not readily biodegradable.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not have the potential to bioaccumulate

significantly.

Partition coefficient: n-

octanol/water

: Remarks: Not applicable

Mobility in soil

Product:

Mobility : Remarks: Data not available

Other adverse effects

no data available

Product:

Additional ecological

information

: Data not available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Recover or recycle if possible.

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water

courses.

Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment.

Contaminated packaging : Dispose in accordance with prevailing regulations, preferably

to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional,

national, and local laws and regulations.

Local legislation

Remarks : Disposal should be in accordance with applicable regional,

national, and local laws and regulations.

Version 1.0 Revision Date 12.01.2024 Print Date 12.01.2024

14. TRANSPORT INFORMATION

International Regulations

ADR

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Maritime transport in bulk according to IMO instruments

Pollution category : Not applicable
Ship type : Not applicable
Product name : Not applicable

Special precautions for user

Remarks : Special Precautions: Refer to Section 7, Handling & Storage,

for special precautions which a user needs to be aware of or

needs to comply with in connection with transport.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

16. OTHER INFORMATION

Full text of H-Statements

H315 Causes skin irritation. H319 Causes serious eye irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

Full text of other abbreviations

Eye Irrit. Eye irritation Skin Irrit. Skin irritation

STOT RE Specific target organ toxicity - repeated exposure

Abbreviations and Acronyms : The standard abbreviations and acronyms used in this

document can be looked up in reference literature (e.g.

scientific dictionaries) and/or websites.

SDS Regulation

12 / 13 800010062788

Version 1.0 Revision Date 12.01.2024 Print Date 12.01.2024

Further information

Other information : This product is intended for use in closed systems only.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.