Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

# **Shell Polymers Polyethylene Homopolymer**

Initial release date: 2024/02/19 Revision Date: 13.06.2024

Version 1.2

SDS Number: 800010057181

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Shell Polymers Polyethylene Homopolymer

Product code : E6126, E6136, E6010, E6037, E6046, E6155, E6159, E6049

CAS-No. : 9002-88-4

Other means of identification : 63B072, 63B072S, 65N8, 65N8U

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture

: Thermoplastic resin for extrusion, film blowing, or moulding

applications.

Recommended restrictions

on use

: This product must not be used in applications other than those

listed in Section 1 without first seeking the advice of the sup-

plier

Manufacture of FDA Class II and III medical devices and storage or containment of radioactive materials., This product must not be used in applications other than the above without

first seeking the advice of the supplier.

1.3 Details of the supplier of the safety data sheet

Company : Shell Chemicals Europe B.V.

PO Box 2334 3000 CH Rotterdam

Netherlands

Telephone : +31 (0)10 441 5137 / +31 (0)10 441 5191

Telefax : +31 (0)20 716 8316 / +31 (0)20 713 9230

E-mail address of person

responsible for the SDS

: sccmsds@shell.com

1.4 Emergency telephone number

Emergency telephone num-

ber

: +44 (0) 1235 239 670 (This telephone number is available 24

hours per day, 7 days per week)

National Poison Counselling Centre (UZEM) - 114

### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification T.R. SEA No 28848

Based on available data this substance / mixture does not meet the classification criteria.

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

# **Shell Polymers Polyethylene Homopolymer**

Initial release date: 2024/02/19 Revision Date: 13.06.2024

Version 1.2

SDS Number: 800010057181

### 2.2 Label elements

Labelling T.R. SEA No 28848

Hazard pictograms : No Hazard Symbol required

Signal word : No signal word

Hazard statements : PHYSICAL HAZARDS:

Not classified as a physical hazard under

GHS criteria.

**HEALTH HAZARDS:** 

Not classified as a health hazard under

GHS criteria.

**ENVIRONMENTAL HAZARDS:** 

Not classified as an environmental hazard

under GHS criteria.

Precautionary statements : **Prevention**:

No precautionary phrases.

Response:

No precautionary phrases.

Storage:

No precautionary phrases.

Disposal:

No precautionary phrases.

### 2.3 Other hazards

Spilled product may present a dangerous slipping hazard.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Substance name : Polyethene, 9002-88-4

#### **Hazardous components**

Chemical name	CAS-No. EC-No. Registration number	T.R. SEA No 28848	Concentration (% w/w)
Polyethylene	9002-88-4		>= 99

Remarks : No Hazardous ingredients, or are below required disclosure

limits

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

# **Shell Polymers Polyethylene Homopolymer**

Initial release date: 2024/02/19 Revision Date: 13.06.2024

Version 1.2

SDS Number: 800010057181

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : Not expected to be a health hazard when used under normal

conditions.

Protection of first-aiders : When administering first aid, ensure that you are wearing the

appropriate personal protective equipment according to the

incident, injury and surroundings.

If inhaled : No treatment necessary under normal conditions of use.

If symptoms persist, obtain medical advice.

In case of skin contact : Remove contaminated clothing. Flush exposed area with wa-

ter and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.

In case of eye contact : Flush eye with copious quantities of water.

Remove contact lenses, if present and easy to do. Continue

rinsing.

If persistent irritation occurs, obtain medical attention.

If swallowed : In general no treatment is necessary unless large quantities

are swallowed, however, get medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Not considered to be an inhalation hazard under normal con-

ditions of use.

Possible respiratory irritation signs and symptoms may include a temporary burning sensation of the nose and throat, cough-

ing, and/or difficulty breathing.

No specific hazards under normal use conditions.

Skin irritation signs and symptoms may include a burning sen-

sation, redness, or swelling.

No specific hazards under normal use conditions.

Eye irritation signs and symptoms may include a burning sen-

sation, redness, swelling, and/or blurred vision.

No specific hazards under normal use conditions.

Ingestion may result in nausea, vomiting and/or diarrhoea.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Call a doctor or poison control center for guidance.

Treat symptomatically.

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

# **Shell Polymers Polyethylene Homopolymer**

Initial release date: 2024/02/19 Revision Date: 13.06.2024

Version 1.2

SDS Number: 800010057181

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Foam, water spray or fog. Dry chemical powder, carbon diox-

ide, sand or earth may be used for small fires only.

Unsuitable extinguishing

media

: Do not use water in a jet.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Hazardous combustion products may include:

A complex mixture of airborne solid and liquid particulates and

gases (smoke).

Carbon monoxide may be evolved if incomplete combustion

occurs.

Unidentified organic and inorganic compounds.

# 5.3 Advice for firefighters

Special protective equipment

for firefighters

Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to

relevant Standards (e.g. Europe: EN469).

Specific extinguishing meth-

ods

: Standard procedure for chemical fires.

Further information : Clear fire area of all non-emergency personnel.

Keep adjacent containers cool by spraying with water.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions :

Observe all relevant local and international regulations.

Avoid raising a dust cloud.

Material can create slippery conditions. Avoid contact with skin, eyes and clothing.

Isolate hazard area and deny entry to unnecessary or unpro-

tected personnel.

Do not breathe fumes, vapour. Do not operate electrical equipment.

4 / 17 800010057181

TR

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

# **Shell Polymers Polyethylene Homopolymer**

Initial release date: 2024/02/19 Revision Date: 13.06.2024

Version 1.2

SDS Number: 800010057181

### 6.2 Environmental precautions

Environmental precautions : Prevent from spreading or entering into drains, ditches or riv-

ers by using sand, earth, or other appropriate barriers.

Use appropriate containment to avoid environmental contami-

nation.

Ventilate contaminated area thoroughly.

# 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Prevent from spreading or entering into drains, ditches or riv-

ers by using sand, earth, or other appropriate barriers.

#### 6.4 Reference to other sections

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures : Avoid breathing of or direct contact with material. Only use in

well ventilated areas. Wash thoroughly after handling. For guidance on selection of personal protective equipment see

Section 8 of this Safety Data Sheet.

Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this

material.

Advice on safe handling : Avoid contact with skin, eyes and clothing.

Avoid generation or accumulation of dusts.

Avoid breathing dust.

Take precautionary measures against static discharges.

Ensure all equipment is electrically grounded before beginning

transfer operations.

Dry powders can build static electricity charges when subject-

ed to the friction of transfer and mixing operations.

Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

Avoid generating heat during transfer operations.

Spills may present a slip hazard.

Hygiene measures : Wash hands before eating, drinking, smoking and using the

toilet. Launder contaminated clothing before re-use.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Take measures to prevent the build up of electrostatic charge. Keep tightly closed in a dry and cool place. Refer to section 15 for any additional specific legislation covering the packaging

and storage of this product.

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

# **Shell Polymers Polyethylene Homopolymer**

Initial release date: 2024/02/19 Revision Date: 13.06.2024

Version 1.2

SDS Number: 800010057181

Storage class (TRGS 510) : 13, Non Combustible Solids

Other data : Tanks must be clean, dry and rust-free. Must be stored in a

diked (bunded) well- ventilated area, away from sunlight, ignition sources and other sources of heat. Drums should be

stacked to a maximum of 3 high.

Storage Temperature: Ambient.

Refer to section 15 for any additional specific legislation cov-

ering the packaging and storage of this product.

Packaging material : Suitable material: For containers or container linings, use mild

steel or high density polyethylene.

7.3 Specific end use(s)

Specific use(s) : Ensure that all local regulations regarding handling and stor-

age facilities are followed.

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

### **Biological occupational exposure limits**

No biological limit allocated.

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Polyethylene : Exposure assessments have not been presented for the envi-

ronment therefore PNEC values not required.

### 8.2 Exposure controls

### **Engineering measures**

Adequate ventilation to control airborne concentrations.

Local exhaust ventilation is recommended.

Eye washes and showers for emergency use.

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

# **Shell Polymers Polyethylene Homopolymer**

Initial release date: 2024/02/19 Revision Date: 13.06.2024

Version 1.2

SDS Number: 800010057181

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

### Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection

Remarks

Recommended preventive skin protection Protective gloves against thermal risks Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended.

For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model.

Skin and body protection

: Where risk of splashing or in spillage clean up, use chemical resistant one-piece overall with integral hood, chemical resistant knee length boots and chemical resistant gloves. Otherwise use chemical resistant apron and gauntlets. For spillage clean up use chemical resistant knee length boots.

Respiratory protection

: In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Select a suitable P1 air purifying respirator for inert particles Where air-filtering respirators are unsuitable (e.g. airborne concentrations are high, risk of oxygen deficiency, confined space) use appropriate positive pressure breathing apparatus. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter.

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

# **Shell Polymers Polyethylene Homopolymer**

Initial release date: 2024/02/19 Revision Date: 13.06.2024

Version 1.2

SDS Number: 800010057181

Protective measures : Personal protective equipment (PPE) should meet recom-

mended national standards. Check with PPE suppliers.

Thermal hazards : When handling heated product, wear heat resistant gloves,

safety hat with chin strap, face shield (preferably with a chin guard), safety glasses, heat resistant coveralls (with cuffs over gloves and legs over boots), neck protection and heavy duty

boots, e.g. leather for heat resistance.

# **Environmental exposure controls**

General advice : Take appropriate measures to fulfill the requirements of rele-

vant environmental protection legislation. Avoid contamination of the environment by following advice given in Section 6. If necessary, prevent undissolved material from being discharged to waste water. Waste water should be treated in a municipal or industrial waste water treatment plant before

discharge to surface water.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Appearance : solid

Colour : white, colourless, translucent

Odour : mild

Odour Threshold : not determined

pH : Not applicable

Melting point/freezing point : 115 - 135 °C

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability

Flammability (solid, gas) : Data not available

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit : Not applicable

Lower explosion limit : Not applicable

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

# **Shell Polymers Polyethylene Homopolymer**

Initial release date: 2024/02/19 Revision Date: 13.06.2024

Version 1.2

SDS Number: 800010057181

Vapour pressure : Data not available (50,0 °C)

Data not available

Relative vapour density : Not applicable

Relative density : 0,918 - 0,965

Method: ASTM D4052

Density : 0,918 - 0,965 g/cm3 (20 °C)

Method: ASTM D4052

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : > 300 °C

Decomposition temperature : > 300 °C

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : Not applicable

Oxidizing properties : Not applicable

9.2 Other information

Surface tension : not determined

Conductivity : Data not available

Molecular weight : > 25.000 g/mol

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

# 10.2 Chemical stability

Stable.

9 / 17 800010057181

TR

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

# Shell Polymers Polyethylene Homopolymer

Initial release date: 2024/02/19 Revision Date: 13.06.2024

Version 1.2

SDS Number: 800010057181

Accumulation of dust can create an explosion hazard. Dust can be ignited by static electricity, sparks and heat.

# 10.3 Possibility of hazardous reactions

Hazardous reactions : Reacts with strong oxidising agents.

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Strong oxidising agents.

#### 10.6 Hazardous decomposition products

Hazardous combustion products may include:, Carbon dioxide (CO2), Carbon monoxide., Organic Substances

## **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

exposure

Information on likely routes of : Exposure may occur via inhalation, ingestion, skin absorption,

skin or eye contact, and accidental ingestion.

#### **Acute toxicity**

### **Components:**

Polyethylene:

Acute oral toxicity : Remarks: Based on available data, the classification criteria

are not met.

Acute inhalation toxicity : Remarks: Based on available data, the classification criteria

are not met.

: Remarks: Based on available data, the classification criteria Acute dermal toxicity

are not met.

# Skin corrosion/irritation

#### **Components:**

# Polyethylene:

Remarks: Based on available data, the classification criteria are not met.

### Serious eye damage/eye irritation

#### **Components:**

Polyethylene:

10 / 17 800010057181

TR

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

# **Shell Polymers Polyethylene Homopolymer**

Initial release date: 2024/02/19 Revision Date: 13.06.2024

Version 1.2

SDS Number: 800010057181

Remarks: Based on available data, the classification criteria are not met.

# Respiratory or skin sensitisation

### **Components:**

# Polyethylene:

Remarks: For respiratory sensitisation:

Based on available data, the classification criteria are not met.

# Germ cell mutagenicity

#### **Components:**

Polyethylene:

Genotoxicity in vitro : Remarks: Based on available data, the classification criteria

are not met.

Genotoxicity in vivo : Remarks: Based on available data, the classification criteria

are not met.

### Carcinogenicity

### **Components:**

#### Polyethylene:

Remarks: Based on available data, the classification criteria are not met.

Material	SEA Carcinogenicity Classification
Polyethylene	No carcinogenicity classification.

Material	Other Carcinogenicity Classification
Polyethylene	IARC: Group 3: Not classifiable as to its carcinogenicity to humans

### Reproductive toxicity

# **Components:**

### Polyethylene:

Effects on fertility

Remarks: Based on available data, the classification criteria

are not met.

# STOT - single exposure

# **Components:**

#### Polyethylene:

Remarks: Based on available data, the classification criteria are not met.

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

# Shell Polymers Polyethylene Homopolymer

Initial release date: 2024/02/19 Revision Date: 13.06.2024

Version 1.2

SDS Number: 800010057181

### STOT - repeated exposure

### **Components:**

# Polyethylene:

Remarks: Based on available data, the classification criteria are not met.

#### Aspiration toxicity

### **Components:**

# Polyethylene:

Not considered an aspiration hazard., Based on available data, the classification criteria are not met.

#### **Further information**

#### **Product:**

Remarks: Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).

#### **Components:**

#### Polyethylene:

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

### **Components:**

#### Polyethylene:

Toxicity to fish (Acute toxici-

: Remarks: Practically non toxic, LC/EC/IC 50 > 100 mg/l .

ty)

Toxicity to daphnia and other

: Remarks: Practically non toxic:

aquatic invertebrates (Acute

LL/EL/IL50 > 100 mg/l

toxicity)

icity)

Toxicity to algae (Acute tox-

: Remarks: Practically non toxic:

LL/EL/IL50 > 100 mg/l

Toxicity to bacteria (Acute

toxicity)

Remarks: Data not available

Toxicity to fish (Chronic tox-

icity)

: Remarks: NOEC/NOEL > 100 mg/l

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

: Remarks: NOEC/NOEL > 100 mg/l

12 / 17 800010057181

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

# **Shell Polymers Polyethylene Homopolymer**

Initial release date: 2024/02/19 Revision Date: 13.06.2024

Version 1.2

SDS Number: 800010057181

### 12.2 Persistence and degradability

**Components:** 

Polyethylene:

Biodegradability : Remarks: Not readily biodegradable.

12.3 Bioaccumulative potential

**Components:** 

Polyethylene:

Bioaccumulation : Remarks: Has the potential to bioaccumulate.

12.4 Mobility in soil

**Components:** 

Polyethylene:

Mobility : Remarks: Floats on water.

12.5 Results of PBT and vPvB assessment

**Components:** 

Polyethylene:

Assessment : The substance does not fulfill all screening criteria for persis-

tence, bioaccumulation and toxicity and hence is not consid-

ered to be PBT or vPvB..

12.6 Other adverse effects

**Product:** 

Further information : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Ozone-Depletion Potential : Remarks: Data available only for some components.

Additional ecological infor-

mation

: Remarks: Unless indicated otherwise, the data presented is

representative of the product as a whole, rather than for indi-

vidual component(s).

**Components:** 

Polyethylene:

Ozone-Depletion Potential : Remarks: Data available only for some components.

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

# **Shell Polymers Polyethylene Homopolymer**

Initial release date: 2024/02/19 Revision Date: 13.06.2024

Version 1.2

SDS Number: 800010057181

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Recover or recycle if possible.

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal meth-

ods in compliance with applicable regulations.

Do not dispose into the environment, in drains or in water

courses.

Waste product should not be allowed to contaminate soil or

water.

Disposal should be in accordance with applicable regional,

national, and local laws and regulations.

Local regulations may be more stringent than regional or na-

tional requirements and must be complied with.

Contaminated packaging : Remove all packaging for recovery or waste disposal.

Comply with any local recovery or waste disposal regulations.

# **SECTION 14: Transport information**

### 14.1 UN number

ADR : Not regulated as a dangerous good RID : Not regulated as a dangerous good IMDG : Not regulated as a dangerous good IATA : Not regulated as a dangerous good

#### 14.2 UN proper shipping name

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

# 14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good RID : Not regulated as a dangerous good IMDG : Not regulated as a dangerous good IATA : Not regulated as a dangerous good

#### 14.4 Packing group

ADR : Not regulated as a dangerous good RID : Not regulated as a dangerous good IMDG : Not regulated as a dangerous good IATA : Not regulated as a dangerous good

#### 14.5 Environmental hazards

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

# **Shell Polymers Polyethylene Homopolymer**

Initial release date: 2024/02/19 Revision Date: 13.06.2024

Version 1.2

SDS Number: 800010057181

ADR : Not regulated as a dangerous good RID : Not regulated as a dangerous good IMDG : Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Special Precautions: Refer to Section 7, Handling & Storage,

for special precautions which a user needs to be aware of or

needs to comply with in connection with transport.

#### 14.7 Maritime transport in bulk according to IMO instruments

Pollution category : Not applicable
Ship type : Not applicable
Product name : Not applicable

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

KKDIK (30105 (Bis)) - Restrictions on the manufacture, : Not applicable

placing on the market and use of certain dangerous substances, mixtures and articles (Annex 17)

Water hazard class (Germa-

ny)

: nwg not water endangering

Remarks: Classification according to AwSV

Other regulations : The regulatory information is not intended to be comprehen-

sive. Other regulations may apply to this material.

Regulations on the health and safety precautions for chemicals in the workplace. Regulations on the fire protection of buildings. Regulations on the prevention of industrial acci-

dents and the reduction of their effects.

### The components of this product are reported in the following inventories:

TSCA : Listed

AIIC : Listed

DSL : Listed

IECSC : Listed

ENCS : Listed

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

# **Shell Polymers Polyethylene Homopolymer**

Initial release date: 2024/02/19 Revision Date: 13.06.2024

Version 1.2

SDS Number: 800010057181

KECI : Listed

NZIoC : Listed

PICCS : Listed

TCSI : Listed

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance/mixture.

#### **SECTION 16: Other information**

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Prepared in accordance with the provisions of KKDIK Annex-2 Regulation, 23.06.2017, No: 30105

# **Shell Polymers Polyethylene Homopolymer**

Initial release date: 2024/02/19 Revision Date: 13.06.2024

Version 1.2

SDS Number: 800010057181

Prepared by

Name : Eren Aktas

Certified Qualification date : 15.05.2024

Certificate number : TÜV/11.241.01

Expiry date 15.05.2029

**Further information** 

Training advice : Provide adequate information, instruction and training for op-

erators.

Other information : A vertical bar (|) in the left margin indicates an amendment

from the previous version.

Sources of key data used to compile the Safety Data

Sheet

: The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU

IUCLID date base, EC 1272 regulation, etc).

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TR / EN