

SAFETY DATA SHEET

Creation Date 22-April-2009 Revision Date 26-December-2021 **Revision Number** 7

1. Identification

Product Name Acetaldehyde

AC427170000; AC427171000; AC427178000 Cat No.:

CAS-No 75-07-0 **Synonyms** Ethanal

Recommended Use Laboratory chemicals.

Food, drug, pesticide or biocidal product use. Uses advised against

Details of the supplier of the safety data sheet

Company

Manufacturer Importer/Distributor

Acros Organics Fisher Scientific Company Fisher Scientific One Reagent Lane 112 Colonnade Road. One Reagent Lane Fair Lawn, NJ 07410 Fair Lawn, NJ 07410 Ottawa, ON K2E 7L6, Tel: (201) 796-7100

Canada

Tel: 1-800-234-7437

Emergency Telephone Number For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11

Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US: 001-800-424-9300 / Europe: 001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids Category 1 Category 4 Acute oral toxicity Serious Eye Damage/Eye Irritation Category 2 Germ Cell Mutagenicity Category 2 Carcinogenicity Category 1A Specific target organ toxicity (single exposure) Category 3 Target Organs - Respiratory system, Central nervous system (CNS).

Category 1

Physical Hazards Not Otherwise Classified

May form explosive peroxides

Hazardous polymerization may occur

Health Hazards Not Otherwise Classified Category 1

achrymator

Label Elements

Signal Word

Danger

Hazard Statements

Extremely flammable liquid and vapor Harmful if swallowed Causes serious eye irritation May cause respiratory irritation Suspected of causing genetic defects May cause cancer May form explosive peroxides Hazardous polymerization may occur Lachrymator



Precautionary Statements

Prevention

Keep container tightly closed

Keep cool. Protect from sunlight

Avoid breathing dust/fume/gas/mist/vapors/spray

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharges

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Response

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

IF exposed or concerned: Get medical advice/attention

Rinse mouth

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

3. Composition/Information on Ingredients					
Component	CAS-No	Weight %			

Acetaldehyde

Acetaldehyde	75-07-0	<=100

4. First-aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms/effects None reasonably foreseeable. Inhalation of high vapor concentrations may cause

symptoms like headache, dizziness, tiredness, nausea and vomiting

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool

closed containers.

Unsuitable Extinguishing Media Water may be ineffective

Flash Point -27 °C / -16.6 °F

Method - No information available

Autoignition Temperature 155 °C / 311 °F

Explosion Limits

 Upper
 60.0%

 Lower
 4.0%

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Extremely flammable. May form explosive peroxides. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Vapors may form explosive mixtures with air.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO2).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health Flammability Instability Physical hazards 2 N/A

6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation. Remove all

Revision Date 26-December-2021

Acetaldehyde

Environmental Precautions

sources of ignition. Take precautionary measures against static discharges.

Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

7. Handling and storage

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on Handling

clothing. Avoid ingestion and inhalation. Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary

measures against static discharges.

Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area. Storage.

Keep away from heat, sparks and flame. Refrigerator/flammables. Store under an inert atmosphere. Do not freeze. Incompatible Materials. Strong oxidizing agents. Acids. Bases.

Metals. Strong reducing agents. Alcohols. Amines. Halogens.

8. Exposure controls / personal protection

Exposure Guidelines

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetaldehyde	Ceiling: 25 ppm	Ceiling: 25 ppm	CEV: 25 ppm	Ceiling: 25 ppm	Ceiling: 25 ppm	(Vacated) TWA:	IDLH: 2000 ppm
	Ceiling: 45			Ceiling: 45		100 ppm	
	mg/m³			mg/m³		(Vacated) TWA:	
						180 mg/m ³	
						(Vacated) STEL:	
						150 ppm	
						(Vacated) STEL:	
						270 mg/m ³	
						TWA: 200 ppm	
						TWA: 360	
						mg/m³	

Leaend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles

Hand Protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Butyl rubber	> 240 minutes	0.7 mm	As tested under EN374-3
			Determination of Resistance to
			Permeation by Chemicals

Inspect gloves before use, observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local

conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly Recommended Filter type: low boiling organic solvent Type AX Brown conforming to EN371

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

9. Physical and chemical properties

60.0%

Physical State Liquid **Appearance** Clear pungent Odor

Odor Threshold No information available No information available -123 °C / -189.4 °F **Melting Point/Range** 21 °C / 69.8 °F **Boiling Point/Range**

Flash Point -27 °C / -16.6 °F 49.1

Evaporation Rate

Flammability (solid, gas) Not applicable

Flammability or explosive limits

Upper

Lower 4.0% 986 mbar @ 20°C **Vapor Pressure**

Vapor Density 1.52

Specific Gravity 0.785 Solubility Soluble in water

Partition coefficient; n-octanol/water No data available 155 °C / 311 °F **Autoignition Temperature Decomposition Temperature** No information available **Viscosity** 0.25 mPas @ 15°C

Molecular Formula C2 H4 O **Molecular Weight** 44.04

10. Stability and reactivity

Reactive Hazard Yes

Stability Stable under recommended storage conditions. Polymerization can occur. May form

explosive peroxides.

Conditions to Avoid Excess heat. Exposure to air. Keep away from open flames, hot surfaces and sources of

ignition.

Incompatible Materials Strong oxidizing agents, Acids, Bases, Metals, Strong reducing agents, Alcohols, Amines,

Halogens

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Acetaldehyde

Hazardous Polymerization Hazardous polymerization may occur.

Hazardous Reactions Reacts with air to form peroxides.

11. Toxicological information

Acute Toxicity

Product Information Component Information

Component LD50 Oral LD50 Dermal LC50 Inhalation Acetaldehyde LD50 = 660 mg/kg (Rat)LD50 = 3540 mg/kg (Rabbit) LC50 = 13000 ppm (Rat) 4 h

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes and respiratory system

No information available Sensitization

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Acetaldehyde	75-07-0	Group 1	Reasonably	A2	X	A3
		Group 2B	Anticipated			

IARC (International Agency for Research on Cancer)

NTP: (National Toxicity Program)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program) Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Mexico - Occupational Exposure Limits - Carcinogens

Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen A5 - Not Suspected as a Human Carcinogen

Mutagenic Effects Mutagenic effects have occurred in experimental animals.

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system Central nervous system (CNS)

STOT - repeated exposure None known

No information available **Aspiration hazard**

Symptoms / effects, both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, delaved

tiredness, nausea and vomiting

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

Revision Date 26-December-2021

12. Ecological information

Ecotoxicity

The product contains following substances which are hazardous for the environment. Contains a substance which is:. Toxic to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Acetaldehyde	Not listed	LC50: 28.0 - 34.0 mg/L, 96h	EC50 = 280.6 mg/L 15 min	EC50: 3.64 - 6.15 mg/L, 48h
		flow-through (Pimephales	EC50 = 280.6 mg/L 25 min	Static (Daphnia magna)
		promelas)	EC50 = 280.6 mg/L 5 min	EC50: = 48.3 mg/L, 48h
		LC50: 1.8 - 2.4 mg/L, 96h	_	(Daphnia magna)
		static (Oncorhynchus		, ,
		mykiss)		
		LC50: = 53 mg/L, 96h static		
		(Lepomis macrochirus)		
		LC50: 39.8 - 46.8 mg/L, 96h		
		static (Pimephales		
		promelas)		

Persistence and Degradability

Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation

No information available.

Mobility

Will likely be mobile in the environment due to its volatility.

Component	log Pow	
Acetaldehyde	0.5	

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Acetaldehyde - 75-07-0	U001	-

14. Transport information

DOT

UN-No UN1089

Proper Shipping Name ACETALDEHYDE

Hazard Class 3 Packing Group

TDG

UN-No UN1089

Proper Shipping Name ACETALDEHYDE

Hazard Class 3 Packing Group 1

IATA

UN-No UN1089 Proper Shipping Name Acetaldehyde

Hazard Class
Packing Group

IMDG/IMO

UN-No UN1089
Proper Shipping Name Acetaldehyde

Hazard Class 3 Packing Group 1

15. Regulatory information

All of the components in the product are on the following Inventory lists: China X = listed Australia U.S.A. (TSCA) Canada

Revision Date 26-December-2021

Acetaldehyde

(DSL/NDSL) Europe (EINECS/ELINCS/NLP) Australia (AICS) Korea (KECL) China (IECSC) Japan (ENCS) Philippines (PICCS)

International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Ir notific Active-	ation -	EINECS	ELINCS	NLP
Acetaldehyde	75-07-0	Х	-	Х	ACTIVE		200-836-8	-	-
Component	CAS-No	IFCSC	KECI	FNCS	ISHI	TCSI	AICS	NZIoC	PICCS

	Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
-	Acetaldehyde	75-07-0	X	KE-00003	X	X	X	X	Х	Х

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
Acetaldehyde	Part 1, Group A Substance Part 4 Substance	Schedule I	

Legend

NPRI - National Pollutant Release Inventory

Other International Regulations

Acetaldehyde

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	, ,
Acetaldehyde	-	Use restricted. See item 28. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

75-07-0

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Acetaldehyde	75-07-0	Listed	Not applicable	Not applicable	Not applicable
Component	CAS-No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report		

Requirements

Not applicable

Not applicable

Not applicable

Notification

Not applicable

16. Other information

Prepared By Regulatory Affairs

Acros Organics BVBA Tel: 800-ACROS-01

Creation Date22-April-2009Revision Date26-December-2021Print Date26-December-2021

Revision SummaryThis document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS