# SAFETY DATA SHEET



Revision Date 30-Mar-2016 WAI1 - AGHS - OSHA **Revision Number** 2

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product Identifier** 

Silica **Product Name** 

AC4060-ACT **Product No** 

Pure substance/mixture Mixture

Contains Sulfuric Acid

Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Use as laboratory reagent

Uses advised against No Information available

Manufacturer, Importer, Supplier Thermo Fisher Scientific©

Water and Lab Products

22 Alpha Road

Chelmsford, MA 01824, USA

1-978-232-6000

**Emergency Telephone** 24 Hour Emergency Phone Number

**CHEMTREC®** 

Within USA and Canada: 1-800-424-9300 Outside USA and Canada: 1-703-527-3887

(collect calls accepted)

E-mail address wlp.techsupport@thermofisher.com

USA Made in

Product No AC4060-ACT **Document No.** 

# 2. HAZARDS IDENTIFICATION

#### Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation	Category 1 A
Serious Eye Damage/Eye Irritation	Category 1

### **Label Elements**

Contains Sulfuric Acid

# **Emergency Overview**

# Danger

#### Hazard Statements

Causes severe skin burns and eye damage



Appearance Colorless

Physical State Liquid

Odor Odorless

# **Precautionary Statements**

### Prevention

Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Do not breathe dust/fume/gas/mist/vapors/spray

#### Response

Immediately call a POISON CENTER or doctor/physician

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

### **Storage**

Store in a closed container

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

No information available

### Other Information

No information available

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Water	7732-18-5	60 - 70%
Sulfuric Acid	7664-93-9	20 - 30%
Ammonium Molybdate	12027-67-7	10 - 20%

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

**Inhalation** If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

**Ingestion** Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper

respiratory medical device.

Most important symptoms and effects, both acute and delayed

Most important symptoms and

effects

Causes burns by all exposure routes

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

# 5. FIRE-FIGHTING MEASURES

Silica

# **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### **Unsuitable Extinguishing Media**

No information available

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

### **Explosion Data**

Sensitivity to Mechanical Impact None Sensitivity to Static Discharge None

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate

personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental Precautions Should not be released into the environment. See Section 12 for additional Ecological

Information.

### Methods and Material for Containment and Cleaning Up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Cleaning Up**Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

### 7. HANDLING AND STORAGE

# **Precautions for Safe Handling**

Handling Wear personal protective equipment/face protection

Do not get in eyes, on skin, or on clothing Use only under a chemical fume hood Do not breathe mist/vapors/spray

Do not ingest. If swallowed then seek immediate medical assistance

#### Conditions for Safe Storage, Including any Incompatibilities

Storage Corrosives area

Keep containers tightly closed in a dry, cool and well-ventilated place

Incompatible Products No information available

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Control parameters**

### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH
Sulfuric Acid	TWA: 0.2 mg/m <sup>3</sup>	(Vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup>
7664-93-9	_	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>

Ammonium Molybdate 12027-67-7	TWA: 0.5 mg/m <sup>3</sup>	(Vacated) TWA: 5 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup>

## Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH - National Institute for Occupational Safety and Health

### **Appropriate engineering controls**

Engineering Measures Ensure that eyewash stations and safety showers are close to the workstation location

### Individual protection measures, such as personal protective equipment

**Eve/face Protection** Wear chemical splash goggles and face shield. If splashes are likely to occur:. Face

protection shield.

**Skin and Body Protection**Wear protective gloves/protective clothing.

Respiratory Protection None under normal use conditions. In case of inadequate ventilation wear respiratory

protection.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid
Appearance Colorless
Odor Odorless

Odor Threshold No information available

**pH** 1 1-3

Property Values Remarks • Method

Melting point/freezing point

Boiling Point/Range

No information available
132 °C / 269.6 °F

Flash Point (High in °C) N/A

Evaporation Rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor Density
Specific Gravity
No information available
No information available
No information available
No information available

Water Solubility Soluble in water

Solubility in other solvents

Partition coefficient

No information available
No information available

Autoignition Temperature -

Decomposition Temperature
Kinematic viscosity
No information available

**Other Information** 

Softening PointNo information availableMolecular WeightNo information availableVOC Content(%)No information availableDensityNo Information availableBulk DensityNo information available

# 10. STABILITY AND REACTIVITY

# Reactivity

No Information available

#### **Chemical Stability**

Stable under normal conditions

# **Possibility of Hazardous Reactions**

None under normal processing

#### **Conditions to Avoid**

Extremes of temperature and direct sunlight.

### **Incompatible Materials**

No information available

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating gases and vapors.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

#### **Product Information**

Inhalation No information available

Eye Contact No information available

Skin Contact No information available

**Ingestion** No information available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	LD50 > 90 mL/kg (Rat)	-	-
7732-18-5			
Sulfuric Acid	LD50 = 2140 mg/kg (Rat)	-	LC50 = 0.375  mg/L (Rat) 4  h
7664-93-9			_ ` ` `
Ammonium Molybdate	LD50 = 333 mg/kg (Rat)	LD50 > 2000 mg/kg (Rat)	LC50 > 5.1 mg/L (Rat) 4 h
12027-67-7			, ,

# Information on Toxicological Effects

**Symptoms** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**(b) skin corrosion/irritation**; Category 1. A.

Sensitization No information available

Mutagenic Effects No information available

### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed
Sulfuric Acid	7664-93-9	Not listed	Not listed	Not listed	Not listed
Ammonium Molybdate	12027-67-7	Not listed	Not listed	A3	Not listed

IARC (International Agency for Research on Cancer)

NTP: (National Toxicity Program)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

ACGIH: (American Conference of Governmental Industrial Hygienists)

No information available **Reproductive Effects** 

STOT - single exposure No information available

STOT - repeated exposure

No information available

**Target Organs** 

None known.

**Aspiration hazard** No information available

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 8188 mg/kg ATEmix (inhalation-dust/mist) 1 mg/L

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

12% of the mixture consists of components(s) of unknown hazards to the aquatic environment

	Component	Freshwater Algae	Freshwater Fish	Water Flea
Ī	Sulfuric Acid	-	LC50: > 500 mg/L, 96h static	-
	7664-93-9		(Brachydanio rerio)	
- 1				

#### Persistence and Degradability

No information available

# **Bioaccumulation/ Accumulation**

No information available

### Mobility

No information available

# Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and **Waste Disposal Methods** 

regulations.

Product No AC4060-ACT 237235-001 Document No.

Silica 30-Mar-2016

# **Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point.

Component	CAWAST
Sulfuric Acid	Toxic
7664-93-9	Corrosive

# 14. TRANSPORT INFORMATION

DOT

UN-No 1760

Proper Shipping Name Corrosive liquids, n.o.s. (contains sulfuric acid)

Hazard Class 8
Packing Group | |

Special Provisions B2, IB2, T11, TP2, TP27

Emergency Response Guide 8L

Number

**ICAO** 

**UN-No** 1760

**Proper Shipping Name** Corrosive Liquid, n.o.s.\*(contains sulfuric acid)

Hazard Class 8
Packing Group II
Special Provisions A3A803

IATA

UN-No UN1760

**Proper Shipping Name** Corrosive Liquid, n.o.s.\*(contains sulfuric acid)

Hazard Class 8
Packing Group II
ERG Code 8L
Special Provisions A3A803

IMDG/IMO

**UN-No** UN1760

Proper Shipping Name Corrosive liquid, n.o.s.

Hazard Class 8
Packing Group II
EmS No. F-A, S-B
Special Provisions 274
Marine Pollutant No

# 15. REGULATORY INFORMATION

International Inventories

United States of America Inventory
CANINV
COMPlies
EINECS/ELINCS
ENCS
COMPlies
ECSC
Complies
KECL
COMPlies

Legend:

USINV/ TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

CANINV/ DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

Silica 30-Mar-2016

**ENCS** - Japanese Existing and New Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

### **CWA (Clean Water Act)**

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric Acid 7664-93-9	1000 lb	-	-	X

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355)

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Sulfuric Acid	1000 lb	1000 lb	1000 lb
7664-93-9			454 kg

# U.S. State Regulations

### **California Proposition 65**

This product contains the following Proposition 65 chemicals

## U.S. State Right-to-Know Regulations

Component	New Jersey	Massachusetts	Pennsylvania
Water	=	=	X
7732-18-5			
Sulfuric Acid	X	X	X
7664-93-9			

#### U.S. EPA Label Information

No information available

# **16. OTHER INFORMATION**

Prepared By Regulatory Affairs

Prepared For Thermo Fisher Scientific Inc.©

Issue Date No information available

Revision Date 30-Mar-2016

Product Name
Silica
Revision Date
30-Mar-2016

Reason for revision

SDS sections updated.

## Disclaimer

IMPORTANT: The information contained in this SDS is correct to the best of our knowledge as of the issue date (or subsequent revision date, if any), and is to be used only as a guide. This SDS does not constitute a guarantee (express or implied) of any kind and we make no warranties of any kind as to the accuracy or completeness of the information contained herein or the merchantability or fitness of the product or this information for a particular purpose. It is the responsibility of each individual buyer/user to determine the suitability of this information and the product for its intended purposes. Product sales are subject to Thermo Fisher Scientifics standard terms and conditions of sale. This information relates only to the designated product as shipped and may not be valid if the product is used in combination with any other materials or is not used in accordance with our instructions, or is altered in any way. It is the responsibility of the buyer/user to ensure that its activities comply with all applicable government requirements. Since conditions of use of the product are not under direct control of Thermo Fisher Scientific, it is the duty of the buyer/user to determine the necessary conditions for the safe use of the product. Thermo Fisher Scientific will not be liable for any injuries or damages resulting from handling, use, misuse or contact with the product.

**End of Safety Data Sheet**