

SAFETY DATA SHEET

Creation Date 23-October-2009 Revision Date 29-March-2024 **Revision Number** 6

1. Identification

Product Name Potassium permanganate

L09292 Cat No.:

CAS-No 7722-64-7

Synonyms No information available

Recommended Use Laboratory chemicals.

Food, drug, pesticide or biocidal product use. Uses advised against

Details of the supplier of the safety data sheet

Company

Importer/Distributor

Fisher Scientific 112 Colonnade Road. Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US:001-800-424-9300 / Europe:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Oxidizing solids Category 2 Acute oral toxicity Category 4 Skin Corrosion/Irritation Category 1 C Serious Eye Damage/Eye Irritation Category 1 Reproductive Toxicity Category 2 Specific target organ toxicity (single exposure) Category 3 Target Organs - Respiratory system, Central nervous system (CNS).

Specific target organ toxicity - (repeated exposure) Category 2

Target Organs - Brain.

Label Elements

Signal Word

Danger

Hazard Statements

May intensify fire; oxidizer
Harmful if swallowed
Causes severe skin burns and eye damage
May cause respiratory irritation
Suspected of damaging the unborn child

May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep/Store away from clothing/combustible materials

Take any precaution to avoid mixing with combustibles

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER/doctor

Rinse mouth

Do NOT induce vomiting

Wash contaminated clothing before reuse

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Very toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component	CAS-No	Weight %		
Potassium permanganate	7722-64-7	>95		

4. First-aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Potassium permanganate

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Keep eye wide open while rinsing.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Call a physician immediately.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison

control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a

one-way valve or other proper respiratory medical device.

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person.

Most important symptoms/effects Causes burns by all exposure routes. Product is a corrosive material. Use of gastric

lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media CO₂, dry chemical, dry sand, alcohol-resistant foam.

Not applicable

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

Autoignition Temperature

Explosion Limits

UpperNo data availableLowerNo data available

Oxidizing Properties Oxidizer

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Heavy metal oxides. Potassium oxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
3	0	2	OX

6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid

contact with skin, eyes or clothing.

Environmental PrecautionsDo not flush into surface water or sanitary sewer system. Do not allow material to

contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into

the environment.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation, Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal.

7. Handling and storage

Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from clothing and other combustible materials.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area, Do not store near combustible materials. Incompatible Materials. Reducing Agent. Strong acids. Strong reducing agents. Combustible material.

8. Exposure controls / personal protection

Exposure Guidelines

Component	Alberta	British	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH
		Columbia					
Potassium	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³	TWA: 0.02	TWA: 0.2 mg/m ³	TWA: 0.02	(Vacated)	IDLH: 500
permanganate		TWA: 0.02	mg/m³		mg/m³	Ceiling: 5 mg/m ³	mg/m³
		mg/m³	TWA: 0.1 mg/m ³		TWA: 0.1 mg/m ³	Ceiling: 5 mg/m ³	TWA: 1 mg/m ³
							STEL: 3 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control

hazardous materials at source

Personal protective equipment

Eye Protection Goggles

Hand Protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Natural rubber	See manufacturers	-	Splash protection only
Nitrile rubber	recommendations		
Neoprene			
PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly Recommended Filter type: Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StateSolid PowderAppearanceDark brownOdorOdorless

Odor ThresholdNo information availablepH8 (16 g/l @ 20°C)Melting Point/Range240 °C / 464 °FBoiling Point/RangeNo information availableFlash PointNo information available

Evaporation Rate Not applicable

Flammability (solid, gas)

No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information availableVapor DensityNot applicable

Specific Gravity

No information available

Solubility

Partition coefficient; n-octanol/water

Autoignition Temperature

Soluble in water

No data available

Not applicable

Decomposition Temperature240 °CViscosityNot applicableMolecular FormulaK Mn O4Molecular Weight158.04

10. Stability and reactivity

Reactive Hazard Yes

Stability Stable under normal conditions. Oxidizer: Contact with combustible/organic material may

cause fire.

Conditions to Avoid Incompatible products. Excess heat. Combustible material.

Incompatible Materials Reducing Agent, Strong acids, Strong reducing agents, Combustible material

Hazardous Decomposition Products Heavy metal oxides, Potassium oxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Oral LD50 Category 4.

Component Information

Component LD50 Oral LD50 Dermal LC50 Inhalation

Potassium permanganate

Potassium permanganate	LD50 = 750 mg/kg (Rat)	LD50 > 2000 mg/kg (Rat)	Not listed

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes severe irritation and or burns

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Potassium	7722-64-7	Not listed				
permanganate						

Mutagenic Effects No information available

Reproductive Effects Possible risk of harm to the unborn child.

Developmental Effects

No information available.

Teratogenicity

No information available.

STOT - single exposure Respiratory system Central nervous system (CNS)

STOT - repeated exposure Brain

Aspiration hazard No information available

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

delayed

Product is a corrosive material. Ose of gastric lavage of emess is contraindicated.

Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Do not allow material to contaminate ground water system. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Potassium permanganate	0.41 mg/l/72h EC50	2.97-3.11 mg/L LC50 96 h	Not listed	Not listed
		3.16-3.77 mg/L LC50 96 h		
		3.3-3.93 mg/L LC50 96 h		
		2.3 mg/L LC50 96 h		
		0.769-1.27 mg/L LC50 96 h		
		1.08-1.38 mg/L LC50 96 h		
		1.8-5.6 mg/L LC50 96 h		
		2.7 mg/L LC50 96 h		

Persistence and Degradability May persist based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

Component	log Pow	
Potassium permanganate	-1.73	

12	Die	nnsal	consi		lora:	ti	inne
10.	כום	posai		U	iCi a	u	10113

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1490

Proper Shipping Name POTASSIUM PERMANGANATE

Hazard Class 5.1 Packing Group II

<u>TDG</u>

UN-No UN1490

Proper Shipping Name POTASSIUM PERMANGANATE

Hazard Class 5.1 Packing Group II

IATA

UN-No UN1490

Proper Shipping Name POTASSIUM PERMANGANATE

Hazard Class 5.1 Packing Group II

IMDG/IMO

UN-No UN1490

Proper Shipping Name POTASSIUM PERMANGANATE

Hazard Class 5.1 Packing Group II

15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Potassium permanganate	7722-64-7	X	-	X	ACTIVE	231-760-3		-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Potassium permanganate	7722-64-7	Х	KE-29180	Х	X	X	Х	Х	Х

l agand:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
Potassium permanganate	Part 1, Group A Substance		

Legend NPRI - National Pollutant Release Inventory

Other International Regulations

Authorisation/Restrictions according to EU REACH

Component		REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Potassium permanganate	-	Use restricted. See item 75. (see link for restriction details)	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Potential	Hazardous Substances (RoHS)
Potassium permanganate	7722-64-7	Listed	Not applicable	Not applicable	Not applicable
Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Potassium permanganate	7722-64-7	Not applicable	Not applicable	Not applicable	Not applicable

1/	\bigcirc 11	· . C	4.1.1.2
16	Other	Intorm	ation.
10.	Other		анон

Prepared By Product Safety Department

Email: chem.techinfo@thermofisher.com

OFOR HRV

www.thermofisher.com

Creation Date23-October-2009Revision Date29-March-2024Print Date29-March-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS