

SAFETY DATA SHEET

Creation Date 25-July-2018 Revision Date 02-April-2024 Revision Number 4

1. Identification

Product Name Haynes® 25 gauze

Cat No.: 46645

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Respiratory SensitizationCategory 1BSkin SensitizationCategory 1Germ Cell MutagenicityCategory 2CarcinogenicityCategory 1BReproductive ToxicityCategory 1BSpecific target organ toxicity - (repeated exposure)Category 1

Target Organs - Lungs.

Label Elements

Signal Word

Danger

Hazard Statements

May cause an allergic skin reaction

Haynes® 25 gauze

May cause allergy or asthma symptoms or breathing difficulties if inhaled Suspected of causing genetic defects
May cause cancer
May damage fertility
Causes damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Contaminated work clothing should not be allowed out of the workplace

Wear respiratory protection

Response

IF exposed or concerned: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

IF INHALED: Remove person to fresh air and keep comfortable for breathing

If experiencing respiratory symptoms: Call a POISON CENTER/doctor

Take off contaminated clothing and wash it before reuse

Storage

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

May cause long lasting harmful effects to aquatic life

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Cobalt	7440-48-4	50
Chromium	7440-47-3	20
Tungsten	7440-33-7	15
Nickel	7440-02-0	10
Iron	7439-89-6	3
Manganese	7439-96-5	1.5

4. First-aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Haynes® 25 gauze

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Clean mouth with water and drink afterwards plenty of water. Get medical attention if Ingestion

symptoms occur.

None reasonably foreseeable. . May cause allergy or asthma symptoms or breathing Most important symptoms/effects

> difficulties if inhaled. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain or flushing

Notes to Physician Treat symptomatically

Fire-fighting measures

Suitable Extinguishing Media approved class D extinguishers. Do not use water or foam.

No information available

Unsuitable Extinguishing Media Water may be ineffective

No information available **Flash Point** Method -No information available

Autoignition Temperature

Explosion Limits

No data available Upper Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Nickel oxides. Tungsten oxides. Manganese oxides. Iron oxides. Cobalt oxides. Chromium oxide.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
3	0	0	-

Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust

formation. No special precautions required.

Environmental Precautions Do not flush into surface water or sanitary sewer system. Should not be released into the

environment. Do not allow material to contaminate ground water system.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed

containers for disposal. Pick up and transfer to properly labelled containers. Up

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.
Storage.	Keep in a dry place. Keep away from acids. Incompatible Materials. Acids. Oxidizing agent.

8. Exposure controls / personal protection

Exposure Guidelines

Component	Alberta		Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH
		Columbia					
Cobalt	TWA: 0.02	TWA: 0.02	TWA: 0.02	TWA: 0.02	TWA: 0.02	(Vacated) TWA:	IDLH: 20 mg/m ³
	mg/m³	mg/m³	mg/m³	mg/m³	mg/m³	0.05 mg/m ³	TWA: 0.05
		-		-		TWA: 0.1 mg/m ³	mg/m³
Chromium	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	(Vacated) TWA:	IDLH: 250
		_	_	_	_	1 mg/m ³	mg/m³
						TWA: 1 mg/m ³	TWA: 0.5 mg/m ³
Tungsten	TWA: 5 mg/m ³	TWA: 3 mg/m ³	TWA: 3 mg/m ³	TWA: 5 mg/m ³	TWA: 3 mg/m ³	(Vacated) TWA:	TWA: 5 mg/m ³
	STEL: 10 mg/m ³	STEL: 10 mg/m ³		STEL: 10 mg/m ³		5 mg/m ³	STEL: 10 mg/m ³
						(Vacated) STEL:	
						10 mg/m ³	
Nickel	TWA: 1.5 mg/m ³	TWA: 0.05	TWA: 1 mg/m ³	TWA: 1.5 mg/m ³	TWA: 1.5 mg/m ³	(Vacated) TWA:	IDLH: 10 mg/m ³
		mg/m³		_	_	1 mg/m ³	TWA: 0.015
						TWA: 1 mg/m ³	mg/m³
Manganese	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³	TWA: 0.02	(Vacated) TWA:	IDLH: 500
1		TWA: 0.02	TWA: 0.02	Ū	mg/m³	1 mg/m ³	mg/m³
		mg/m³	mg/m³		TWA: 0.1 mg/m ³	Ceiling: 5 mg/m ³	TWA: 1 mg/m ³
		Ü	TWA: 0.1 mg/m ³			(Vacated) STEL:	STEL: 3 mg/m ³
			, and the second			3 mg/m ³	•
						(Vacated)	
						Ceiling: 5 mg/m ³	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures None under normal use conditions.

Personal protective equipment

Eye Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

FN166

Hand Protection No special protective equipment required

Glove material	Breakthrough time	Glove thickness	Glove comments
Nitrile rubber	See manufacturers	-	Splash protection only
	recommendations		

Respiratory Protection

No special protective equipment required.

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

Haynes® 25 gauze

9. Physical and chemical properties

Physical State Solid

Appearance
Odor
No information available
No data available

Boiling Point/Range
No information available
Flash Point
Evaporation Rate
No information available
Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

Upper No data available
Lower No data available
Vapor Pressure <=1100 hPa @ 50 °C

Vapor DensityNot applicableSpecific GravityNo information availableSolubilityInsoluble in waterPartition coefficient; n-octanol/waterNo data available

Autoignition TemperatureNo information availableDecomposition TemperatureNo information available

Viscosity Not applicable

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Acids, Oxidizing agent

Hazardous Decomposition Products Nickel oxides, Tungsten oxides, Manganese oxides, Iron oxides, Cobalt oxides, Chromium

oxide

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Oral LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Dermal LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Mist LC50

Based on ATE data, the classification criteria are not met. ATE > 5 mg/l.

Component Information

	Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
	Cobalt	LD50 = 6171 mg/kg (Rat)	Not listed	LC50 < 0.05 mg/L (Rat) 4 h		
	Tungsten	Not listed	LD50 > 2000 mg/kg (Rat)	Not listed		
	Nickel	LD50 > 9000 mg/kg (Rat)	Not listed	LC50 > 10.2 mg/L (Rat) 1 h		
	Iron	7500 mg/kg (Rat)	Not listed	Not listed		
ı	Manganese	LD50 = 9 g/kg (Rat)	Not listed	LC50 > 5.14 mg/L (Rat) 4 h		

Toxicologically Synergistic No information available

Haynes® 25 gauze

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available Irritation Sensitization No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Cobalt	7440-48-4	Group 2A	Reasonably Anticipated	A3	Х	A3
Chromium	7440-47-3	Not listed	Not listed	Not listed	Not listed	Not listed
Tungsten	7440-33-7	Not listed	Not listed	Not listed	Not listed	Not listed
Nickel	7440-02-0	Group 2B	Reasonably Anticipated	Not listed	Х	Not listed
Iron	7439-89-6	Not listed	Not listed	Not listed	Not listed	Not listed
Manganese	7439-96-5	Not listed	Not listed	Not listed	Not listed	Not listed

IARC (International Agency for Research on Cancer)

NTP: (National Toxicity Program)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Mexico - Occupational Exposure Limits - Carcinogens

Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen A5 - Not Suspected as a Human Carcinogen

Mutagenic Effects No information available

No information available. **Reproductive Effects**

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known STOT - repeated exposure Lungs

No information available **Aspiration hazard**

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

No information available **Endocrine Disruptor Information**

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

The product contains following substances which are hazardous for the environment. Contains a substance which is:. Very toxic to aquatic organisms. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component Freshwater Algae Freshwater Fish	Microtox	Water Flea
--	----------	------------

Cobalt	Not listed	LC50: > 100 mg/L, 96h static (Brachydanio rerio)	Not listed	Not listed
Nickel	EC50 = 0.1 mg/L 72h EC50 = 0.18 mg/L 72h	LC50: > 100 mg/L, 96h (Brachydanio rerio) LC50: = 1.3 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 10.4 mg/L, 96h static (Cyprinus carpio)	Not listed	EC50 = 510 μg/L 96h
Manganese	Not listed	LC50: > 3.6 mg/L, 96h semi-static (Oncorhynchus mykiss)	Not listed	Not listed

Persistence and Degradability Insoluble in

Insoluble in water May persist

Bioaccumulation/ Accumulation N

No information available.

Mobility

Is not likely mobile in the environment due its low water solubility.

Component	log Pow
Cobalt	5

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDG/IMONot regulated

15. Regulatory information

International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Cobalt	7440-48-4	Х	-	Х	ACTIVE	231-158-0	-	-
Chromium	7440-47-3	Х	-	Х	ACTIVE	231-157-5	-	-
Tungsten	7440-33-7	Х	-	Х	ACTIVE	231-143-9	-	-
Nickel	7440-02-0	Х	-	Х	ACTIVE	231-111-4	-	-
Iron	7439-89-6	Х	-	Х	ACTIVE	231-096-4	-	-
Manganese	7439-96-5	Х	-	X	ACTIVE	231-105-1	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Cobalt	7440-48-4	X	KE-06060	X	-	Х	Х	Х	Х
Chromium	7440-47-3	Х	KE-05970	Х	-	X	Х	Х	Х
Tungsten	7440-33-7	Х	KE-35000	Х	-	Х	Х	Х	Х
Nickel	7440-02-0	Х	KE-25818	Х	-	Х	Х	Х	Х
Iron	7439-89-6	Х	KE-21059	X	-	Х	Х	Х	Х
Manganese	7439-96-5	X	KE-22999	Х	-	Х	Х	Х	Х

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances **ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
Cobalt	Part 1, Group B Substance	Schedule I	Subject to Monitoring and Surveillance Activities
Chromium	Part 1, Group A Substance		
Nickel	Part 1, Group A Substance		
Manganese	Part 1, Group A Substance		

Legend

NPRI - National Pollutant Release Inventory

Other International Regulations

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Cobalt	-	Use restricted. See item 30. (see link for restriction details) Use restricted. See item 28. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	
Chromium	-	Use restricted. See item 75. (see link for restriction details)	-
Nickel	-	Use restricted. See item 27. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	<u>-</u>

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous
					Substances (RoHS)
Cobalt	7440-48-4	Listed	Not applicable	Not applicable	Not applicable
Chromium	7440-47-3	Listed	Not applicable	Not applicable	Not applicable
Tungsten	7440-33-7	Listed	Not applicable	Not applicable	Not applicable
Nickel	7440-02-0	Listed	Not applicable	Not applicable	Not applicable
Iron	7439-89-6	Listed	Not applicable	Not applicable	Not applicable
Manganese	7439-96-5	Listed	Not applicable	Not applicable	Not applicable

Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Cobalt	7440-48-4	Not applicable	Not applicable	Not applicable	Not applicable

Chromium	7440-47-3	Not applicable	Not applicable	Not applicable	Not applicable
Tungsten	7440-33-7	Not applicable	Not applicable	Not applicable	Not applicable
Nickel	7440-02-0	Not applicable	Not applicable	Not applicable	Not applicable
Iron	7439-89-6	Not applicable	Not applicable	Not applicable	Not applicable
Manganese	7439-96-5	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By Product Safety Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Creation Date
 25-July-2018

 Revision Date
 02-April-2024

 Print Date
 02-April-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS