

Classified as hazardous in accordance with the criteria of EPA New Zealand

Section 1 - Identification

Product Identifier

Product Name Karl Fischer Composite T2, for volumetric one-component titration

Recommended Use Laboratory chemicals. Uses advised against No Information available

Product Code 47137

Address Thermo Fisher Scientific New Zealand Ltd

> 244 Bush Road, Albany. Auckland, New Zealand

CHEMTREC® Emergency Tel.

09 980 6780 or +64 9 980 6780

Telephone / Fax Numbers Tel: 09 980 6700

Fax: 09 980 6788

E-mail address ANZinfo@thermofisher.com

Section 2 - Hazard(s) Identification

Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

GHS Classification

Physical hazards

Category 4 Flammable liquids

Substances/mixtures corrosive to metal Category 1

Health hazards

Acute Inhalation Toxicity - Vapors Category 3 Category 1 B Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Category 1 Respiratory Sensitization Category 1 Skin Sensitization Category 1 Reproductive Toxicity Category 1B Specific target organ toxicity - (single exposure) Category 1

Specific target organ toxicity - (repeated exposure) Category 1

Environmental hazards

Chronic aquatic toxicity Category 2

Label Elements

ALFAA47137 Version 3 20-Jun-2024 Page 1/11



Signal Word

Danger

Hazard Statements

H227 - Combustible liquid

H314 - Causes severe skin burns and eye damage

H331 - Toxic if inhaled

H360 - May damage fertility or the unborn child

H370 - Causes damage to organs

H290 - May be corrosive to metals

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H372 - Causes damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P363 - Wash contaminated clothing before reuse

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

This product does not contain any known or suspected endocrine disruptors

Toxic to terrestrial vertebrates

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Diethylene glycol monoethyl ether	111-90-0	62.5
1-Imidazole	288-32-4	15.0
Sulfur dioxide	7446-09-5	12.5
lodine	7553-56-2	10.0

ALFAA47137 Version 3 20-Jun-2024 Page 2 / 11

Section 4 - First Aid Measures

Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

New Zealand Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Inhalation If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim

ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh

air. Immediate medical attention is required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Self-Protection of the First Aider No special precautions required.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Notes to Physician Treat symptomatically. Symptoms may be delayed.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Carbon dioxide (CO₂). Powder. Water spray. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Water mist may be used to cool closed containers. CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Sulfur oxides, Hydrogen iodide.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Section 6 - Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Emergency procedures

ALFAA47137 Version 3 20-Jun-2024 Page 3 / 11

Karl Fischer Composite T2, for volumetric one-component titration

SAFETY DATA SHEET

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions

Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Advice on safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Corrosives area.

Incompatible Materials

Acids. Reducing Agent. Water. Acid chlorides. Acid anhydrides. Oxidizing agent.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AS 1940-2004 - The storage and handling of flammable and combustible liquids

Section 8 - Exposure Controls and Personal Protection

Control parameters

Exposure limits

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

Component	New Zealand WEL	Australia	ACGIH TLV	The United Kingdom
Sulfur dioxide	STEL: 0.25 ppm	STEL: 5 ppm	STEL: 0.25 ppm	STEL: 1 ppm 15 min
	STEL: 0.66 mg/m ³	STEL: 13 mg/m ³		STEL: 2.7 mg/m ³ 15 min
		TWA: 2 ppm		TWA: 0.5 ppm 8 hr
		TWA: 5.2 mg/m ³		TWA: 1.3 mg/m ³ 8 hr
lodine	TWA: 0.01 ppm		TWA: 0.001 ppm	STEL: 0.1 ppm; 1.1mg/m ³
	TWA: 0.05 mg/m ³		Skin	
	Ceiling: 0.1 ppm			

ALFAA47137 Version 3 20-Jun-2024 Page 4 / 11

Ceiling: 1 mg/m ³		

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering Measures

None under normal use conditions. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Individual protection measures, such as personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Viton (R).	See manufacturers	-	AS/NZS 2161	(minimum requirement)
	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Recommended Filter type: Particle filter (or AUS/NZ equivalent)

Recommended half mask:- Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Liquid

Appearance Dark brown

Odor No information available
Odor Threshold No data available
pH Not applicable

Melting Point/Range
No data available
Softening Point
No data available
No data available
202 °C / 395.6 °F
Sombolith (liquid)

Flammability (liquid) Combustible liquid On basis of test data

Flammability (solid,gas) Not applicable Liquid Explosion Limits No data available

ALFAA47137 Version 3 20-Jun-2024 Page 5/11

@ 20 °C

(Air = 1.0)

Liquid

92 °C / 197.6 °F **Flash Point** Method - No information available

No data available **Autoignition Temperature Decomposition Temperature** No data available **Viscosity** No data available **Immiscible**

Water Solubility

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Diethylene glycol monoethyl ether -0.8 1-Imidazole -0.02 Iodine 2.49

Vapor Pressure 23 hPa @ 20 °C

Density / Specific Gravity 1.1 g/cm3 **Bulk Density** Not applicable **Vapor Density** No data available

Particle characteristics Not applicable (liquid)

Other information

Explosive Properties explosive air/vapour mixtures possible

Section 10 - Stability and Reactivity

None known, based on information available Reactivity

Stability Moisture sensitive.

Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

Hazardous Polymerization No information available.

Hazardous Reactions None under normal processing.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition.

Acids, Reducing Agent, Water, Acid chlorides, Acid anhydrides, Oxidizing agent. **Incompatible Materials**

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO₂). Nitrogen oxides (NOx). Sulfur oxides.

Hydrogen iodide.

Section 11 - Toxicological Information

Acute Effects

Information on likely routes of exposure

Product Information

Avoid breathing vapors or mists. Harmful by inhalation. Inhalation

Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including **Eyes**

blindness. Vapor may cause irritation.

Avoid contact with skin. Causes burns. Skin Corrosion/Irritation. Prolonged skin contact Skin

may defat the skin and produce dermatitis.

May be harmful if swallowed. Ingestion

Numerical measures of toxicity

ALFAA47137 Version 3 20-Jun-2024 Page 6/11

(a) acute toxicity:

Oral Based on available data, the classification criteria are not met
Dermal Based on available data, the classification criteria are not met

Inhalation Category 3

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Diethylene glycol monoethyl ether	6031 mg/kg (Rat)	9143 mg/kg (Rabbit) 4200 µL/kg(Rabbit)	LC50 > 5240 mg/m ³ (Rat) 4 h
		6 mL/kg (Rat)	
1-Imidazole	970 mg/kg (Rat)	-	-
Sulfur dioxide			Per CGA P-20: 2500 ppm/1hr (
			Rat)
lodine	315 mg/kg (Rat)	1425 mg/kg (Rabbit)	4.588 mg/L 4h (Rat)

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Category 1B

(h) STOT-single exposure; Category 1

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; No data available

Symptoms / effects, both acute and delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

Section 12 - Ecological Information

Ecotoxicity

Aquatic ecotoxicityThe product contains following substances which are hazardous for the environment.
Contains a substance which is:. Very toxic to aquatic organisms.

	Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Ī	Diethylene glycol monoethyl ether	LC50: 11600 - 16700	EC50: 3940 - 4670		
1		mg/L, 96h flow-through	mg/L, 48h (Daphnia		

ALFAA47137 Version 3 20-Jun-2024 Page 7 / 11

	(Pimephales promelas) LC50: 11400 - 15700 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: 19100 - 23900 mg/L, 96h flow-through (Lepomis macrochirus) LC50: = 10000 mg/L, 96h static (Lepomis macrochirus)	magna)		
1-Imidazole		EC50: = 341.5 mg/L, 48h (Daphnia magna)	EC50: = 82 mg/L, 96h (Desmodesmus subspicatus) EC50: = 130 mg/L, 72h (Desmodesmus subspicatus)	= 1200 mg/L EC50 Pseudomonas putida 17 h = 231 mg/L EC50 Photobacterium phosphoreum 30 min
lodine	Oncorhynchus mykiss: LC50 = 1,7 mg/l/96 h	EC50 = 0,2 mg/l/48 h	-	-

Terrestrial ecotoxicity

There is no data for this product

Persistence and Degradability

Persistence Immiscible with water, May persist, based on information available.

Degradation in sewage treatment

plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative Potential May have some potential to bioaccumulate

Component	log Pow	Bioconcentration factor (BCF)
Diethylene glycol monoethyl ether	-0.8	No data available
1-Imidazole	-0.02	No data available
Iodine	2.49	No data available

Mobility Spillage unlikely to penetrate soil. The product is insoluble and sinks in water. The product

evaporates slowly. Is not likely mobile in the environment due its low water solubility.

Spillage unlikely to penetrate soil

Other adverse effects

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste treatment methods

Waste from Residues/Unused Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information

Disposal agencies or waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Regulations. Do not flush to sewer. Waste codes should be

ALFAA47137 Version 3 20-Jun-2024 Page 8/11

assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

Section 14 - Transport Information

Component	Hazchem Code
Sulfur dioxide	2RE
7446-09-5 (12.5)	
lodine	2WE
7553-56-2 (10.0)	

NZS 5433:2020

UN-No UN3267

Proper Shipping Name CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

Technical Shipping Name (Imidazole)

Hazard Class 8
Packing Group III

<u>IATA</u>

UN-No UN3267

Proper Shipping Name CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

Technical Shipping Name (Imidazole)

Hazard Class 8
Packing Group

IMDG/IMO

UN-No UN3267

Proper Shipping Name CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

Technical Shipping Name (Imidazole)

Hazard Class 8
Packing Group

Environmental hazards No hazards identified

Transport in bulk according to Annex II of MARPOL 73/78 and the

IBC Code

Not applicable, packaged goods

Special PrecautionsNo special precautions required. Please refer to the applicable dangerous goods

regulations for additional information.

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

ALFAA47137 Version 3 20-Jun-2024 Page 9 / 11

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
1-Imidazole	-	Use restricted. See entry 30. (see link for restriction details) Use restricted. See entry 75. (see link for restriction details)	-
Sulfur dioxide	-	Use restricted. See entry 75. (see link for restriction details)	-
lodine	-	Use restricted. See entry 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Taiwan (TCSI), Japan (ISHL), New Zealand (NZIoC), Japan (ISHL). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	NZIoC	AICS	EINECS	ELINCS	NLP	KECL	IECSC	TCSI
Diethylene glycol monoethyl ether	111-90-0	Х	Х	203-919-7	-	-	KE-10467	X	Χ
1-Imidazole	288-32-4	Х	Х	206-019-2	-	-	KE-20937	Х	Х
Sulfur dioxide	7446-09-5	Х	Х	231-195-2	-	-	KE-32567	X	Χ
Iodine	7553-56-2	X	X	231-442-4	_	_	KF-21023	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	PICCS	ISHL	ENCS
Diethylene glycol monoethyl ether	111-90-0	Х	ACTIVE	Х	-	Х	Х	Х
1-Imidazole	288-32-4	Х	ACTIVE	X	-	X	Х	X
Sulfur dioxide	7446-09-5	Х	ACTIVE	X	-	Χ	X	Х
Iodine	7553-56-2	Х	ACTIVE	Х	-	Х	-	Х

Legend: X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Section 16 - Other Information

This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

Legend

ALFAA47137 Version 3 20-Jun-2024 Page 10 / 11

Karl Fischer Composite T2, for volumetric one-component titration

SAFETY DATA SHEET

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

NZS 5433:2020 - Transport of Dangerous Goods on Land

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% **WEL** - Workplace Exposure Limit

DNEL - Derived No Effect Level

POW - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

AICS - Australian Inventory of Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

PNEC - Predicted No Effect Concentration

OECD - Organisation for Economic Co-operation and Development **IMO/IMDG** - International Maritime Organization/International Maritime

Dangerous Goods Code

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand

EPA - Assigning a product to an existing HSNO approval guide

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data
Health Hazards Calculation method
Environmental hazards Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Revision Date 20-Jun-2024

Revision Summary New emergency telephone response service provider

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

ALFAA47137 Version 3 20-Jun-2024 Page 11 / 11