

SAFETY DATA SHEET

Creation Date 28-Nov-2010 Revision Date 24-Dec-2021 Revision Number 8

1. Identification

Product Name Copper(II) chloride dihydrate

Cat No.: C454-3; C454-500

CAS No 10125-13-0

Synonyms Cupric chloride dihydrate

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Acute dermal toxicity

Skin Corrosion/Irritation

Category 4

Category 4

Category 2

Serious Eye Damage/Eye Irritation

Category 1

Label Elements

Signal Word

Danger

Hazard Statements

Causes skin irritation

Causes serious eye damage

Harmful if swallowed or in contact with skin



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Skin

IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor/physician if you feel unwell

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

| Component | CAS No | Weight % |
|--------------------------------|------------|----------|
| Copper (II) chloride dihydrate | 10125-13-0 | >95 |
| Cupric chloride | 7447-39-4 | - |

4. First-aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and

effects

Notes to Physician

Causes severe eye damage. Ingestion causes severe swelling, severe damage to the

delicate tissue and danger of perforation

Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

Autoignition Temperature

Explosion Limits

Not applicable

Upper No data available
Lower No data available
Oxidizing Properties Not oxidising

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Corrosive material. Non-combustible. Thermal decomposition can lead to release of irritating gases and vapors. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Copper oxides. Hydrogen chloride gas.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 3 | 0 | 1 | N/A |

6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust

formation.

Environmental Precautions Do not flush into surface water or sanitary sewer system. Do not allow material to

contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into

the environment.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed **Up** containers for disposal.

| 7. Handling and storage | | | | | | |
|-------------------------|---|--|--|--|--|--|
| Handling | Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. | | | | | |
| Storage. | Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Store contents under argon. Corrosives area. Do not store in metal containers. Store under an inert atmosphere. Protect from moisture. Incompatible Materials. Strong oxidizing agents. Metals. | | | | | |

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH IDLH | Mexico OEL (TWA) |
|----------------------|--------------------------|----------|-----------------------------|------------------|
| Copper (II) chloride | TWA: 1 mg/m ³ | | IDLH: 100 mg/m ³ | |
| dihydrate | _ | | TWA: 1 mg/m ³ | |
| Cupric chloride | TWA: 1 mg/m ³ | | IDLH: 100 mg/m ³ | |
| - | | | TWA: 1 mg/m ³ | |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection No protective equipment is needed under normal use conditions.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StateSolidAppearanceBlue greenOdorOdorless

Odor Threshold No information available

pH 3.0-3.8

Melting Point/Range598 °C / 1108.4 °FBoiling Point/Range993 °C / 1819.4 °FFlash PointNo information available

Evaporation Rate Not applicable Flammability (solid,gas) Not flammable

Flammability or explosive limits

Upper No data available
Lower No data available
Nanor Pressure

Vapor PressureNo information availableVapor DensityNot applicableSpecific Gravity2.54 (H2O=1)

Bulk Density

1.07 kg/m³

Solubility

1150 g/L @ 20 °C

Partition coefficient; n-octanol/water

Autoignition Temperature

Not applicable

Decomposition Temperature110 °CViscosityNot applicableMolecular FormulaCl2 Cu . 2 H2 O

Molecular Weight 170.48

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Hygroscopic.

Avoid dust formation. Incompatible products. Excess heat. Exposure to moist air or water. **Conditions to Avoid**

Strong oxidizing agents, Metals **Incompatible Materials**

Hazardous Decomposition Products Copper oxides, Hydrogen chloride gas

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-----------------|-----------------|------------------|-----------------|
| Cupric chloride | 584 mg/kg (Rat) | 1224 mg/kg (Rat) | Not listed |

Toxicologically Synergistic

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes, respiratory system and skin

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| | Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|---|----------------------|------------|------------|------------|------------|------------|------------|
| I | Copper (II) chloride | 10125-13-0 | Not listed |
| | dihydrate | | | | | | |
| Ī | Cupric chloride | 7447-39-4 | Not listed |

Mutagenic Effects No information available

Reproductive Effects No information available.

No information available. **Developmental Effects**

Teratogenicity No information available.

STOT - single exposure None known STOT - repeated exposure None known

No information available **Aspiration hazard**

delayed

Symptoms / effects,both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of

perforation

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|----------------------|------------------|-----------------|------------------|------------|
| Copper (II) chloride | Not listed | Not listed | = 0.16 mg/L EC50 | Not listed |
| dihydrate | | | Photobacterium | |

| | | | | phosphoreum 30 min as Cu++ = 0.27 mg/L EC50 Photobacterium phosphoreum 15 min as Cu++ = 1.29 mg/L EC50 Photobacterium phosphoreum 5 min as Cu++ | |
|----------------|----|---------------------------|--|---|---------------------|
| Cupric chloric | le | EC50: 0.12 - 0.2 mg/L/96h | LC50: 0.120-0.130 mg/L/96h (Carp) LC50: 0.9 mg/L/96h (Bluegill sunfish) LC50: 0.08 mg/L/96h (Rainbow trout) | | EC50: 0.04 mg/L/48h |

Persistence and Degradability May persist based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN2802

Proper Shipping Name COPPER CHLORIDE

Hazard Class 8
Packing Group III

TDG

UN-No UN2802

Proper Shipping Name COPPER CHLORIDE

Hazard Class 8
Packing Group III

<u>IATA</u>

UN-No UN2802

Proper Shipping Name COPPER CHLORIDE

Hazard Class 8
Packing Group III

IMDG/IMO

UN-No UN2802

Proper Shipping Name COPPER CHLORIDE

Hazard Class 8
Packing Group III

15. Regulatory information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|--------------------------------|------------|------|--|--------------------------------|
| Copper (II) chloride dihydrate | 10125-13-0 | • | - | - |
| Cupric chloride | 7447-39-4 | X | ACTIVE | _ |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDSL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|--------------------------------|------------|-----|------|-----------|-------|------|------|------|-------|----------|
| Copper (II) chloride dihydrate | 10125-13-0 | - | - | - | Χ | - | | Х | Χ | - |
| Cupric chloride | 7447-39-4 | Х | - | 231-210-2 | Χ | Χ | Χ | Х | Χ | KE-08923 |

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

| Component | CAS No | Weight % | SARA 313 - Threshold Values % |
|--------------------------------|------------|----------|----------------------------------|
| Copper (II) chloride dihydrate | 10125-13-0 | >95 | 1.0 |
| Cupric chloride | 7447-39-4 | - | 1.0 |

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

| Component | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|--------------------------------|-------------------------------|--------------------------------|------------------------|---------------------------|
| Copper (II) chloride dihydrate | - | - | X | - |
| Cupric chloride | X | 10 lb | X | - |

Clean Air Act Not applicable

OSHA - Occupational Safety and

Not applicable

Health Administration

CERCLA

| Component | Hazardous Substances RQs | CERCLA EHS RQs | |
|-----------------|--------------------------|----------------|--|
| Cupric chloride | 10 lb | - | |

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|----------------------|---------------|------------|--------------|----------|--------------|
| Copper (II) chloride | - | X | X | - | - |
| dihydrate | | | | | |
| Cupric chloride | X | X | X | = | = |

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant Y

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|--------------------------------|------------|----------------|---------------------------------|------------------------------|--|
| Copper (II) chloride dihydrate | 10125-13-0 | Not applicable | Not applicable | Not applicable | Not applicable |
| Cupric chloride | 7447-39-4 | Listed | Not applicable | Not applicable | Not applicable |

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities | (2012/18/EC) - | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|--------------------------------|------------|---|-----------------------------------|-------------------------------|---------------------------------------|
| | | for Major Accident Notification | for Safety Report Requirements | | |
| Copper (II) chloride dihydrate | 10125-13-0 | Not applicable | Not applicable | Not applicable | Annex I - Y22 |
| Cupric chloride | 7447-39-4 | Not applicable | Not applicable | Not applicable | Annex I - Y22 |

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 28-Nov-2010

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

Revision SummaryThis document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS