

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

### Section 1 - Identification

Product Name Silica, amorphous

Product Code HAC1055-99, HAC1073-99, HAC14545-99, HAC14554-00, HAC1480-02, HAC20633-00,

HAC20762-66, HAC21074-69, HAC2227-02, HAC2254-01, HAC22723-00, HAC22725-00, HAC24444-00, HAC24598-00, HAC24711-00, HAC26870-00, HAC26872-00, TIN414350,

TIN147480, TIN503500, TIN515

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179. Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National

Code of Practice for Chemicals of Security Concern.

### Section 2 - Hazard(s) Identification

#### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

No hazards identified

**Health hazards** 

Skin Corrosion/Irritation Category 2
Serious Eye Damage/Eye Irritation Category 2

**Environmental hazards** 

Chronic aquatic toxicity Category 3

**Label Elements** 

AUS-004658 Version 3 12-Mar-2025 Page 1/11



Signal Word Warning

#### **Hazard Statements**

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H412 - Harmful to aquatic life with long lasting effects

#### **Precautionary Statements**

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P337 + P313 - If eye irritation persists: Get medical advice/attention

P362 + P364 - Take off contaminated clothing and wash it before reuse

P403 - Store in a well-ventilated place

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other information

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

# Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	99
Potassium iodide	7681-11-0	99
Sulfamic acid	5329-14-6	85
Sodium thiosulfate	7772-98-7	60
Sodium chloride	7647-14-5	25
1,2-Propylene glycol	57-55-6	10
Soluble Starch	9005-84-9	1
Silica, amorphous	7631-86-9	1
Salicylic acid	69-72-7	0.2

# Section 4 - First Aid Measures

**Inhalation** Remove to fresh air.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

AUS-004658 Version 3 12-Mar-2025 Page 2 / 11

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

No information available.

Notes to Physician Treat symptomatically.

# Section 5 - Fire Fighting Measures

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### Specific Hazards Arising from the Chemical

None reasonably foreseeable.

#### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### Section 6 - Accidental Release Measures

#### **Emergency procedures**

Ensure adequate ventilation.

#### **Environmental Precautions**

See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage. Do not flush into surface water or sanitary sewer system.

#### Methods for Containment and Clean Up

Clean-up methods - small spillage

#### Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

### Section 7 - Handling and Storage

#### **Precautions for Safe Handling**

Ensure adequate ventilation.

#### Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AUS-004658 Version 3 12-Mar-2025 Page 3/11

# Section 8 - Exposure Controls and Personal Protection

#### **Exposure limits**

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)]

updated in August, 2005. Safe Work Australia

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Potassium iodide			TWA: 0.01 mg/m <sup>3</sup>		
			Skin		
1,2-Propylene glycol	TWA: 150 ppm	TWA: 150 ppm		STEL: 450 ppm 15 min	
	TWA: 474 mg/m <sup>3</sup>	TWA: 474 mg/m <sup>3</sup>		STEL: 1422 mg/m <sup>3</sup> 15	
	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>		min	
				STEL: 30 mg/m <sup>3</sup> 15 min	
				TWA: 150 ppm 8 hr	
				TWA: 474 mg/m <sup>3</sup> 8 hr	
				TWA: 10 mg/m <sup>3</sup> 8 hr	
Silica, amorphous	TWA: 2 mg/m <sup>3</sup>			STEL: 18 mg/m <sup>3</sup> 15 min	TWA: 4 mg/m³ (8
				STEL: 7.2 mg/m <sup>3</sup> 15 min	Stunden). AGW -
				TWA: 6 mg/m <sup>3</sup> 8 hr	TWA: 0.02 mg/m <sup>3</sup> (8
				TWA: 2.4 mg/m <sup>3</sup> 8 hr	Stunden). MAK
					Höhepunkt: 0.16 mg/m <sup>3</sup>

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### **Exposure Controls**

#### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Disposable gloves	See manufacturers	-	AS/NZS 2161	(minimum requirement)
	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

AUS-004658 Version 3 12-Mar-2025 Page 4/11

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

(Air = 1.0)

and maintenance of repiratory protective devices (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains.

### Section 9 - Physical and Chemical Properties

#### Information on basic physical and chemical properties

**Appearance** Varies

Physical State For complete information see the

following SDS's

Odor No information available

Odor Threshold No data available

**pH** 0.8

Melting Point/Range205 °C / 401 °FSoftening PointNo data availableBoiling Point/RangeNot applicable

Flash Point Not applicable Method - No information available

Evaporation RateNo data availableFlammability (solid,gas)No information availableExplosion LimitsNo data available

Vapor PressureNo data availableVapor DensityNo data available

Specific Gravity / Density No data available
No data available

Bulk Density
No data available
Water Solubility
Soluble in water

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowPotassium iodide0.04Sulfamic acid0.1Sodium thiosulfate-4.351,2-Propylene glycol-0.9Salicylic acid2.25

Autoignition TemperatureNo data availableDecomposition TemperatureNo data availableViscosityNo data availableExplosive PropertiesNo information availableOxidizing PropertiesNo information available

Other information

# Section 10 - Stability and Reactivity

**Reactivity** None known, based on information available

**Stability** Stable under normal conditions.

**Conditions to Avoid** Heat, flames and sparks.

Incompatible Materials None known.

Hazardous Decomposition Products None under normal use conditions.

AUS-004658 Version 3 12-Mar-2025 Page 5/11

**Hazardous Polymerization** No information available.

# Section 11 - Toxicological Information

#### **Information on Toxicological Effects**

#### **Product Information**

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Potassium iodide	2779 mg/kg (Rat)	LD50 > 2000 mg/kg (Rat)	
Sulfamic acid	3160 mg/kg (Rat)	>2000 mg/kg (Rat)	
Sodium thiosulfate	>8000 mg/kg (Rat)		
Sodium chloride	LD50 = 3550 mg/kg (Rat)	LD50 > 10000 mg/kg ( Rabbit )	LC50 > 42 mg/L (Rat) 1 h
1,2-Propylene glycol	LD50 = 20 g/kg ( Rat )	LD50 = 20800 mg/kg ( Rabbit )	
Silica, amorphous	>5000 mg/kg (Rat)	>2000 mg/kg (Rabbit)	-
Salicylic acid	891 mg/kg (Rat)	> 2 g/kg (Rat)	>0.9 mg/L (Rat)1 h

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

**Respiratory Skin**No data available
No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects,both acute and No information available

delayed

# Section 12 - Ecological Information

AUS-004658 Version 3 12-Mar-2025 Page 6/11

# **Ecotoxicity effects**Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Potassium iodide	Onchorhynchus mykiss: LC50: 3200 mg/L/120h	-	-	-
Sulfamic acid	LC50: 70.3 mg/L/96h (Pimephales promelas) OECD 203	EC50: 71.6 mg/L/48h (Daphnia magna) OECD 202	EC50: 48 mg/L/72h (Scenedesmus subspicatus) OECD 201	EC50: >200 mg/L/3h (Activated sludge)
Sodium chloride	Pimephals prome: LC50: 7650 mg/L/96h	EC50: 1000 mg/L/48h		
1,2-Propylene glycol	LC50: = 51600 mg/L, 96h static (Oncorhynchus mykiss) LC50: 41 - 47 mL/L, 96h static (Oncorhynchus mykiss) LC50: = 51400 mg/L, 96h static (Pimephales promelas) LC50: = 710 mg/L, 96h (Pimephales promelas)		EC50: = 19000 mg/L, 96h (Pseudokirchneriella subcapitata)	= 710 mg/L EC50 Photobacterium phosphoreum 30 min
Silica, amorphous	LC50: 5000 mg/L/96 h	EC50: 7600 mg/L/48h	EC50: 440 mg/L/72h	
Salicylic acid		EC50: 105 mg/L/24h		EC50 = 138 mg/L 1 h EC50 = 214 mg/L 5 min EC50 = 552 mg/L 1 h EC50 = 78 mg/L 210 min

**Persistence and Degradability** 

**Persistence** 

Degradation in sewage treatment plant
Bioaccumulative Potential

Soluble in water, Persistence is unlikely, based on information available.

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Potassium iodide	0.04	No data available
Sulfamic acid	0.1	No data available
Sodium thiosulfate	-4.35	No data available
1,2-Propylene glycol	-0.9	<1 dimensionless
Salicylic acid	2.25	>=1000 dimensionless

**Mobility** 

The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

### Section 13 - Disposal Considerations

Waste from Residues/Unused Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Solutions with low pH-value must be neutralized before discharge. Do not let this chemical enter the environment.

# Section 14 - Transport Information

AUS-004658 Version 3 12-Mar-2025 Page 7/11

#### IMDG/IMO

UN-No UN2967

Proper Shipping Name SULPHAMIC ACID

Technical Shipping Name Hypochlorite Test Kit High Range Digital Titrator

Hazard Class 8
Packing Group III

ADG

UN-No UN2967

Proper Shipping Name SULPHAMIC ACID

Technical Shipping Name Hypochlorite Test Kit High Range Digital Titrator

Hazard Class 8
Packing Group III

Component	Hazchem Code
Sulfamic acid	2X
5329-14-6 ( 85 )	

#### IATA

UN-No UN2967

Proper Shipping Name SULPHAMIC ACID

**Technical Shipping Name** Hypochlorite Test Kit High Range Digital Titrator

Hazard Class 8
Packing Group III

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

# Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

#### Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons					
Sulfamic acid - 5329-14-6	Schedule 5 listed - except its salts and derivatives; in preparations containing <=10% of Sulfamic acid					
	Schedule 6 listed - except its salts and derivatives; except when included in Schedule 5					
Salicylic acid - 69-72-7	Schedule 3 listed					

#### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Water - 7732-18-5	Present	•
Potassium iodide - 7681-11-0	Present	÷
Sulfamic acid - 5329-14-6	Present	-

AUS-004658 Version 3 12-Mar-2025 Page 8 / 11

Sodium thiosulfate - 7772-98-7	Present	-
Sodium chloride - 7647-14-5	Present	-
1,2-Propylene glycol - 57-55-6	Present	-
Soluble Starch - 9005-84-9	Present	-
Silica, amorphous - 7631-86-9	Present	-
Salicylic acid - 69-72-7	Present	-

#### Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

#### **Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Not applicable

#### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

#### **International Inventories**

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	<b>ENCS</b>	ISHL	IECSC	KECL
Water	Х	Х	231-791-2	-	Х	Х	-	Х	Х		Х	KE-35400
Potassium iodide	Х	Х	231-659-4	-	Х	Х	-	Х	Х	Х	Х	KE-29149
Sulfamic acid	X	X	226-218-8	-	Х	Χ	-	Х	Χ	Χ	Х	KE-32336
Sodium thiosulfate	Х	X	231-867-5	-	X	Х	-	Х	Х	Х	Х	KE-31633
Sodium chloride	X	X	231-598-3	-	Х	Χ	-	Х	Χ	Х	Х	KE-31387
1,2-Propylene glycol	Х	Х	200-338-0	-	Х	Х	-	Х	Х	Х	Х	KE-29267
Soluble Starch	X	Х	232-686-4	-	Х	Χ	-	Х	Х	Х	Х	KE-01773
Silica, amorphous	X	Х	231-545-4	-	X	Χ	-	Х	Х	Х	Х	KE-31032
Salicylic acid	X	X	200-712-3	-	Х	Х	-	Х	X	Х	X	KE-20367

**Legend:** X - Listed. '-' - Not Listed. XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B). **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

#### Basel convention on the control of transboundary movements of hazardous wastes and their dispoal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories of Wastes to Be Controlled
Salicylic acid - 69-72-7	Annex I - Y34	Y34 solid or solution

AUS-004658 Version 3 12-Mar-2025 Page 9 / 11

\_\_\_\_\_

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities	Seveso III Directive (2012/18/EC) - Qualifying Quantities
				for Major Accident Notification	for Safety Report Requirements
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Potassium iodide	7681-11-0	Listed	Not applicable	Not applicable	Not applicable
Sulfamic acid	5329-14-6	Listed	Not applicable	Not applicable	Not applicable
Sodium thiosulfate	7772-98-7	Listed	Not applicable	Not applicable	Not applicable
Sodium chloride	7647-14-5	Listed	Not applicable	Not applicable	Not applicable
1,2-Propylene glycol	57-55-6	Listed	Not applicable	Not applicable	Not applicable
Soluble Starch	9005-84-9	Listed	Not applicable	Not applicable	Not applicable
Silica, amorphous	7631-86-9	Listed	Not applicable	Not applicable	Not applicable
Salicylic acid	69-72-7	Listed	Not applicable	Not applicable	Not applicable

#### Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Sulfamic acid	-	Use restricted. See entry 75. (see link for restriction details)	-
		'	
Salicylic acid	-	Use restricted. See entry 75.	-
		(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

### Section 16 - Other Information

#### Legend

AICS - Australian Inventory of Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

NZS 5433:2020 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%
WEL - Workplace Exposure Limit
DNEL - Derived No Effect Level
POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists Predicted No Effect Concentration (PNEC)

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

 $\ensuremath{\mathbf{ADG}}$  - Australian Code for the Transport of Dangerous Goods by Road and Rail

**OECD** - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Revision Date 12-Mar-2025

**Revision Summary** Update to GHS format.

AUS-004658 Version 3 12-Mar-2025 Page 10 / 11

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### **End of Safety Data Sheet**

AUS-004658 Version 3 12-Mar-2025 Page 11 / 11