

SAFETY DATA SHEET

Creation Date 03-December-2010

Revision Date 24-December-2021

Revision Number 7

1. Identification

Product Name Phenol

Cat No.: AC221750000; AC221750015; AC221750025; AC221752500;

AC221755000

CAS-No 108-95-2

Synonyms Carbolic acid; Hydroxybenzene

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Importer/Distributor Manufacturer

Acros Organics Fisher Scientific Company Fisher Scientific One Reagent Lane One Reagent Lane 112 Colonnade Road. Fair Lawn, NJ 07410 Fair Lawn, NJ 07410 Ottawa, ON K2E 7L6, Tel: (201) 796-7100

Canada

Tel: 1-800-234-7437

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Category 3 Acute oral toxicity Acute dermal toxicity Category 3 Acute Inhalation Toxicity Category 3 Category 1 B Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Category 1 Germ Cell Mutagenicity Category 2 Specific target organ toxicity (single exposure) Category 3

Target Organs - Respiratory system.

Specific target organ toxicity - (repeated exposure) Category 1

Target Organs - Liver, Kidney, Blood, Central nervous system (CNS).

Label Elements

Signal Word

Danger

Hazard Statements

Toxic if swallowed, in contact with skin or if inhaled
Causes severe skin burns and eye damage
May cause respiratory irritation
May cause drowsiness and dizziness
Suspected of causing genetic defects
Causes damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER/doctor

Rinse mouth

Do NOT induce vomiting

Wash contaminated clothing before reuse

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

Light sensitive

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Phenol	108-95-2	>95

4. First-aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Phenol

Eye Contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms/effects Causes burns by all exposure routes. Symptoms of overexposure may be headache,

dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation: May cause central nervous system depression

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Water mist may be used to cool closed containers. CO 2, dry chemical, dry sand,

alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point 79 °C / 174.2 °F

Method - No information available

Autoignition Temperature 605 °C / 1121 °F

Explosion Limits

 Upper
 8.6 vol %

 Lower
 1.7 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO2).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

HealthFlammabilityInstabilityPhysical hazards421N/A

6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Evacuate personnel to safe areas. Ensure

adequate ventilation. Keep people away from and upwind of spill/leak. Avoid dust formation.

Environmental Precautions Should not be released into the environment.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

Up

7. Handling and storage

Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe (dust, vapor, mist, gas). Avoid dust

formation.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Protect from moisture. Protect from light. Corrosives area. Store under an inert atmosphere. Keep container tightly closed in a dry and well-ventilated place. Incompatible Materials. Acids. Bases. Strong oxidizing agents. Halogens. Lead. Metals.

8. Exposure controls / personal protection

Exposure Guidelines

Component	Alberta	British	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH
		Columbia					
Phenol	TWA: 5 ppm	TWA: 5 ppm	TWA: 5 ppm	TWA: 5 ppm	TWA: 5 ppm	(Vacated) TWA:	IDLH: 250 ppm
	TWA: 19 mg/m ³	Skin	Skin	TWA: 19 mg/m ³	Skin	5 ppm	TWA: 5 ppm
	Skin			Skin		(Vacated) TWA:	TWA: 19 mg/m ³
						19 mg/m ³	Ceiling: 15.6
						Skin	ppm
						TWA: 5 ppm	Ceiling: 60
						TWA: 19 mg/m ³	mg/m³

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles

Hand Protection Protective gloves Butyl rubber Neoprene

Glove material	Breakthrough time	Glove thickness	Glove comments
Natural rubber	See manufacturers	-	Splash protection only
Butyl rubber	recommendations		
Nitrile rubber			
Neoprene			
PVC			

Inspect gloves before use, observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

Respiratory Protection

Effective dust mask Filter type A.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly Recommended Filter type: Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

9. Physical and chemical properties

Physical State Crystalline Solid

Appearance Colorless - Translucent White

Odor pungent

Odor Threshold No information available

pH 6 @ 20°C 10 g/L aq.sol

 Melting Point/Range
 39 - 42 °C / 102.2 - 107.6 °F

 Boiling Point/Range
 182 °C / 359.6 °F @ 760 mmHg

Flash Point 79 °C / 174.2 °F Evaporation Rate Not applicable

Flammability (solid,gas)

No information available

Flammability or explosive limits

 Upper
 8.6 vol %

 Lower
 1.7 vol %

Vapor Pressure 0.4 mbar @ 20 °C Vapor Density Not applicable

Specific Gravity 1.070
Solubility Soluble in water

Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature

Autoignition Temperature605 °C / 1121 °FDecomposition TemperatureNo information availableViscosity3.437 mPa.s (50°C)

Molecular FormulaC6 H6 OMolecular Weight94.11

10. Stability and reactivity

No data available

Reactive Hazard Yes

Stability Hygroscopic, Light sensitive.

Conditions to Avoid Avoid dust formation. Incompatible products. Exposure to moisture. Exposure to light. Keep

away from open flames, hot surfaces and sources of ignition. Exposure to moist air or

water.

Incompatible Materials Acids, Bases, Strong oxidizing agents, Halogens, Lead, Metals

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Phenol

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Phenol Calc. ATE 60 mg/kg (Human		Calc. ATE 300 mg/kg (Human	Calc. ATE 0.5 mg/l (Human
	evidence)	evidence)	evidence)
	LD50 = 340 mg/kg (Rat)	LD50 = 660 mg/kg (Rat)	LC50 >900 mg/m ³ /8h (Rat)
	650 mg/kg (Rat; OECD 401)	850 - 1400 mg/kg (Rabbit)	-

Toxicologically Synergistic

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Phenol	108-95-2	Not listed				

Mutagenic Effects No information available

Reproductive Effects Experiments have shown reproductive toxicity effects on laboratory animals.

No information available. **Developmental Effects**

No information available. **Teratogenicity**

STOT - single exposure Respiratory system

STOT - repeated exposure Liver Kidney Blood Central nervous system (CNS)

No information available **Aspiration hazard**

delayed

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: May cause

central nervous system depression

No information available **Endocrine Disruptor Information**

Other Adverse Effects Tumorigenic effects have been reported in experimental animals. See actual entry in

RTECS for complete information.

12. Ecological information

Ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

(Pseudokirchneriella subcapitata) EC50: 187 - 279 mg/L, 72h static (Desmodesmus subspicatus) EC50: 46.42 mg/L, 96h EC50 = 25.61 mg/L 15 min EC50 = 28.8 mg/L 5 min EC50 = 31.6 mg/L 15 min EC50 = 31.	Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
(Pseudokirchneriella subcapitata)	•	EC50: 0.0188 - 0.1044 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: 187 - 279 mg/L, 72h static (Desmodesmus subspicatus) EC50: = 46.42 mg/L, 96h (Pseudokirchneriella	4-7 mg/L LC50 96 h	EC50 21 - 36 mg/L 30 min EC50 = 23.28 mg/L 5 min EC50 = 25.61 mg/L 15 min EC50 = 28.8 mg/L 5 min	EC50: 10.2 - 15.5 mg/L, 48h (Daphnia magna)

Soluble in water Persistence is unlikely based on information available. Persistence and Degradability

Bioaccumulation/ Accumulation No information available.

Phenol

Mobility

Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Phenol	1.5

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Phenol - 108-95-2	U188	-

14. Transport information

DOT

UN-No UN1671

Proper Shipping Name PHENOL, SOLID

Hazard Class 6.1 Packing Group

TDG

UN-No UN1671

Proper Shipping Name PHENOL, SOLID

Hazard Class 6.1 Packing Group

ATA

UN-No UN1671

Proper Shipping Name PHENOL, SOLID

Hazard Class 6.1 Packing Group II

IMDG/IMO

UN-No UN1671

Proper Shipping Name PHENOL, SOLID

Hazard Class 6.1 Packing Group II

15. Regulatory information

International Inventories

	Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
ſ	Phenol	108-95-2	Х	-	Х	ACTIVE	203-632-7	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Phenol	108-95-2	Х	KE-28209	X	X	X	Х	Х	X

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Component Canada - National Pollutant Release Inventory (NPRI)		Canada's Chemicals Management Plan (CEPA)
Phenol	Part 1, Group A Substance Part 4 Substance		

Other International Regulations

Authorisation/Restrictions according to EU REACH

Component	. ,	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Phenol	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Phenol	108-95-2	Listed	Not applicable	Not applicable	Not applicable
Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Phenol	108-95-2	Not applicable	Not applicable	Not applicable	Annex I - Y39

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date03-December-2010Revision Date24-December-2021Print Date24-December-2021

Revision SummaryThis document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS