

SAFETY DATA SHEET

Section 1 - Identification

Product Name Sab Dex Agar with Chloramphenicol

Product Code R111829

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National

Code of Practice for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as not hazardous according to criteria of Safe Work Australia.

Physical hazards

No hazards identified

Health hazards

No hazards identified

Environmental hazards

No hazards identified

<u>Label Elements</u> None required

Other information

This product does not contain any known or suspected endocrine disruptors

Section 3 - Composition and Information on Ingredients

100000000111039 Version 1 05-Jul-2023 Page 1/11

Trace

Component CAS No Weight % Water 7732-18-5 93 Copper (II) sulfate pentahydrate (1:1:5) 7758-99-8 Trace Citric acid 77-92-9 Trace 64-17-5 Trace Ethyl alcohol 67-56-1 Methyl alcohol Trace

56-75-7

Section 4 - First Aid Measures

Chloramphenicol

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Self-Protection of the First Aider No special precautions required.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

None reasonably foreseeable. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Notes to Physician Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 - Accidental Release Measures

Emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

Environmental Precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Up

100000000111039 Version 1 05-Jul-2023 Page 2/11

Clean-up methods - small spillage

Sweep up and shovel into suitable containers for disposal. Provide adequate ventilation.

Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

Exposure limits

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)]

updated in August, 2005. Safe Work Australia

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Copper (II) sulfate			TWA: 1 mg/m ³	STEL: 2 mg/m ³ 15 min	TWA: 0.01 mg/m ³ (8
pentahydrate (1:1:5)				TWA: 1 mg/m ³ 8 hr	Stunden). MAK
					Höhepunkt: 0.02 mg/m ³
Citric acid					TWA: 2 mg/m ³ (8
					Stunden). AGW -
					exposure factor 2
					TWA: 2 mg/m³ (8
					Stunden). MAK
					Höhepunkt: 4 mg/m ³
Ethyl alcohol	TWA: 1000 ppm	TWA: 1000 ppm	STEL: 1000 ppm	TWA: 1000 ppm TWA;	200 ppm TWA MAK;
	TWA: 1880 mg/m ³	TWA: 1880 mg/m ³		1920 mg/m ³ TWA	380 mg/m³ TWA MAK
				WEL - STEL: 3000 ppm	
				STEL; 5760 mg/m ³	
				STEL	
Methyl alcohol	STEL: 250 ppm	TWA: 200 ppm	TWA: 200 ppm	WEL - TWA: 200 ppm	100 ppm TWA MAK;
	STEL: 328 mg/m ³	TWA: 262 mg/m ³	STEL: 250 ppm	TWA; 266 mg/m ³ TWA	130 mg/m³ TWA
	TWA: 200 ppm	STEL: 250 ppm	Skin	WEL - STEL: 250 ppm	MAKSkin absorber
	TWA: 262 mg/m ³	STEL: 328 mg/m ³		STEL; 333 mg/m ³ STEL	
		Skin			

Biological limit values

NZ - Substances assigned Biological Exposure Indices in the New Zealand Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

100000000111039 Version 1 05-Jul-2023 Page 3 / 11

Component Australia New Zealand **European Union United Kingdom** Germany Methyl alcohol 15 mg/L (urine) end of Methanol: 15 mg/L urine shift (Methyl alcohol) (end of shift) Methanol: 15 mg/L urine (for long-term exposures: at the end of the shift after several shifts)

Exposure Controls Engineering Measures

None under normal use conditions.

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard

AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments	
Disposable gloves	See manufacturers	-	AS/NZS 2161	(minimum requirement)	
	recommendations				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

Method - No information available

and maintenance of repiratory protective devices

Recommended Filter type: Particle filter (or AUS/NZ equivalent)

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls No information available.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance

Physical State Gel

Odor
Odor Threshold
PH
No information available
No data available
No information available
No information available
No data available
No data available
No data available

Softening Point No data available
Boiling Point/Range No information available
Flash Point No information available

Evaporation Rate No data available Flammability (solid,gas) No information available

Explosion Limits No data available

100000000111039 Version 1 05-Jul-2023 Page 4/11

Vapor Pressure
No data available

Vapor Density No data available (Air = 1.0)

Specific Gravity / Density

Bulk Density

Water Solubility

Solubility in other solvents

No data available
No data available
No information available
No information available

Partition Coefficient (n-octanol/water)

Component log Pow
Citric acid -1.72
Ethyl alcohol -0.32
Methyl alcohol -0.74

Autoignition Temperature
Decomposition Temperature
Viscosity
Explosive Properties
Oxidizing Properties
No data available
No data available
No information available
No information available

Other information

VOC Content(%) 0.094

Section 10 - Stability and Reactivity

Reactivity None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products, Excess heat, Avoid dust formation.

Incompatible Materials None known.

Hazardous Decomposition Products None under normal use conditions.

Hazardous Polymerization Hazardous polymerization does not occur.

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Copper (II) sulfate pentahydrate (1:1:5)	LD50 = 960 mg/kg (Rat)	LD50 > 8 g/kg (Rabbit)	
Citric acid	LD50 = 3 g/kg (Rat)	>2 g/kg (Rat)	
Ethyl alcohol	LD50 = 7060 mg/kg (Rat)		20000 ppm/10H (Rat)
Methyl alcohol	LD50 = 1187 - 2769 mg/kg (Rat)	LD50 = 17100 mg/kg (Rabbit)	LC50 = 128.2 mg/L (Rat) 4 h
Chloramphenicol	LD50 = 2500 mg/kg (Rat)		

100000000111039 Version 1 05-Jul-2023 Page 5 / 11

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

Component	Test method	Test species	Study result
Methyl alcohol	OECD Test Guideline 406	guinea pig	non-sensitising
67-56-1 (Trace)	Guinea Pig Maximisation Test		-
	(GPMT)		

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

> This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B) The table below indicates whether each agency has listed any ingredient as a carcinogen Ethanol has been shown to be carcinogenic in long-term studies only when consumed and abused as an alcoholic beverage.

Component	Australia	New Zealand	New South Wales	Western Australia	IARC	EU	UK	Germany
Chloramphenicol					Group 2A		EU Category	

(g) reproductive toxicity; No data available

Component	Test method	Test species / Duration	Study result
Methyl alcohol	OECD Test Guideline 416	Rat / Inhalation 2 Generation	NOAEC = 1.3 mg/l (air)
67-56-1 (Trace)			

No data available (h) STOT-single exposure;

(i) STOT-repeated exposure; No data available

No information available. **Target Organs**

No data available (j) aspiration hazard;

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

Section 12 - Ecological Information

Ecotoxicity effects Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants.

L	Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
ſ	Copper (II) sulfate pentahydrate (1:1:5)	Onchorhynchus mykiss:	EC50 = 0.24 mg/L/48h		Photobacterium
١		LC50 = 0.1-2.5			phosphoreum: EC50 =
١		mg/L/96h			0.25 mg/L/30min as
١					Cu++
١					Photobacterium
١					phosphoreum EC50=
L					1.3 mg/L/5 min as Cu++
١	Citric acid	Leuciscus idus: LC50 =	EC50 = 120 mg/L/72h		Photobacterium
١		440-760 mg/L/96h			phosphoreum: EC50 =
١					14 mg/L/15 min
١					

100000000111039 Version 1 05-Jul-2023 Page 6/11

SAFETY DATA SHEET

Ethyl alcohol	Fathead minnow	EC50 = 9268 mg/L/48h	EC50 (72h) = 275 mg/l	Photobacterium
	(Pimephales promelas)	EC50 = 10800 mg/L/24h	(Chlorella vulgaris)	phosphoreum:EC50 =
	LC50 = 14200 mg/l/96h	_		34634 mg/L/30 min
				Photobacterium
				phosphoreum:EC50 =
				35470 mg/L/5 min
Methyl alcohol	Pimephales promelas:	EC50 > 10000 mg/L 24h		EC50 = 39000 mg/L 25
·	LC50 > 10000 mg/L 96h			min
	_			EC50 = 40000 mg/L 15
				min
				EC50 = 43000 mg/L 5
				min

No information available Persistence and Degradability

Component	Degradability
Methyl alcohol	DT50 ~ 17.2d
67-56-1 (Trace)	>94% after 20d

Bioaccumulative Potential No information available

Component	log Pow	Bioconcentration factor (BCF)
Citric acid	-1.72	No data available
Ethyl alcohol	-0.32	No data available
Methyl alcohol	-0.74	<10 dimensionless

Mobility

No information available.

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste from Residues/Unused

Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging

Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use

empty containers.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service.

Section 14 - Transport Information

IMDG/IMO Not regulated

ADG Not regulated

Component	Hazchem Code
Ethyl alcohol	2YE
64-17-5 (Trace)	2Y
Methyl alcohol	2WE
67-56-1 (Trace)	

IATA Not regulated

No hazards identified **Environmental hazards**

Special Precautions No special precautions required

100000000111039 Version 1 05-Jul-2023 Page 7/11 Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
Copper (II) sulfate pentahydrate (1:1:5) - 7758-99-8	Schedule 4 listed - for human use except: when separately specified in these Schedules, in preparations for human internal use containing <=5 mg of Copper per recommended daily dose, or in other preparations containing <=5% of Copper compounds Schedule 5 listed - in animal feed additives except in preparations containing <=1% of Copper Schedule 6 listed - except: when separately specified in these Schedules, in preparations for human internal use containing <=5 mg of Copper per recommended daily dose, pigments where the solubility of the Copper compounds in water is <=1 g/L, in feed additives containing <=1% of Copper, or in other preparations containing <=5% of Copper compounds Schedule 6 listed - except when separately specified in these Schedules;in preparations for human internal use containing <=5 mg of Copper per recommended daily dose;pigments where the solubility of the Copper compounds in water is <=1 g/L;in feed additives containing <=5% of Copper compounds
Methyl alcohol - 67-56-1	Schedule 5 listed - except its derivatives;in preparations except a) when included in Schedule 10, or b) in preparations containing <=2% of Methanol, or c) when Methanol is present only as a denaturant of Ethanol Schedule 6 listed - except its derivatives;except a) when included in Schedule 5, or b) when included in Schedule 10, or c) in preparations containing <=2% of Methanol Schedule 10 listed
Chloramphenicol - 56-75-7	Schedule 3 listed Schedule 4 listed - except when included in Schedule 3 Schedule 4 listed - except when separately specified in these Schedules, or nisin

Australian Industrial Chemicals Introduction Scheme (AICIS)

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Water - 7732-18-5	Present	-
Copper (II) sulfate pentahydrate (1:1:5) - 7758-99-8	Present	-
Citric acid - 77-92-9	Present	-
Ethyl alcohol - 64-17-5	Present	-
Methyl alcohol - 67-56-1	Present	-

Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Chemicals of Security Concern

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Subject to reporting requirements

Component	National pollutant inventory
Ethyl alcohol - 64-17-5	10 tonne/yr. Threshold category 1
Methyl alcohol - 67-56-1	10 tonne/yr. Threshold category 1

100000000111039 Version 1 05-Jul-2023 Page 8/11

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

International Inventories

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
Water	X	X	231-791-2	-	X	Х	-	X	Х		Х	KE-35400
Copper (II) sulfate pentahydrate (1:1:5)	Х	Х	-	-	-	-	-	Х	Х		Х	-
Citric acid	X	Х	201-069-1	-	Х	Х	-	Χ	Χ	Χ	Χ	KE-20831
Ethyl alcohol	X	X	200-578-6	-	Х	Х	-	Х	Х	Χ	Х	KE-13217
Methyl alcohol	X	X	200-659-6	-	X	Х	-	Χ	Х	Χ	Х	KE-23193
Chloramphenicol	-	X	200-287-4	-	Х	Х	-	Х	Х	Χ	Х	KE-10140

Legend: X - Listed. '-' - Not Listed. XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B). KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories of Wastes to Be Controlled
Copper (II) sulfate pentahydrate (1:1:5) - 7758-99-8	Annex I - Y22	Y22
Citric acid - 77-92-9	Annex I - Y34	Y34 solid or solution
Ethyl alcohol - 64-17-5	Annex I - Y42	Y42 except Halogenated solvents

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Copper (II) sulfate pentahydrate (1:1:5)	7758-99-8	Listed	Not applicable	Not applicable	Not applicable
Citric acid	77-92-9	Listed	Not applicable	Not applicable	Not applicable
Ethyl alcohol	64-17-5	Listed	Not applicable	Not applicable	Not applicable
Methyl alcohol	67-56-1	Listed	Not applicable	500 tonne	5000 tonne
Chloramphenicol	56-75-7	Not applicable	Not applicable	Not applicable	Not applicable

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV -	REACH (1907/2006) - Annex XVII -	REACH Regulation (EC		
	Substances Subject to	Restrictions on Certain Dangerous	1907/2006) article 59 - Candidate		

100000000111039 Version 1 05-Jul-2023 Page 9 / 11

SAFETY DATA SHEET

	Authorization	Substances	List of Substances of Very High Concern (SVHC)
Copper (II) sulfate pentahydrate (1:1:5)	-	Use restricted. See item 75. (see link for restriction details)	-
Citric acid	-	Use restricted. See item 75. (see link for restriction details)	-
Methyl alcohol	-	Use restricted. See item 69. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-
Chloramphenicol	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

NZS 5433:2020 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit DNEL - Derived No Effect Level

POW - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical

Substances/EU List of Notified Chemical Substances ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

 $\ensuremath{\mathbf{ADG}}$ - Australian Code for the Transport of Dangerous Goods by Road and Rail

OECD - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards

Health Hazards

Calculation method

Environmental hazards

On basis of test data

Calculation method

Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Revision Date 05-Jul-2023 Revision Summary Not applicable.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,

100000000111039 Version 1 05-Jul-2023 Page 10 / 11

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

100000000111039 Version 1 05-Jul-2023 Page 11 / 11