

SAFETY DATA SHEET

Creation Date 25-August-2010 Revision Date 03-April-2024 Revision Number 2

1. Identification

Product Name Cyclohexanone

Cat No. : C11119

CAS-No 108-94-1

Synonyms Ketohexamethylene; Pimelic ketone.

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids
Category 3
Acute oral toxicity
Category 4
Acute dermal toxicity
Category 4
Acute Inhalation Toxicity
Skin Corrosion/Irritation
Category 2
Serious Eye Damage/Eye Irritation
Category 1
Specific target organ toxicity (single exposure)
Category 3
Target Organs - Respiratory system, Central nervous system (CNS).

Label Elements

Signal Word

Danger

Cyclohexanone

Hazard Statements

Flammable liquid and vapor
Harmful if swallowed, in contact with skin or if inhaled
Causes skin irritation
Causes serious eye damage
May cause respiratory irritation
May cause drowsiness and dizziness
Harmful if inhaled



Precautionary Statements

Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Use non-sparking tools

Take action to prevent static discharges

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER/doctor

Rinse mouth

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Take off contaminated clothing and wash it before reuse

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Cyclohexanone	108-94-1	>95

4. First-aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Cyclohexanone

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.

Inhalation Remove to fresh air. Get medical attention. If not breathing, give artificial respiration.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Difficulty in breathing. Causes eye burns. Causes severe eye damage. Symptoms of Most important symptoms/effects

overexposure may be headache, dizziness, tiredness, nausea and vomiting

Treat symptomatically Notes to Physician

Fire-fighting measures

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may **Suitable Extinguishing Media**

be used to cool closed containers.

Unsuitable Extinguishing Media Water may be ineffective

46 °C / 114.8 °F **Flash Point**

Method -CC (closed cup)

520 °C / 968 °F **Autoignition Temperature**

Explosion Limits

Upper 9.4 vol % Lower 1.10 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health **Flammability** Instability Physical hazards 2 2 0 N/A

Accidental release measures

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation. Remove all

sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions Should not be released into the environment. Do not flush into surface water or sanitary

sewer system. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Take

precautionary measures against static discharges.

7. Handling and storage

Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges. Use spark-proof tools and

explosion-proof equipment.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area. Incompatible Materials. Strong oxidizing agents. Strong acids. .

8. Exposure controls / personal protection

Exposure Guidelines

Component	Alberta	British	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH
		Columbia					
Cyclohexanone	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm	TWA: 25 ppm	TWA: 20 ppm	(Vacated) TWA:	IDLH: 700 ppm
	TWA: 80 mg/m ³	STEL: 50 ppm	STEL: 50 ppm	TWA: 100	STEL: 50 ppm	25 ppm	TWA: 25 ppm
	STEL: 50 ppm	Skin	Skin	mg/m³	Skin	(Vacated) TWA:	TWA: 100
	STEL: 200			Skin		100 mg/m ³	mg/m³
	mg/m³					Skin	
	Skin					TWA: 50 ppm	
						TWA: 200	
						mg/m³	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye ProtectionGogglesHand ProtectionProtective gloves

	Glove material	Breakthrough time	Glove thickness	Glove comments
ĺ	Butyl rubber	> 480 minutes	0.35 mm	As tested under EN374-3
	Viton (R)	> 480 minutes	0.70 mm	Determination of Resistance to
	Nitrile rubber			Permeation by Chemicals

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StateLiquidAppearanceColorlessOdorMint-likeOdor Threshold0.12 ppm

pH No information available

Melting Point/Range -47 °C / -52.6 °F

 Boiling Point/Range
 155 °C / 311 °F @ 760 mmHg

 Flash Point
 46 °C / 114.8 °F

Method - CC (closed cup)

Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

 Upper
 9.4 vol %

 Lower
 1.10 vol %

 Vapor Pressure
 4.5 mbar @ 20 °C

Vapor Density3.4Specific Gravity0.947SolubilitySoluble

Partition coefficient; n-octanol/waterNo data availableAutoignition Temperature520 °C / 968 °FDecomposition TemperatureNo information availableViscosity2.2 mPas @ 20°C

Molecular Formula C6 H10 O
Molecular Weight 98.14

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition.

Incompatible Materials Strong oxidizing agents, Strong acids,

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Cyclohexanone	LD50 = 1544 mg/kg (Rat)	LD50 = 947 mg/kg (Rabbit)	LC50 > 6.2 mg/L (Rat) 4 h

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes eye burns; Irritating to skin

Cyclohexanone

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Cyclohexanone	108-94-1	Not listed	Not listed	A3	Not listed	A3

ACGIH: (American Conference of Governmental Industrial

Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental EffectsNo information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system Central nervous system (CNS)

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Cyclohexanone	Not listed	Leusiscus idus:	EC50 = 18.5 mg/L 5 min	Not listed
		LC50>500mg/L 48h	EC50 = 21.3 mg/L 10 min	
		_	EC50 = 25 mg/L 5 min	

Persistence and Degradability based on information available. May persist

Bioaccumulation/ Accumulation No information available.

Mobility Is not likely mobile in the environment due its low water solubility. Will likely be mobile in the

environment due to its water solubility.

Component	log Pow
Cyclohexanone	0.86

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Cyclohexanone - 108-94-1	U057	-

14. Transport information

DOT

UN-No UN1915

Cyclohexanone

Proper Shipping Name CYCLOHEXANONE

Hazard Class 3
Packing Group III

TDG

UN-No UN1915

Proper Shipping Name CYCLOHEXANONE

Hazard Class 3 Packing Group III

<u>IATA</u>

UN-No UN1915

Proper Shipping Name CYCLOHEXANONE

Hazard Class 3 Packing Group III

IMDG/IMO

UN-No UN1915

Proper Shipping Name CYCLOHEXANONE

Hazard Class 3 Packing Group III

15. Regulatory information

International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Cyclohexanone	108-94-1	X	-	Х	ACTIVE	203-631-1	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Cyclohexanone	108-94-1	X	KE-09188	X	X	X	Х	Х	Х

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
Cyclohexanone	Part 4 Substance		

Other International Regulations

Authorisation/Restrictions according to EU REACH

Not applicable

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous
			i Ollutulit	i otoritiai	i iuzui uous

Cyclohexanone

					Substances (RoHS)
Cyclohexanone	108-94-1	Listed	Not applicable	Not applicable	Not applicable
Component	CAS-No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
		(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
		Qualifying Quantities	Qualifying Quantities		
		for Major Accident	for Safety Report		
		Notification	Requirements		
Cyclohexanone	108-94-1	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By Product Safety Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Creation Date
 25-August-2010

 Revision Date
 03-April-2024

 Print Date
 03-April-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS