

SAFETY DATA SHEET

Creation Date 17-November-2004 Revision Date 27-March-2024 Revision Number 3

1. Identification

Product Name 1,2-Dichloropropane

Cat No. : L03083

CAS-No 78-87-5

Synonyms Propylene dichloride

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids
Category 2
Acute oral toxicity
Category 4
Acute Inhalation Toxicity
Carcinogenicity
Category 1A

Label Elements

Signal Word

Danger

Hazard Statements

Highly flammable liquid and vapor Harmful if swallowed or if inhaled May cause cancer

1,2-Dichloropropane Revision Date 27-March-2024

Harmful if inhaled



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Use non-sparking tools

Take action to prevent static discharges

Response

Rinse mouth

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF exposed or concerned: Get medical advice/attention

Storage

Store locked up

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
1,2-Dichloropropane	78-87-5	> 95

4. First-aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

1,2-Dichloropropane Revision Date 27-March-2024

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms/effects None reasonably foreseeable. Inhalation of high vapor concentrations may cause

symptoms like headache, dizziness, tiredness, nausea and vomiting

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may

be used to cool closed containers.

Unsuitable Extinguishing Media No information available

Flash Point 15 °C / 59 °F

Method - No information available

Autoignition Temperature 557 °C / 1034.6 °F

Explosion Limits

Upper 14.50% **Lower** 3.40%

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Vapors may travel to source of ignition and flash back. Will form explosive mixtures with air. Containers may explode when heated. Vapors may form explosive mixtures with air.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Hydrogen chloride.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
1	3	0	N/A

6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Remove all

sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions Should not be released into the environment. Do not flush into surface water or sanitary

sewer system.

Methods for Containment and Clean Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. **Up** Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

7. Handling and storage

HandlingWear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open

flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

Take precautionary measures against static discharges.

Storage. Keep away from heat, sparks and flame. Flammables area. Keep container tightly closed in

a dry and well-ventilated place. Incompatible Materials. Acids. Bases. Metals. Finely

powdered metals. Strong oxidizing agents.

1,2-DichloropropaneRevision Date 27-March-2024

8. Exposure controls / personal protection

Exposure Guidelines

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH
1,2-Dichloropropane	TWA: 10 ppm TWA: 46 mg/m ³	TWA: 75 ppm STEL: 110 ppm	TWA: 10 ppm	TWA: 10 ppm		(Vacated) TWA: 75 ppm (Vacated) TWA: 350 mg/m³ (Vacated) STEL: 110 ppm (Vacated) STEL: 510 mg/m³ TWA: 75 ppm TWA: 350 mg/m³	''

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof

electrical/ventilating/lighting/equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control

hazardous materials at source

Personal protective equipment

Eye Protection Goggles

Hand Protection Protective gloves

Glove material		Breakthrough time	Glove thickness	Glove comments		
١	Viton (R)	See manufacturers	-	Splash protection only		
		recommendations				

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

Prevent product from entering drains.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

Revision Date 27-March-2024

1,2-Dichloropropane

9. Physical and chemical properties

Physical State Liquid
Appearance Clear

OdorNo information availableOdor ThresholdNo information availablePHNo information available

 Melting Point/Range
 -100 °C / -148 °F

 Boiling Point/Range
 95 - 96 °C / 203 - 204.8 °F @ 760 mmHg

Flash Point 15 °C / 59 °F

Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits
Upper 14.50%
Lower 3.40%

Vapor PressureNo information availableVapor DensityNo information available

Specific Gravity 1.156

SolubilitySoluble in waterPartition coefficient; n-octanol/waterNo data availableAutoignition Temperature557 °C / 1034.6 °FDecomposition TemperatureNo information availableViscosityNo information available

Molecular Formula C3 H6 Cl2
Molecular Weight 112.99

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability No information available.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition. Excess heat.

Incompatible products.

Incompatible Materials Acids, Bases, Metals, Finely powdered metals, Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride

Hazardous Polymerization No information available.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
1,2-Dichloropropane	LD50 = 1900 mg/kg (Rat)	LD50 = 10100 mg/kg (Rabbit)	LC50 = 14 mg/L (Rat) 10 h		

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

IrritationNo information availableSensitizationNo information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Revision Date 27-March-2024

1,2-Dichloropropane

Component	CAS-No IAR		IARC NTP		OSHA	Mexico
1,2-Dichloropropane	78-87-5	Group 1	Not listed	Not listed	X	Not listed

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

Mutagenic Effects No information available

No information available. **Reproductive Effects**

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known None known STOT - repeated exposure

No information available Aspiration hazard

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
1,2-Dichloropropane	Not listed	LC50: 119 - 135 mg/L, 96h	EC50 = 58.9 mg/L 5 min	LC50: = 45 mg/L, 48h
		flow-through (Pimephales	EC50 = 93.4 mg/L 30 min	(Daphnia magna)
		promelas)		
		LC50: = 127 mg/L, 96h static		
		(Pimephales promelas)		
		LC50: 220 - 340 mg/L, 96h		
		static (Lepomis macrochirus)		

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

No information available. **Bioaccumulation/ Accumulation**

Mobility Will likely be mobile in the environment due to its water solubility.

Component	log Pow	
1,2-Dichloropropane	2.28	

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
1,2-Dichloropropane - 78-87-5	U083	-

14. Transport information

DOT

1,2-Dichloropropane Revision Date 27-March-2024

UN-No UN1279

Proper Shipping Name 1,2-DICHLOROPROPANE

Hazard Class 3
Packing Group ||

TDG

UN-No UN1279

Proper Shipping Name 1,2-DICHLOROPROPANE

Hazard Class 3
Packing Group ||

IATA

UN-No UN1279

Proper Shipping Name 1,2-DICHLOROPROPANE

Hazard Class 3
Packing Group

IMDG/IMO

UN-No UN1279

Proper Shipping Name 1,2-DICHLOROPROPANE

Hazard Class 3
Packing Group ||

15. Regulatory information

International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
1,2-Dichloropropane	78-87-5	Х	-	Х	ACTIVE	201-152-2		-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
1.2-Dichloropropane	78-87-5	Х	KE-10202	Χ	Х	Χ	Χ	Χ	X

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)	
1,2-Dichloropropane	Part 1, Group A Substance Part 4 Substance			

Legend NPRI - National Pollutant Release Inventory

Other International Regulations

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV -	REACH (1907/2006) - Annex XVII -	REACH Regulation (EC
-	Substances Subject to	Restrictions on Certain Dangerous	1907/2006) article 59 - Candidate
	Authorization	Substances	List of Substances of Very High

Revision Date 27-March-2024

1,2-Dichloropropane

			Concern (SVHC)
1,2-Dichloropropane	-	Use restricted. See item 28. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
1,2-Dichloropropane	78-87-5	Listed	Not applicable	Not applicable	Not applicable

Component	CAS-No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
	Qualifying Quantities Qualifying Quantities				(1142414040114010)
		for Major Accident Notification	for Safety Report Requirements		
1,2-Dichloropropane	78-87-5	Not applicable	Not applicable	Not applicable	Annex I - Y45

16. Other information

Prepared By Product Safety Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

Creation Date17-November-2004Revision Date27-March-2024Print Date27-March-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS