

Creation Date 20-Jan-2012 Revision Date 10-Dec-2021 Revision Number 2

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: PathoDX STREP Grouping ®

Cat No.: R62025

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company Remel Europe Ltd., Thermo Fisher Scientific

Clipper Boulevard West, Crossways, Dartford 20 Dalgleish Street

Kent. DA2 6PT Thebarton UK Adelaide

Tel: (+44) 1322 295600 South Australia 5031

Fax: (+44) 1322 225413 AUSTRALIA

mbd-sds@thermofisher.com Tel: 61 8 8238 9050 or 1800 33 11 63 (Toll

Free)

EU entity/business name Fax: 61 8 8238 9060 or 1800 00 70 54 (Toll

Thermo Fisher Diagnostics B.V., Free).

Scheepbouwersweg 1 B,

1121 PC Landsmeer, The Netherlands

E-mail address mbd-sds@thermofisher.com

1.4. Emergency telephone number

1800 331 163

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Acute oral toxicity

Skin Corrosion/Irritation

Category 4 (H302)

Category 1 A (H314)

Serious Eye Damage/Eye Irritation Category 1 Category 2 (H318) (H319)

Skin Sensitization Category 1 (H317)

PathoDX STREP Grouping ®

Revision Date 10-Dec-2021

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

Precautionary Statements

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
EXTRACTION REAGENT 1 Sodium Nitrite	7632-00-0	EEC No. 231-555-9	19.4	Acute Tox. 3 (H301) Aquatic Acute 1 (H400)
EXTRACTION REAGENT 2 Acetic Acid (Glacial)	64-19-7	EEC No. 200-580-7	32	Skin Corr. 1A (H314) Flam. Liq. 3 (H226)
EXTRACTION REAGENT 3 Sodium carbonate monohydrate	5968-11-6		27.5	Eye Irrit. 2 (H319)
LATEX AND CONTROL ANTIGENS ProClin 300	55965-84-9		0.05	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) (EUH071) Aquatic Acute 1 (H400)

Revision Date 10-Dec-2021

|--|

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
EXTRACTION REAGENT 1 Sodium Nitrite	-	1	-
EXTRACTION REAGENT 2 Acetic Acid (Glacial)	Eye Irrit. 2 (H319) :: 10%<=C<25% Skin Corr. 1A (H314) :: C>=90% Skin Corr. 1B (H314) :: 25%<=C<90% Skin Irrit. 2 (H315) :: 10%<=C<25%	<u>-</u>	-
LATEX AND CONTROL ANTIGENS ProClin 300	Eye Irrit. 2 (H319) ::	100 (acute) 100 (chronic)	-

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Eye Contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean

mouth with water. Call a physician immediately.

Inhalation If breathing is difficult, give oxygen. Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain or flushing

4.3. Indication of any immediate medical attention and special treatment needed

PathoDX STREP Grouping ®

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid contact with skin and eyes.

6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Revision Date 10-Dec-2021

Class 8B

PathoDX STREP Grouping ®

Revision Date 10-Dec-2021

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Third edition. Published 2018. **IRE** - 2018 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
EXTRACTION REAGENT 2	STEL: 37 mg/m ³	-	TWA: 20 ppm 8 hr.
Acetic Acid (Glacial)	STEL: 15 ppm		TWA: 50 mg/m ³ 8 hr.
	TWA: 10 ppm		STEL: 20 ppm 15 min
	TWA: 25 mg/m ³		STEL: 50 mg/m ³ 15 min

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

	Component	Acute effects local	Acute effects	Chronic effects local	Chronic effects
		(Inhalation)	systemic (Inhalation)	(Inhalation)	systemic (Inhalation)
	EXTRACTION REAGENT 2	$DNEL = 25mg/m^3$		$DNEL = 25mg/m^3$	
	Acetic Acid (Glacial)	-		_	
	64-19-7 (32)				
-	LATEX AND CONTROL	$DNEL = 0.04 mg/m^3$		$DNEL = 0.02 mg/m^3$	
	ANTIGENS				
	ProClin 300				
	55965-84-9 (0.05)				

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
EXTRACTION REAGENT	PNEC = 3.058mg/L	PNEC =	PNEC = 30.58mg/L	PNEC = 85mg/L	PNEC = 0.47mg/kg
2		11.36mg/kg			soil dw
Acetic Acid (Glacial)		sediment dw			
64-19-7 (32)					
LATEX AND CONTROL	PNEC = 3.39µg/L	PNEC =	PNEC = 3.39µg/L	PNEC = 0.23mg/L	PNEC = 0.01mg/kg
ANTIGENS		0.027mg/kg			soil dw
ProClin 300		sediment dw			
55965-84-9 (0.05)					

PathoDX STREP Grouping ®

Component

EXTRACTION REAGENT

Acetic Acid (Glacial)

64-19-7 (32) LATEX AND CONTROL

ANTIGENS

ProClin 300 55965-84-9 (0.05)
 Marine water
 Marine water sediment
 Marine water intermittent
 Food chain intermittent
 Air

 PNEC = 0.3058mg/L
 PNEC = 1.136mg/kg sediment dw
 PNEC = 3.39μg/L
 PNEC = 3.39μg/L

Revision Date 10-Dec-2021

8.2. Exposure controls

Engineering Measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust). Ensure that eyewash stations and safety showers are close to the workstation location.

0.027mg/kg sediment dw

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Disposable gloves	See manufacturers	-	EN 374	(minimum requirement)
1	recommendations			

Skin and body protection Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use In case of insufficient ventilation, wear suitable respiratory equipment

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance Colourless White Odor No information available

Revision Date 10-Dec-2021 PathoDX STREP Grouping ®

No data available **Odor Threshold** No data available **Melting Point/Range Softening Point** No data available **Boiling Point/Range** Not applicable Flammability (liquid) No data available Flammability (solid,gas) Not applicable

Liquid

Explosion Limits No data available

Flash Point Not applicable Method - No information available

Autoignition Temperature No data available **Decomposition Temperature** No data available Not applicable рΗ No data available **Viscosity** Water Solubility No information available Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component **EXTRACTION REAGENT 1** -3.7

Sodium Nitrite

EXTRACTION REAGENT 2 -0.2

Acetic Acid (Glacial)

No data available **Vapor Pressure Density / Specific Gravity** No data available

Bulk Density Not applicable Liquid No data available (Air = 1.0)**Vapor Density**

(liquid) Not applicable Particle characteristics

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

None under normal processing. **Hazardous Reactions**

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Revision Date 10-Dec-2021 PathoDX STREP Grouping ®

Product Information

(a) acute toxicity:

Oral Category 4

Dermal Based on available data, the classification criteria are not met Inhalation Based on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
EXTRACTION REAGENT 1	LD50 = 85 mg/kg (Rat)	-	LC50 = 5.5 mg/L (Rat) 4 h
Sodium Nitrite			
EXTRACTION REAGENT 2	LD50 = 3310 mg/kg (Rat)	LD50 = 1060 mg/kg (Rabbit)	LC50 = 11.4 mg/L (Rat) 4 h
Acetic Acid (Glacial)			- ' '
LATEX AND CONTROL ANTIGENS	LD50 = 53 mg/kg (Rat)	LD50 = 87.12 mg/kg (Rabbit)	-
ProClin 300			

Category 1 A (b) skin corrosion/irritation;

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

No data available Respiratory Category 1 Skin

May cause sensitization by skin contact

(e) germ cell mutagenicity; No data available

No data available (f) carcinogenicity;

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

No information available. **Target Organs**

No data available (j) aspiration hazard;

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

PathoDX STREP Grouping ®

Revision Date 10-Dec-2021

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity **Ecotoxicity effects**

Contains a substance which is:. Very toxic to aquatic organisms. However, at the concentration present, this preparation is not expected to present significant adverse environmental effects.

Component Freshwater Fish		Water Flea	Freshwater Algae
EXTRACTION REAGENT 1	Oncorhynchus mykiss: LC50 =	12.5-100 mg/L 48h	
Sodium Nitrite	0.09-0.13 mg/L 96h		
EXTRACTION REAGENT 2	Pimephales promelas: LC50 = 88	EC50 = 95 mg/L/24h	
Acetic Acid (Glacial)	mg/L/96h		
	Lepomis macrochirus: LC50 = 75		
	mg/L/96h		

Component	Microtox	M-Factor
EXTRACTION REAGENT 1		1
Sodium Nitrite		
EXTRACTION REAGENT 2	Photobacterium phosphoreum: EC50 = 8.8	
Acetic Acid (Glacial)	mg/L/15 min	
	Photobacterium phosphoreum: EC50 = 8.8	
	mg/L/25 min	
	Photobacterium phosphoreum: EC50 = 8.8 mg/L/5	
	min	
LATEX AND CONTROL ANTIGENS	EC50 = 5.7 mg/L 16 h	100 (acute)
ProClin 300		100 (chronic)

12.2. Persistence and degradability No information available

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

12.3. Bioaccumulative potential No information available

Component	log Pow	Bioconcentration factor (BCF)
EXTRACTION REAGENT 1	-3.7	No data available
Sodium Nitrite		
EXTRACTION REAGENT 2	-0.2	No data available
Acetic Acid (Glacial)		

No information available 12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

PathoDX STREP Grouping ® Revision Date 10-Dec-2021

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Dispose of in accordance with federal, state and local regulations. Waste is classified as

hazardous. Dispose of in accordance with the European Directives on waste and

hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Large amounts will

affect pH and harm aquatic organisms.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number UN2790

14.2. UN proper shipping name Acetic Acid Solution (more than 10% but less than 50% acid by weight)

14.3. Transport hazard class(es) 8 14.4. Packing group III

ADR

14.1. UN number UN2790

14.2. UN proper shipping name Acetic Acid Solution (more than 10% but less than 50% acid by weight)

14.3. Transport hazard class(es) 8 14.4. Packing group III

<u>IATA</u>

14.1. UN number UN2790

14.2. UN proper shipping name Acetic Acid Solution (more than 10% but less than 50% acid by weight)

14.3. Transport hazard class(es) 8
14.4. Packing group III

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

PathoDX STREP Grouping ®

Revision Date 10-Dec-2021

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
EXTRACTION REAGENT 1	7632-00-0	231-555-9	-	-	Х	X	KE-31546	X	Х
Sodium Nitrite									
EXTRACTION REAGENT 2	64-19-7	200-580-7	-	-	Х	X	KE-00013	X	X
Acetic Acid (Glacial)									
EXTRACTION REAGENT 3	5968-11-6	-	-	-	Х	X	-	X	Х
Sodium carbonate monohydrate									
LATEX AND CONTROL	55965-84-9	-	-	-	Х	X	KE-05738	X	Х
ANTIGENS									
ProClin 300									

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
EXTRACTION REAGENT 1 Sodium Nitrite	7632-00-0	Х	ACTIVE	Х	-	Х	Х	Х
EXTRACTION REAGENT 2 Acetic Acid (Glacial)	64-19-7	Х	ACTIVE	Х	-	Х	Х	Х
EXTRACTION REAGENT 3 Sodium carbonate monohydrate	5968-11-6	-	-	-	-	Х	Х	Х
LATEX AND CONTROL ANTIGENS ProClin 300	55965-84-9	-	-	Х	-	-	Х	Х

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
EXTRACTION REAGENT 1	-	Use restricted. See item 75.	-
Sodium Nitrite		(see link for restriction details)	
EXTRACTION REAGENT 2	-	Use restricted. See item 75.	-
Acetic Acid (Glacial)		(see link for restriction details)	
LATEX AND CONTROL	-	Use restricted. See item 75.	-
ANTIGENS		(see link for restriction details)	
ProClin 300			

https://echa.europa.eu/substances-restricted-under-reach

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
EXTRACTION REAGENT 1 Sodium Nitrite	7632-00-0	Not applicable	Not applicable
EXTRACTION REAGENT 2 Acetic Acid (Glacial)	64-19-7	Not applicable	Not applicable
EXTRACTION REAGENT 3 Sodium carbonate monohydrate	5968-11-6	Not applicable	Not applicable
LATEX AND CONTROL ANTIGENS ProClin 300	55965-84-9	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

PathoDX STREP Grouping ®

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 3 (self classification)

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
EXTRACTION REAGENT 1 Sodium Nitrite	WGK3	
EXTRACTION REAGENT 2 Acetic Acid (Glacial)	WGK1	Class II: 0.10 g/m³ (Massenkonzentration)
LATEX AND CONTROL ANTIGENS ProClin 300	WGK3	

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
EXTRACTION REAGENT 2 Acetic Acid (Glacial) 64-19-7 (32)	Prohibited and Restricted Substances	Group I	

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H226 - Flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

H319 - Causes serious eye irritation

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H317 - May cause an allergic skin reaction

H331 - Toxic if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Revision Date 10-Dec-2021

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

Substances List

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

PathoDX STREP Grouping ®

Ships

Transport Association

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Creation Date 20-Jan-2012 **Revision Date** 10-Dec-2021

Revision Summary Update to GHS format.

This safety data sheet complies with the requirements of Safe Work Australia WHS Regulation. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 .

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

OXDAUR62025

Revision Date 10-Dec-2021

ICAO/IATA - International Civil Aviation Organization/International Air

MARPOL - International Convention for the Prevention of Pollution from