

SAFETY DATA SHEET

Creation Date 16-June-2009 Revision Date 25-March-2024 Revision Number 2

1. Identification

Product Name Acetonitrile

Cat No. : C42325

CAS-No 75-05-8

Synonyms AN; Methyl cyanide; Ethanenitrile

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids
Category 2
Acute oral toxicity
Category 4
Acute dermal toxicity
Category 4
Acute Inhalation Toxicity
Category 4
Serious Eye Damage/Eye Irritation
Category 2

Label Elements

Signal Word

Danger

Hazard Statements

Highly flammable liquid and vapor Harmful if swallowed. in contact with skin or if inhaled

Causes serious eye irritation Harmful if inhaled



Precautionary Statements

Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Use non-sparking tools

Take action to prevent static discharges

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Call a POISON CENTER/ doctor if you feel unwell

Rinse mouth

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Take off contaminated clothing and wash it before reuse

Wash contaminated clothing before reuse

Storage

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant

3. Composition/Information on Ingredients

| Component | CAS-No | Weight % |
|--------------|---------|----------|
| Acetonitrile | 75-05-8 | >95 |

4. First-aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Do

not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial

Revision Date 25-March-2024

Acetonitrile

respiration with the aid of a pocket mask equipped with a one-way valve or other proper

respiratory medical device. Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, Most important symptoms/effects

> nausea and vomiting: Metabolism may release cyanide, which may result in headache, dizziness, weakness, collapse, unconsciousness, and possible death: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea

and vomiting

Treat symptomatically Notes to Physician

Fire-fighting measures

Suitable Extinguishing Media Water spray. CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used

to cool closed containers.

Unsuitable Extinguishing Media Water may be ineffective, Do not use a solid water stream as it may scatter and spread fire

Flash Point 12.8 °C / 55 °F

No information available Method -

525 °C / 977 °F **Autoignition Temperature**

Explosion Limits

Upper 16 vol % Lower 3 vol % **Oxidizing Properties** Not oxidising

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

Hazardous Combustion Products

Hydrogen cyanide (hydrocyanic acid). Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

|--|

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 2 | 3 | 0 | N/A |

6. Accidental release measures

Remove all sources of ignition. Take precautionary measures against static discharges. **Personal Precautions**

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure

adequate ventilation. Use personal protective equipment as required.

Environmental Precautions Should not be released into the environment. See Section 12 for additional Ecological

Information.

Methods for Containment and Clean Remove all sources of ignition. Take precautionary measures against static discharges.

Provide adequate ventilation. Use spark-proof tools and explosion-proof equipment. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Prevent

product from entering drains.

7. Handling and storage

Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

Storage.

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame. Flammables area. Incompatible Materials. Strong oxidizing agents. Strong acids. Reducing Agent. Bases.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | Alberta | British Columbia | Ontario TWAEV | Quebec | ACGIH TLV | OSHA PEL | NIOSH |
|--------------|--|---------------------|---------------------|--|---------------------|----------|---------------|
| Acetonitrile | TWA: 20 ppm TWA: 34 mg/m ³ | TWA: 20 ppm Skin | TWA: 20 ppm Skin | TWA: 20 ppm Ceiling: 10 ppm Ceiling: 11 mg/m³ Skin | TWA: 20 ppm Skin | | TWA: 34 mg/m³ |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Hand Protection Wear appropriate protective gloves and clothing to prevent skin exposure.

| Glove material | Breakthrough time | Glove thickness | Glove comments |
|----------------|-------------------|-----------------|--------------------------------|
| Butyl rubber | > 480 minutes | 0.35 mm | As tested under EN374-3 |
| - | | | Determination of Resistance to |
| | | | Permeation by Chemicals |

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European

Revision Date 25-March-2024

Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** low boiling organic solvent Type AX Brown conforming to EN371

Environmental exposure controls

No information available.

Hygiene Measures

When using do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

9. Physical and chemical properties

Physical StateLiquidAppearanceColorlessOdoraromaticOdor Threshold170 ppm

pH No information available Melting Point/Range -46 °C / -50.8 °F

Boiling Point/Range 81 - 82 °C / 177.8 - 179.6 °F @ 760 mmHg

Flash Point 12.8 °C / 55 °F

Evaporation Rate 5.79

Flammability (solid,gas) Not applicable

Flammability or explosive limits

 Upper
 16 vol %

 Lower
 3 vol %

Vapor Pressure 97 mbar @ 20 °C

Vapor Density 1.42
Specific Gravity 0.781
Solubility miscible

Partition coefficient; n-octanol/water

Autoignition Temperature

Decomposition Temperature

Viscosity

No data available
525 °C / 977 °F
No information available
0.36 °C P at 20 °C

Molecular Formula C2 H3 N Molecular Weight 41.05

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

Exposure to moisture.

Incompatible Materials Strong oxidizing agents, Strong acids, Reducing Agent, Bases

Hazardous Decomposition Products Hydrogen cyanide (hydrocyanic acid), Nitrogen oxides (NOx), Carbon monoxide (CO),

Carbon dioxide (CO₂)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Revision Date 25-March-2024 Acetonitrile

Product Information

Component Information

| L | Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---|--------------|---------------------|-----------------------|-------------------------------|
| | Acetonitrile | 450-787 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | LC50 = 3587 ppm (6.022 mg/l) |
| | | 2460 mg/kg (Rat) | | (Mouse) 4h |
| | | | | LC50 = 16,000 ppm (26.8 mg/l) |
| L | | | | (Rat) 4h |

Toxicologically Synergistic

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritating to eyes Irritation

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

| Component | CAS-No | IARC | NTP | ACGIH | OSHA | Mexico |
|--------------|---------|------------|------------|------------|------------|------------|
| Acetonitrile | 75-05-8 | Not listed |

Mutagenic Effects No information available

No information available. **Reproductive Effects**

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known STOT - repeated exposure None known

No information available **Aspiration hazard**

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting:

delayed

Metabolism may release cyanide, which may result in headache, dizziness, weakness, collapse, unconsciousness, and possible death: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

No information available **Endocrine Disruptor Information**

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|--------------|------------------|------------------------------|------------------------|------------|
| Acetonitrile | Not listed | LC50: = 1850 mg/L, 96h | EC50 = 28000 mg/L 48 h | Not listed |
| | | static (Lepomis macrochirus) | EC50 = 73 mg/L 24 h | |
| | | LC50: = 1000 mg/L, 96h | EC50 = 7500 mg/L 15 h | |
| | | static (Pimephales | | |
| | | promelas) | | |
| | | LC50: 1600 - 1690 mg/L, | | |
| | | 96h flow-through | | |
| | | (Pimephales promelas) | | |
| | | LC50: = 1650 mg/L, 96h | | |
| | | static (Poecilia reticulata) | | |
| | | | | ļ. |

Persistence and Degradability Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its volatility.

| Component | log Pow |
|--------------|---------|
| Acetonitrile | -0.34 |

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| Component | RCRA - U Series Wastes | RCRA - P Series Wastes | | |
|------------------------|------------------------|------------------------|--|--|
| Acetonitrile - 75-05-8 | U003 | - | | |

14. Transport information

DOT

UN-No UN1648

Proper Shipping Name ACETONITRILE

Hazard Class 3
Packing Group ||

_ TDG

UN-No UN1648

Proper Shipping Name ACETONITRILE

Hazard Class 3
Packing Group ||

IATA

UN-No UN1648

Proper Shipping Name ACETONITRILE

Hazard Class 3
Packing Group ||

IMDG/IMO

UN-No UN1648

Proper Shipping Name ACETONITRILE

Hazard Class 3
Packing Group ||

15. Regulatory information

International Inventories

| Component | CAS-No | DSL | NDSL | TSCA | TSCA Inventory notification - Active-Inactive | | notification - | | EINECS | ELINCS | NLP |
|--------------|---------|-------|------|-------|---|------|----------------|-------|--------|--------|-----|
| Acetonitrile | 75-05-8 | X | - | Х | ACTIVE | | 200-835-2 | - | - | | |
| | | | | | | | | | | | |
| Component | CAS-No | IECCC | KECI | ENICS | ICII | TCCI | AICS. | NZIAC | DICCS | | |

| Component | CAS-No | IECSC | KECL | ENCS | ISHL | TCSI | AICS | NZIoC | PICCS |
|--------------|---------|-------|----------|------|------|------|------|-------|-------|
| Acetonitrile | 75-05-8 | X | KE-00067 | X | X | X | X | X | X |

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous

Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

| Component | Canada - National Pollutant Release Inventory (NPRI) | Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances | Canada's Chemicals Management Plan (CEPA) |
|--------------|---|--|--|
| Acetonitrile | Part 1, Group A Substance Part 4 Substance | | |

Other International Regulations

Authorisation/Restrictions according to EU REACH

| Component | | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | |
|--------------|---|---|---|
| Acetonitrile | - | Use restricted. See item 75. | - |
| | | (see link for restriction details) | |

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS-No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|--------------|---------|---|--|-------------------------------|--|
| Acetonitrile | 75-05-8 | Listed | Not applicable | Not applicable | Not applicable |
| | | | | | |
| Component | CAS-No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
| Acetonitrile | 75-05-8 | Not applicable | Not applicable | Not applicable | Not applicable |

16. Other information

Prepared By Product Safety Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Creation Date
 16-June-2009

 Revision Date
 25-March-2024

 Print Date
 25-March-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS