

# SAFETY DATA SHEET

Creation Date 23-Jan-2013 Revision Date 02-Apr-2024 Revision Number 6

## 1. Identification

Product Name Lithium triethylborohydride, 1.7M in THF

Cat No.: H36830

Synonyms No information available

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

## Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

## **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 2
Substances/mixtures which, in contact with water, emit Category 1

flammable gases

Pyrophoric liquids

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Category 1

Category 1

Category 1

Category 1

Category 2

Specific target organ toxicity (single exposure)

Category 3

Target Organs - Respiratory system, Central nervous system (CNS).

## Label Elements

## Signal Word

Danger

#### **Hazard Statements**

Highly flammable liquid and vapor

In contact with water releases flammable gases which may ignite spontaneously

Catches fire spontaneously if exposed to air

Causes severe skin burns and eye damage

May cause respiratory irritation

May cause drowsiness or dizziness

Suspected of causing cancer



### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Do not allow contact with air

Keep away from any possible contact with water, because of violent reaction and possible flash fire

Handle under inert gas. Protect from moisture

Keep cool

## Response

Immediately call a POISON CENTER or doctor/physician

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

Wash contaminated clothing before reuse

IF ON SKIN: Immerse in cool water/wrap with wet bandages

Brush off loose particles from skin. Immerse in cool water/wrap with wet bandages

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion** 

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### Fire

In case of fire: Use limestone powder, sodium chloride or dry sand to extinguish

## Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store contents under inert gas

Store in a dry place. Store in a closed container

### **Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Reacts violently with water

May form explosive peroxides

WARNING. Cancer - https://www.p65warnings.ca.gov/.

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Tetrahydrofuran	109-99-9	80
Lithium triethylhydroborate	22560-16-3	20

## 4. First-aid measures

Show this safety data sheet to the doctor in attendance. Immediate medical attention is **General Advice** 

required.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

Inhalation If not breathing, give artificial respiration, Remove from exposure, lie down, Do not use

> mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an Ingestion

unconscious person. Call a physician immediately.

Most important symptoms and

effects

Causes burns by all exposure routes. Symptoms of overexposure may be headache. dizziness, tiredness, nausea and vomiting: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting: Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated:

Causes central nervous system depression

Treat symptomatically Notes to Physician

## Fire-fighting measures

Suitable Extinguishing Media Dry sodium chloride. Limestone powder.

**Unsuitable Extinguishing Media** Water, Carbon dioxide (CO2), Foam

**Flash Point** -17 °C / 1.4 °F

Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

Upper

Lower

No information available

No data available No data available Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Reacts violently with water. The product causes burns of eyes, skin and mucous membranes.

**Hazardous Combustion Products** 

Hydrogen. Carbon monoxide (CO). Carbon dioxide (CO2). Oxides of boron. Lithium oxide.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

HealthFlammabilityInstabilityPhysical hazards342W

## 6. Accidental release measures

**Personal Precautions** 

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Should not be released into the environment.

**Environmental Precautions** 

Methods for Containment and Clean Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Do not expose spill to water.

# 7. Handling and storage

Handling

Handle under inert gas, protect from moisture. Do not allow contact with water. Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe mist/vapors/spray.

Storage.

Keep under nitrogen. Keep away from water or moist air. Shelf life 12 months. Flammables area. Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. May form explosive peroxides on prolonged storage. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Incompatible Materials. Acids. Bases. Water. Alcohols. Bromine. oxygen.

# 8. Exposure controls / personal protection

### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Tetrahydrofuran	TWA: 50 ppm	(Vacated) TWA: 200 ppm	IDLH: 2000 ppm	TWA: 200 ppm
	STEL: 100 ppm	(Vacated) TWA: 590 mg/m <sup>3</sup>	TWA: 200 ppm	TWA: 590 mg/m <sup>3</sup>
	Skin	(Vacated) STEL: 250 ppm	TWA: 590 mg/m <sup>3</sup>	STEL: 250 ppm
		(Vacated) STEL: 735 mg/m <sup>3</sup>	STEL: 250 ppm	STEL: 735 mg/m <sup>3</sup>
		TWA: 200 ppm	STEL: 735 mg/m <sup>3</sup>	-
		TWA: 590 mg/m <sup>3</sup>		

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** 

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

### **Personal Protective Equipment**

**Eye/face Protection** 

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard **Respiratory Protection** 

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

low boiling organic solvent. Type AX. Brown. conforming to EN371. or. Organic gases and **Recommended Filter type:** 

vapours filter. Type A. Brown. conforming to EN14387.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures** 

## 9. Physical and chemical properties

**Physical State** Liquid

Colorless to yellow **Appearance** Odor No information available **Odor Threshold** No information available

No information available pН **Melting Point/Range** No data available

**Boiling Point/Range** No information available Flash Point -17 °C / 1.4 °F

**Evaporation Rate** No information available

Flammability (solid.gas) Not applicable

Flammability or explosive limits

Upper No data available Lower No data available **Vapor Pressure** No information available **Vapor Density** No information available 0.89

**Specific Gravity** 

Solubility Reacts violently with water

Partition coefficient; n-octanol/water No data available

**Autoignition Temperature** No information available **Decomposition Temperature** No information available **Viscosity** No information available

# 10. Stability and reactivity

Yes **Reactive Hazard** 

Stability May form explosive peroxides. Reacts violently with water. Moisture sensitive. Air sensitive.

Pyrophoric: Spontaneously flammable in air.

Keep away from open flames, hot surfaces and sources of ignition. Incompatible products. **Conditions to Avoid** 

Exposure to moist air or water. Exposure to moisture.

**Incompatible Materials** Acids, Bases, Water, Alcohols, Bromine, oxygen

Hazardous Decomposition Products Hydrogen, Carbon monoxide (CO<sub>2</sub>), Oxides of boron, Lithium oxide

**Hazardous Polymerization** No information available.

**Hazardous Reactions** None under normal processing. Reacts violently with water.

## 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

Oral LD50 Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. **Dermal LD50** Vapor LC50 Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

**Component Information** 

Component	Component LD50 Oral LD50 Dermal		LC50 Inhalation
Tetrahydrofuran	1650 mg/kg ( Rat )	> 2000 mg/kg (Rabbit)	180 mg/L (Rat) 1 h
•			53.9 mg/L (Rat) 4 h

Toxicologically Synergistic

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

**Carcinogenicity** Limited evidence of a carcinogenic effect.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Tetrahydrofuran	109-99-9	Group 2B	Not listed	A3	X	A3
Lithium triethylhydroborate	22560-16-3	Not listed				

ACGIH: (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A2 - Suspected Human Card

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mutagenic Effects No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

**STOT - single exposure** Respiratory system Central nervous system (CNS)

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and

delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Causes central nervous system depression

## **Endocrine Disruptor Information**

Component	EU - Endocrine Disrupters	EU - Endocrine Disruptors -	Japan - Endocrine Disruptor
	Candidate List	Evaluated Substances	Information
Tetrahydrofuran	Group III Chemical	Not applicable	Not applicable

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

#### **Ecotoxicity**

Do not empty into drains. Reacts with water so no ecotoxicity data for the substance is available.

	Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Г	Tetrahydrofuran	Not listed	2160 mg/l LC50 = 96 h	Not listed	EC50 48 h 3485 mg/l
	-		Pimephales promelas		EC50: >10000 mg/L/24h
			Leuciscus idus: LC50: 2820		_
			mg/L/48h		

Persistence and Degradability Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation**No information available.

#### **Mobility**

Is not likely mobile in the environment.

Component	log Pow
Tetrahydrofuran	0.45

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Tetrahydrofuran - 109-99-9	U213	=

# 14. Transport information

DOT

UN-No UN3394

Proper Shipping Name Organometallic substance, liquid, pyrophoric, water-reactive

Technical Name Tetrahydrofuran, Lithium triethylhydroborate

Hazard Class 4.2 Subsidiary Hazard Class 3 Packing Group 1

TDG

UN-No UN3394

Proper Shipping Name ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE

Hazard Class 4.2 Subsidiary Hazard Class 4.3 Packing Group

IATA FORBIDDEN FOR IATA TRANSPORT

UN-No UN3394

Proper Shipping Name ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE

FORBIDDEN FOR IATA TRANSPORT

Hazard Class 4.2
Subsidiary Hazard Class 4.3
Packing Group 1

IMDG/IMO

UN-No UN3394

Proper Shipping Name ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE

Hazard Class 4.2 Subsidiary Hazard Class 4.3 Packing Group

# 15. Regulatory information

#### **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Tetrahydrofuran	109-99-9	Χ	ACTIVE	-
Lithium triethylhydroborate	22560-16-3	=	-	-

#### l egend

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Component	CAS No	TSCA 12(b) - Notices of Export
Tetrahydrofuran	109-99-9	Section 4, 1 % de minimus concentration

## **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Tetrahydrofuran	109-99-9	Χ	-	203-726-8	Χ	Х	Χ	Χ	Х	KE-33454
Lithium triethylhydroborate	22560-16-3	-	-	245-076-8	-	-		-	Х	KE-22601

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and Not applicable

Health Administration

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Tetrahydrofuran	1000 lb	-	1000 lb 454 kg

### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Tetrahydrofuran	109-99-9	Carcinogen	-	Carcinogen

# U.S. State Right-to-Know

## Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Tetrahydrofuran	X	Х	Х	-	Х

#### **U.S. Department of Transportation**

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

## U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

### Other International Regulations

Mexico - Grade No information available

## Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Tetrahydrofuran	109-99-9	-	Use restricted. See item 75. (see link for restriction details)	-
Lithium triethylhydroborate	22560-16-3	-	-	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Tetrahydrofuran	109-99-9	Listed	Not applicable	Not applicable	Not applicable
Lithium triethylhydroborate	22560-16-3	Not applicable	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

## Other International Regulations

Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention	
		(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)	
		Qualifying Quantities Qualifying Quantities				
		for Major Accident	for Safety Report			
		Notification	Requirements			
Tetrahydrofuran	109-99-9	Not applicable	Not applicable	Not applicable	Not applicable	
Lithium triethylhydroborate	22560-16-3	Not applicable	Not applicable	Not applicable	Not applicable	

16. Other information
-----------------------

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Creation Date
 23-Jan-2013

 Revision Date
 02-Apr-2024

 Print Date
 02-Apr-2024

**Revision Summary** New emergency telephone response service provider.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

Revision	Date	02-A	pr-2024
----------	------	------	---------

materials or in any process, unless specified in the text

**End of SDS**