

Page 1/9 Revision Date 31-Mar-2025 Version 3

Page 1/9

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: Strontium 86 plasma standard solution **Product Description:** Strontium 86 plasma standard solution

Cat No.: 45286

Molecular Formula Matrix: 2% HN O3

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals. Uses advised against No Information available

Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd Company

> Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

**Supplier** 

E-mail address Enquiry.my@thermofisher.com

**Emergency Telephone Number** Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

# **SECTION 2: HAZARDS IDENTIFICATION**

### Classification of the substance or mixture

Substances/mixtures corrosive to metal	Category 1 (H290)
Skin Corrosion/Irritation	Category 2 (H315)
Serious Eye Damage/Eye Irritation	Category 2 (H319)

## Label Elements



Signal Word Warning

**Hazard Statements** 

H290 - May be corrosive to metals

#### Strontium 86 plasma standard solution

Revision Date 31-Mar-2025

H315 - Causes skin irritation

H319 - Causes serious eve irritation

### **Precautionary Statements**

#### Prevention

P234 - Keep only in original packaging

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P390 - Absorb spillage to prevent material damage

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P332 + P313 - If skin irritation occurs: Get medical advice/attention P337 + P313 - If eye irritation persists: Get medical advice/attention

P362 + P364 - Take off contaminated clothing and wash it before reuse

### Storage

P406 - Store in corrosion resistant polypropylene container with a resistant inliner

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other Hazards

This product does not contain any known or suspected endocrine disruptors

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Water	7732-18-5	97.99
Nitric acid% [C ≤ 70 %]	7697-37-2	2
Strontium	7440-24-6	0.01

# **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

**General Advice** If symptoms persist, call a physician.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

### Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

### Strontium 86 plasma standard solution

### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

### Extinguishing media

## **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Extinguishing media which must not be used for safety reasons

No information available.

### Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

None under normal use conditions.

### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required.

### **Environmental precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

### **Precautions for Safe Handling**

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

## Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

## Specific End Uses

Use in laboratories.

ALFAA45286

Revision Date 31-Mar-2025

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

Control Parameters

Component	Malaysia	ACGIH TLV	OSHA PEL
Nitric acid% [C ≤ 70 %]		TWA: 2 ppm	(Vacated) TWA: 2 ppm
		STEL: 4 ppm	(Vacated) TWA: 5 mg/m <sup>3</sup>
			(Vacated) STEL: 4 ppm
			(Vacated) STEL: 10 mg/m <sup>3</sup>
			TWA: 2 ppm
			TWA: 5 mg/m <sup>3</sup>

Component European Union The Uni		The United Kingdom	Germany
Nitric acid% [C ≤ 70 %]	STEL: 1 ppm (15min)	STEL: 1 ppm 15 min	TWA: 1 ppm (8 Stunden). AGW -
	STEL: 2.6 mg/m <sup>3</sup> (15min)	STEL: 2.6 mg/m <sup>3</sup> 15 min	TWA: 2.6 mg/m³ (8 Stunden). AGW
			-

### **Exposure Controls**

## **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

**Eye Protection** Goggles

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Recommended Filter type: Particulates filter conforming to EN 143

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice

**Environmental exposure controls** No information available

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance Colorless
Physical State Liquid
Odor Odorless

Odor Threshold No data available

#### Strontium 86 plasma standard solution

Revision Date 31-Mar-2025

**pH** No information available

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/Range~ 100 °C / 212 °FFlash PointNo information available

n available **Method -** No information available

(Air = 1.0) @ 20 °C

Liquid

Evaporation Rate No data available Flammability (solid,gas) Not applicable Explosion Limits No data available

applicable Liquid

Vapor PressureNo data availableVapor DensityNo data available

Specific Gravity / Density 1 g/cm3
Bulk Density Not applicable
Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowNitric acid ...% [C  $\leq$  70 %]-2.3

Autoignition Temperature
Decomposition Temperature
Viscosity
Explosive Properties
Oxidizing Properties
No data available
No data available
No information available
No information available

Molecular Formula Matrix: 2% HN O3

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

None known, based on information available.

**Chemical Stability** 

Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous Polymerization No information available.
Hazardous Reactions None under normal processing.

**Conditions to Avoid** 

None known.

Incompatible Materials

ALFAA45286

### Strontium 86 plasma standard solution

None known.

## **Hazardous Decomposition Products**

None under normal use conditions.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

## Information on Toxicological Effects

### **Product Information**

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met

DermalNo data availableInhalationNo data available

## Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Water	-	-	-	
Nitric acid% [C ≤ 70 %]	-	-	LC50 = 2500 ppm. (Rat) 1h	

	Component	ECHA (RAC) ATE (Oral)	ECHA (RAC) ATE (Dermal)	ECHA (RAC) ATE (Inhalation)	
Ì	Nitric acid% [C ≤ 70 %]	=	-	ATE = 2.65 mg/L (vapours)	

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects,both acute and No information available.

delayed

Strontium 86 plasma standard solution

·

**Endocrine Disrupting Properties** 

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

Revision Date 31-Mar-2025

## **SECTION 12: ECOLOGICAL INFORMATION**

Ecotoxicity effects

Persistence and degradability

Persistence Miscible with water, Persistence is unlikely, based on information available.

Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)		
Nitric acid% [C ≤ 70 %]	-2.3	No data available		

Mobility in soil The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous Dispose of in accordance with the European Directives on

waste and hazardous waste Dispose of in accordance with local regulations

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used Do not empty into drains

# **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

UN-No UN3264
Hazard Class 8
Packing Group III

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s. (nitric acid solution)

Road and Rail Transport

UN-No UN3264
Hazard Class 8
Packing Group III

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s. (nitric acid solution)

**IATA** 

\_\_\_\_\_\_\_\_\_UN-No UN3264

ALFAA45286

### Strontium 86 plasma standard solution

**Hazard Class** Ш **Packing Group** 

**Proper Shipping Name** Corrosive liquid, acidic, inorganic, n.o.s. (nitric acid solution)

**Special Precautions for User** No special precautions required

### SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Water	231-791-2	X	Х	Х	X		Х	Χ	KE-35400
Nitric acid% [C ≤ 70 %]	231-714-2	Χ	Χ	Х	Х	Χ	Х	Χ	KE-25911
Strontium	231-133-4	Х	Х	Х	Х		X	Χ	KE-32204

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Nitric acid …% [C ≤ 70 %]				Annex I - Y34

#### National Regulations

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 16: OTHER INFORMATION**

### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances List **ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

### Key literature references and sources for data

**ALFAA45286** 

#### Strontium 86 plasma standard solution

https://sebs.gurana.gu/information.on.ghamicala

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Prepared By Health, Safety and Environmental Department

Revision Date 31-Mar-2025 Revision Summary Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

ALFAA45286