# Thermo Fisher SCIENTIFIC

## SAFETY DATA SHEET

Page 1/9 Revision Date 06-Apr-2024 Version 4

ACR14902

# 2-Methyl-2-propanethiol

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: 2-甲基-2-丙硫醇

Product Description: 2-Methyl-2-propanethiol

Cat No.: 149020025; 149020000; 149020500; 149025000

Synonyms tert-Butyl mercaptan

CAS No 75-66-1 Molecular Formula C4 H10 S

Supplier UK entity/business name

Fisher Scientific UK Bishop Meadow Road,

Loughborough, Leicestershire LE11 5RG, United Kingdom

**EU entity/business name** Thermo Fisher Scientific

Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No. **US:**001-800-424-9300 / **Europe:**001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals.
Uses advised against No Information available

### **SECTION 2. HAZARD IDENTIFICATION**

Physical StateAppearanceOdorLiquidColorlessStench

### **Emergency Overview**

Highly flammable liquid and vapor. May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness and dizziness. Toxic to aquatic life with long lasting effects. May be harmful if swallowed. Stench.

### Classification of the substance or mixture

Flammable liquids.	Category 2
Acute Oral Toxicity	Category 5
Serious Eye Damage/Eye Irritation	Category 2B
Skin Sensitization	Category 1
Specific target organ toxicity - (single exposure)	Category 3
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2

#### **Label Elements**

### 2-Methyl-2-propanethiol



### Signal Word

#### Danger

#### **Hazard Statements**

H225 - Highly flammable liquid and vapor

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H411 - Toxic to aquatic life with long lasting effects

H303 - May be harmful if swallowed

### **Precautionary Statements**

#### Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P242 - Use non-sparking tools

P270 - Do not eat, drink or smoke when using this product

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P243 - Take action to prevent static discharges

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P362 + P364 - Take off contaminated clothing and wash it before reuse

### Storage

P403 + P235 - Store in a well-ventilated place. Keep cool

#### **Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

#### **Physical and Chemical Hazards**

Vapors may cause flash fire or explosion. Highly flammable.

### **Health Hazards**

May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness. May be harmful if swallowed.

### **Environmental hazards**

Toxic to aquatic life with long lasting effects. Will likely be mobile in the environment due to its volatility. The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces.

### Other Hazards

Stench. This product does not contain any known or suspected endocrine disruptors.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
2-Methyl-2-propanethiol	75-66-1	>95

Page 3/9 Revision Date 06-Apr-2024

### 2-Methyl-2-propanethiol

\_\_\_\_\_

### **Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

#### Skin Contact

Get medical attention. Wash off immediately with plenty of water for at least 15 minutes.

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention.

#### Ingestion

Clean mouth with water. Get medical attention.

### Most important symptoms and effects

May cause allergic skin reaction. Difficulty in breathing. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### **Notes to Physician**

Treat symptomatically.

### **SECTION 5. FIRE-FIGHTING MEASURES**

### **Suitable Extinguishing Media**

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam. Water mist may be used to cool closed containers.

### Extinguishing media which must not be used for safety reasons

No information available.

#### **Specific Hazards Arising from the Chemical**

Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air. Extremely flammable.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions**

Remove all sources of ignition. Take precautionary measures against static discharges. Use personal protective equipment as required.

#### **Environmental Precautions**

Do not flush into surface water or sanitary sewer system.

#### Methods for Containment and Clean Up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7. HANDLING AND STORAGE**

Page 4/9 Revision Date 06-Apr-2024

### 2-Methyl-2-propanethiol

### Handling

Avoid contact with skin and eyes. Do not breathe mist/vapors/spray. Take precautionary measures against static discharges. Handle product only in closed system or provide appropriate exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Keep away from open flames, hot surfaces and sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

#### Storage

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Flammables area. Keep container tightly closed in a dry and well-ventilated place.

#### Specific Use(s)

Use in laboratories

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
2-Methyl-2-propanethiol		(Vacated) TWA: 0.5		-	
		ppm			
		(Vacated) TWA: 1.5			
		mg/m³			

#### Legend

OSHA - Occupational Safety and Health Administration

### **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

### **Exposure Controls**

#### **Engineering Measures**

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

#### Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material Natural rubber Nitrile rubber Neoprene	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)
PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

Page 5/9 Revision Date 06-Apr-2024

### 2-Methyl-2-propanethiol

**Respiratory Protection** No protective equipment is needed under normal use conditions.

are exceeded or if irritation or other symptoms are experienced

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

Vapors may form explosive mixtures with air

Small scale/Laboratory use Maintain adequate ventilation

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures** 

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Colorless **Appearance Physical State** Liquid

Large scale/emergency use

Odor Stench

**Odor Threshold** No data available pН No information available Melting Point/Range -1.1 °C / 30 °F

**Softening Point** No data available

**Boiling Point/Range** 62 - 65 °C / 143.6 - 149 °F

**Flash Point** -24 °C / -11.2 °F Method - No information available

**Evaporation Rate** No data available

Not applicable Flammability (solid,gas) Liquid

No data available **Explosion Limits** 

305 mmHg @ 37.8 °C **Vapor Pressure** 

**Vapor Density** 3.0 (Air = 1.0)

Specific Gravity / Density 0.800

**Bulk Density** Not applicable Liquid Water Solubility slightly soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

**Autoignition Temperature** No data available

**Decomposition Temperature** > 65°C

0.638 cPs at 20 °C **Viscosity** 

**Explosive Properties** 

**Oxidizing Properties** No information available

**Molecular Formula** C4 H10 S **Molecular Weight** 90.18

### **SECTION 10. STABILITY AND REACTIVITY**

Stability Stable under normal conditions.

No information available. **Hazardous Reactions Hazardous Polymerization** No information available.

**Conditions to Avoid** Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.

Materials to avoid Bases. Metals. Reducing Agent.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2). Sulfur oxides. Sulfides.

Page 6/9 Revision Date 06-Apr-2024

2-Methyl-2-propanethiol

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Product Information**

(a) acute toxicity;

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation			
2-Methyl-2-propanethiol	LD50 = 4729 mg/kg (Rat)	>2000 mg/kg (Rabbit)	$LC50 = 98300 \text{ mg/m}^3 \text{ (Rat) 4 h}$			

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Category 2 Based on available data, the classification criteria are not met

(d) respiratory or skin sensitization;

Respiratory Skin

Based on available data, the classification criteria are not met

Category 1

May cause sensitization by skin contact

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

None known. **Target Organs** 

(j) aspiration hazard; Based on available data, the classification criteria are not met

Other Adverse Effects The toxicological properties have not been fully investigated.

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing:

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting

### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects** The product contains following substances which are hazardous for the environment. Toxic

to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
2-Methyl-2-propanethiol	LC50: 34 mg/L/96h	EC50: 6.7 mg/L/48h		
	(Oncorhynchus mykiss)	-		

Persistence and Degradability

**Persistence** 

Not readily biodegradable

Persistence is unlikely, based on information available.

Page 7/9 Revision Date 06-Apr-2024

### 2-Methyl-2-propanethiol

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

**Bioaccumulative Potential** 

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
2-Methyl-2-propanethiol		12

Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in air

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not

empty into drains.

### **SECTION 14. TRANSPORT INFORMATION**

#### **Road and Rail Transport**

UN-No UN2347

Proper Shipping Name BUTYL MERCAPTAN

Hazard Class 3
Packing Group ||

IMDG/IMO

UN-No UN2347

Proper Shipping Name BUTYL MERCAPTAN

Hazard Class 3
Packing Group ||

<u>IATA</u>

UN-No UN2347

Proper Shipping Name BUTYL MERCAPTAN

Hazard Class 3
Packing Group II

Special Precautions for User No special precautions required

### **SECTION 15. REGULATORY INFORMATION**

Page 8/9 Revision Date 06-Apr-2024

### 2-Methyl-2-propanethiol

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The Inventory of Hazardous Chemicals (2015 Edition)		TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
2-Methyl-2-propanethi ol	Х	Х	Х	Х	200-890-2	Х	Х	Х	Х	Х	Х	KE-24873

### **National Regulations**

### **SECTION 16. OTHER INFORMATION**

06-Apr-2024 **Revision Date** Not applicable. **Revision Summary** 

**Training Advice** 

Chemical incident response training.

### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

Substances List

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

ACR14902

### **SAFETY DATA SHEET**

Page 9/9 Revision Date 06-Apr-2024

2-Methyl-2-propanethiol

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**