# Thermo Fisher SCIENTIFIC

# SAFETY DATA SHEET

Page 1/8 Creation Date 22-Sep-2009 Revision Date 29-Apr-2024 Version 3

ALFAAL00491

# Osmium(VIII) oxide

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: Osmium(VIII) oxide Product Description: Osmium(VIII) oxide

Cat No.: L00491

Synonyms Osmic acid; Osmium tetroxide; Perosmic oxide

CAS No 20816-12-0 Molecular Formula O4Os

Supplier Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No. **US:**001-800-424-9300 / **Europe:**001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals.
Uses advised against No Information available

# **SECTION 2. HAZARD IDENTIFICATION**

Physical StateAppearanceOdorSolidOff-whiteSlight chlorine

**Emergency Overview** 

Fatal in contact with skin. Causes severe skin burns and eye damage. Fatal if swallowed. Fatal if inhaled.

# Classification of the substance or mixture

| Acute Oral Toxicity                         | Category 2   |
|---------------------------------------------|--------------|
| Acute Dermal Toxicity                       | Category 1   |
| Acute Inhalation Toxicity - Dusts and Mists | Category 2   |
| Skin Corrosion/Irritation                   | Category 1 B |
| Serious Eye Damage/Eye Irritation           | Category 1   |

# **Label Elements**



Page 2/8 Revision Date 29-Apr-2024

# Osmium(VIII) oxide

Signal Word

Danger

#### **Hazard Statements**

H314 - Causes severe skin burns and eye damage

H300 + H310 + H330 - Fatal if swallowed, in contact with skin or if inhaled

#### **Precautionary Statements**

#### Prevention

P262 - Do not get in eyes, on skin, or on clothing

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P284 - Wear respiratory protection

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P310 - Immediately call a POISON CENTER or doctor

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing P330 - Rinse mouth

P331 - Do NOT induce vomiting

P362 + P364 - Take off contaminated clothing and wash it before reuse

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

#### **Physical and Chemical Hazards**

None identified.

# **Health Hazards**

Fatal in contact with skin. Corrosive. Causes skin and eye burns. Causes serious eye damage. Very toxic if swallowed. Fatal if inhaled.

#### **Environmental hazards**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. . Is not likely mobile in the environment due its low water solubility. .

This product does not contain any known or suspected endocrine disruptors.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Component        | CAS No     | Weight % |  |  |
|------------------|------------|----------|--|--|
| Osmium tetroxide | 20816-12-0 | 100      |  |  |

# **SECTION 4. FIRST AID MEASURES**

#### **General Advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

# **Eye Contact**

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

#### **Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

Page 3/8 Revision Date 29-Apr-2024

# Osmium(VIII) oxide

medical device. Immediate medical attention is required.

#### Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

# Most important symptoms and effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

# **Notes to Physician**

Treat symptomatically.

# **SECTION 5. FIRE-FIGHTING MEASURES**

#### **Suitable Extinguishing Media**

Dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

# **Specific Hazards Arising from the Chemical**

The product causes burns of eyes, skin and mucous membranes.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions**

Use personal protective equipment as required. Evacuate personnel to safe areas. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid dust formation.

#### **Environmental Precautions**

Should not be released into the environment.

#### Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7. HANDLING AND STORAGE**

#### Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe (dust, vapor, mist, gas). Avoid dust formation.

#### Storage

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

#### Specific Use(s)

Page 4/8 Revision Date 29-Apr-2024

Osmium(VIII) oxide

Use in laboratories

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control Parameters**

| Component        | China | Taiwan                        | Thailand                     | Hong Kong |
|------------------|-------|-------------------------------|------------------------------|-----------|
| Osmium tetroxide | =     | TWA: 0.0002 ppm               | TWA: 0.002 mg/m <sup>3</sup> | -         |
|                  |       | TWA: 0.0016 mg/m <sup>3</sup> | _                            |           |

| Component        | ACGIH TLV        | OSHA PEL                     | NIOSH                         | The United Kingdom               | European Union |
|------------------|------------------|------------------------------|-------------------------------|----------------------------------|----------------|
| Osmium tetroxide | TWA: 0.0002 ppm  | (Vacated) TWA:               | IDLH: 1 mg/m <sup>3</sup>     | STEL: 0.0006 ppm 15              |                |
|                  | STEL: 0.0006 ppm | 0.0002 ppm                   | TWA: 0.0002 ppm               | min                              |                |
|                  |                  | (Vacated) TWA: 0.002         | TWA: 0.002 mg/m <sup>3</sup>  | STEL: 0.006 mg/m <sup>3</sup> 15 |                |
|                  |                  | mg/m³                        | STEL: 0.0006 ppm              | min                              |                |
|                  |                  | (Vacated) STEL:              | STEL: 0.006 mg/m <sup>3</sup> | TWA: 0.0002 ppm 8 hr             |                |
|                  |                  | 0.0006 ppm                   |                               | TWA: 0.002 mg/m <sup>3</sup> 8   |                |
|                  |                  | (Vacated) STEL: 0.006        |                               | hr                               |                |
|                  |                  | mg/m³                        |                               |                                  |                |
|                  |                  | TWA: 0.002 mg/m <sup>3</sup> |                               |                                  |                |

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

# **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

#### **Exposure Controls**

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

#### Personal protective equipment

Goggles (European standard - EN 166) **Eye Protection** 

**Hand Protection** Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments        |
|----------------|-------------------|-----------------|-------------|-----------------------|
| Natural rubber | See manufacturers | -               | EN 374      | (minimum requirement) |
| Nitrile rubber | recommendations   |                 |             |                       |
| Neoprene       |                   |                 |             |                       |
| PVC            |                   |                 |             |                       |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

When workers are facing concentrations above the exposure limit they must use **Respiratory Protection** 

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Page 5/8 Revision Date 29-Apr-2024

Osmium(VIII) oxide

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

Solid

Solid

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure Small scale/Laboratory use

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures** 

**Environmental exposure controls** No information available.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** Off-white **Physical State** Solid

Large scale/emergency use

Odor Slight chlorine No data available **Odor Threshold** pН No information available

**Melting Point/Range** 39.5 - 41 °C / 103.1 - 105.8 °F

**Softening Point** No data available **Boiling Point/Range** 130 °C / 266 °F

@ 760 mmHg

**Flash Point** No information available Method - No information available

**Evaporation Rate** Not applicable Solid

No information available Flammability (solid,gas) **Explosion Limits** No data available

**Vapor Pressure** 7 mmHg @ 20 °C **Vapor Density** 

Not applicable

Specific Gravity / Density 4.9

**Bulk Density** No data available Water Solubility Slightly soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component Osmium tetroxide 0.9

**Autoignition Temperature** No data available No data available **Decomposition Temperature** Not applicable **Viscosity** 

No information available

**Explosive Properties** No information available **Oxidizing Properties** 

Molecular Formula 040s **Molecular Weight** 254.20

# **SECTION 10. STABILITY AND REACTIVITY**

Stability Stable under normal conditions.

None under normal processing. **Hazardous Reactions Hazardous Polymerization** No information available.

**Conditions to Avoid** None known.

Materials to avoid Acids. Bases. Metals. Reducing Agent.

Page 6/8 Revision Date 29-Apr-2024

Osmium(VIII) oxide

Hazardous Decomposition Products None under normal use conditions.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Product Information**

(a) acute toxicity;

| Component        | LD50 Oral                         | LD50 Dermal | LC50 Inhalation         |
|------------------|-----------------------------------|-------------|-------------------------|
| Osmium tetroxide | Osmium tetroxide 15 mg/kg ( Rat ) |             | LC50 = 40 ppm (Rat) 4 h |
|                  |                                   |             |                         |

(b) skin corrosion/irritation; Category 1 B

Category 1 (c) serious eye damage/irritation;

(d) respiratory or skin sensitization;

No data available Respiratory Skin No data available

No information available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

No data available (i) STOT-repeated exposure;

**Target Organs** No information available.

(j) aspiration hazard; Not applicable

Solid

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

# **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects** Do not empty into drains. Do not flush into surface water or sanitary sewer system.

Persistence and Degradability

**Persistence** Persistence is unlikely.

Degradability Not relevant for inorganic substances.

**Bioaccumulative Potential** Bioaccumulation is unlikely

Page 7/8 Revision Date 29-Apr-2024

# Osmium(VIII) oxide

| Component        | log Pow | Bioconcentration factor (BCF) |
|------------------|---------|-------------------------------|
| Osmium tetroxide | 0.9     | No data available             |

Mobility in soil Is not likely mobile in the environment due its low water solubility

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH

and harm aquatic organisms.

# **SECTION 14. TRANSPORT INFORMATION**

#### **Road and Rail Transport**

UN-No UN2471

Proper Shipping Name OSMIUM TETROXIDE

Hazard Class 6.1
Packing Group

IMDG/IMO

**UN-No** UN2471

Proper Shipping Name OSMIUM TETROXIDE

Hazard Class 6.1 Packing Group

<u>IATA</u>

UN-No UN2471

Proper Shipping Name OSMIUM TETROXIDE

Hazard Class 6.1 Packing Group

Special Precautions for User No special precautions required

# **SECTION 15. REGULATORY INFORMATION**

# **International Inventories**

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

| Component        | The<br>Inventory of<br>Hazardous | List of dangerous goods GB | TCSI | IECSC | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | AICS | KECL     |
|------------------|----------------------------------|----------------------------|------|-------|-----------|------|-----|-------|------|------|------|----------|
|                  | Chemicals<br>(2015<br>Edition)   |                            |      |       |           |      |     |       |      |      |      |          |
| Osmium tetroxide | Х                                | Х                          | Х    | Х     | 244-058-7 | Х    | Х   | Х     | -    |      | Х    | KE-27435 |

Page 8 / 8 Revision Date 29-Apr-2024

Osmium(VIII) oxide

# **National Regulations**

# **SECTION 16. OTHER INFORMATION**

Prepared By Health, Safety and Environmental Department

 Creation Date
 22-Sep-2009

 Revision Date
 29-Apr-2024

**Revision Summary** New emergency telephone response service provider.

# **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

# Legend

CAS - Chemical Abstracts Service

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

PNEC - Predicted No Effect Concentration

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

EC50 - Effective Concentration 50%

IARC - International Agency for Research on Cancer

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level **RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50% **NOEC** - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

- - - I A'- I

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate

TWA - Time Weighted Average

LD50 - Lethal Dose 50%

VOC - (Volatile Organic Compound)

# Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**