

# **SAFETY DATA SHEET**

Creation Date 02-January-2015 Revision Date 27-February-2025 Revision Number 1

1. Identification

Product Name Ethylenediaminetetraacetic acid, AR

Cat No.: W00094

**CAS-No** 60-00-4

Synonyms 3,6-Diazaoctanedioic acid, 3,6-bis(carboxymethy; Acetic acid, (Ethylenedinitrilo)tetraacetic

acid; EDTA; Edetic acid; Diaminoethanetetraacetic acid

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

#### Company

## Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Acute Inhalation Toxicity

Serious Eye Damage/Eye Irritation

Category 2

Specific target organ toxicity - (repeated exposure)

Category 2

Category 2

Target Organs - Respiratory system.

Label Elements

## Signal Word

Warning

#### **Hazard Statements**

Harmful if inhaled

Causes serious eye irritation

May cause damage to organs through prolonged or repeated exposure



### **Precautionary Statements**

#### Prevention

Do not breathe dust/fumes/gas/mist/vapours/spray Wash face, hands and any exposed skin thoroughly after handling Use only outdoors or in a well-ventilated area Wear eye/face protection

## Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Call a POISON CENTER/ doctor if you feel unwell

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %	
Ethylenediaminetetraacetic acid	60-00-4	> 99	

#### 4. First-aid measures

General Advice If symptoms persist, call a physician.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Obtain medical attention if irritation persists.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms/effects

Notes to Physician

None reasonably foreseeable.

Treat symptomatically

## 5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point Not applicable

Method - No information available

**Autoignition Temperature** 200 °C / 392 °F

**Explosion Limits** 

Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2).

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health **Flammability** Instability Physical hazards N/A 2 1 0

#### Accidental release measures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust **Personal Precautions** 

formation.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed Up

containers for disposal.

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.
Storage.	Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Incompatible

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Incompatible

Materials. Strong oxidizing agents. Strong bases. Metals. copper.

## 8. Exposure controls / personal protection

This product does not contain any hazardous materials with occupational exposure **Exposure Guidelines** 

limitsestablished by the region specific regulatory bodies.

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations **Engineering Measures** 

and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control

hazardous materials at source

Personal protective equipment

**Eye Protection** Goggles

Protective gloves **Hand Protection** 

Glove material	Breakthrough time	Glove thickness	Glove comments
Nitrile rubber	See manufacturers		Splash protection only
Neoprene	recommendations		

Natural rubber PVC

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

#### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

#### **Environmental exposure controls**

Prevent product from entering drains. Do not allow material to contaminate ground water system.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

# 9. Physical and chemical properties

Physical StatePowder SolidAppearanceWhiteOdorOdorless

Odor ThresholdNo information availablepH2.510 g/L (23°C)Melting Point/Range220 °C / 428 °FBoiling Point/RangeNo information available

Flash Point Not applicable Evaporation Rate Not applicable

Flammability (solid,gas)

No information available Flammability or explosive limits

Upper No data available
Lower No data available
Vapor Pressure 0.013 hPa @ 20 °C
Vapor Density Not applicable
Specific Gravity 0.86 @ 20°C

Solubility Slightly soluble in water Partition coefficient; n-octanol/water No data available

Autoignition Temperature 200 °C / 392 °F

Decomposition Temperature > 150 °C

Not applicable

Viscosity
Not applicable
C10 H16 N2 O8

Molecular Weight 292.23

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Avoid dust formation. Incompatible products. Excess heat.

Incompatible Materials Strong oxidizing agents, Strong bases, Metals, copper

Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

# **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylenediaminetetraacetic acid	4500 mg/kg (Rat)	Not listed	1 mg/l (rat)
	>2000 mg/kg ( Rat )		_ ` ` /

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Ethylenediaminetetraa	60-00-4	Not listed				
cetic acid						

Mutagenic Effects No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure None known
STOT - repeated exposure Respiratory system

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

### **Ecotoxicity**

Contains a substance which is:. The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ethylenediaminetetraacetic	EC50: = 1.01 mg/L, 72h	LC50: 34 - 62 mg/L, 96h	Not listed	EC50: = 113 mg/L, 48h
acid	(Desmodesmus	static (Lepomis macrochirus)		Static (Daphnia magna)
	subspicatus)	LC50: 44.2 - 76.5 mg/L, 96h		
		static (Pimephales		
		promelas)		

Persistence and Degradability

Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation**No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

# 13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and

nazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDG/IMONot regulated

# 15. Regulatory information

#### **International Inventories**

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Ethylenediaminetetraacetic acid	60-00-4	X	-	X	ACTIVE	200-449-4	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Ethylenediaminetetraacetic acid	60-00-4	X	KE-13648	X	X	X	X	X	X

#### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

#### **Other International Regulations**

## Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV -	REACH (1907/2006) - Annex XVII -	REACH Regulation (EC
	Substances Subject to	Restrictions on Certain Dangerous	1907/2006) article 59 - Candidate
	Authorization	Substances	List of Substances of Very High
			Concern (SVHC)
Ethylenediaminetetraacetic acid	-	Use restricted. See entry 75.	-
		(see link for restriction details)	

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Ethylenediaminetetraacetic acid	60-00-4	Listed	Not applicable	Not applicable	Not applicable
		T			
Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Ethylenediaminetetraacetic acid	60-00-4	Not applicable	Not applicable	Not applicable	Not applicable

# 16. Other information

Prepared By Product Safety Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

Creation Date02-January-2015Revision Date27-February-2025Print Date27-February-2025Revision SummaryInitial Release.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**