

Creation Date 26-Aug-2010 Revision Date 10-Dec-2021 Revision Number 4

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Microbact Reagent VP II

Cat No.: MB0184

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company Oxoid Ltd

Wade Road

Basingstoke, Hants, UK

RG24 8PW

Tel: +44 (0) 1256 841144

**EU entity/business name** Oxoid Deutschland GmbH

Postfach 10 07 53

D-46483 Wesel GERMANY

Tel: + 49 (0) 281 1520 Fax: 49 (0) 281 1521

E-mail address mbd-sds@thermofisher.com

1.4. Emergency telephone number

Chemtrec EU: 001-703-527-3887 Chemtrec US: (800) 424-9300

For customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

# **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

# CLP Classification - Regulation (EC) No 1272/2008

### **Physical hazards**

Based on available data, the classification criteria are not met

### Microbact Reagent VP II

Revision Date 10-Dec-2021

### **Health hazards**

Acute oral toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Category 4 (H302) Category 1 A (H314) Category 1 (H318)

### **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

### 2.2. Label elements



### Signal Word

### **Danger**

#### **Hazard Statements**

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

### **Precautionary Statements**

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

# 2.3. Other hazards

Toxic to terrestrial vertebrates

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Potassium hydroxide	1310-58-3	215-181-3	40	Acute Tox. 4 (H302)
				Skin Corr. 1A (H314)
				Eye Dam. 1 (H318)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Potassium hydroxide	Skin Corr. 1A (H314) :: C>=5%	-	-

Microbact Reagent VP II Revision Date 10-Dec-2021

Skin Corr. 1B (H314) ::	
2%<=C<5%	
Eye Irrit. 2 (H319) ::	
0.5%<=C<2%	
Skin Irrit. 2 (H315) ::	
0.5%<=C<2%	

Full text of Hazard Statements: see section 16

# **SECTION 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

**Eye Contact** Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Get medical attention

immediately if symptoms occur.

**Ingestion** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean

mouth with water. Call a physician immediately.

**Inhalation** Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or

inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately. If

not breathing, give artificial respiration.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

# 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

### 5.1. Extinguishing media

### **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

# Extinguishing media which must not be used for safety reasons

No information available.

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous

OVDMP0494

### Microbact Reagent VP II

\_\_\_\_

membranes.

### **Hazardous Combustion Products**

Thermal decomposition can lead to release of irritating gases and vapors.

# 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing.

### 6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

# 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7: HANDLING AND STORAGE**

# 7.1. Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

# 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

**Technical Rules for Hazardous Substances (TRGS) 510** Storage Class/LGK 8B **Storage Class (LGK) (Germany)** 

# 7.3. Specific end use(s)

Use in laboratories

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1. Control parameters

### **Exposure limits**

List source(s): UK - EH40/2005 Work Exposure Limits, Third edition. Published 2018. IRE - 2010 Code of Practice for the Safety,

\_\_\_\_\_

Revision Date 10-Dec-2021

### Microbact Reagent VP II

Revision Date 10-Dec-2021

Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. CH - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am arbeitplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Potassium hydroxide		WEL - 2 mg/m <sup>3</sup> STEL	STEL / VLCT: 2 mg/m <sup>3</sup> .	STEL: 2mg/m <sup>3</sup> VLE	STEL / VLA-EC: 2
		_	_	_	mg/m³ (15 minutos).

Component	Italy	Germany	Portugal	The Netherlands	Finland
Potassium hydroxide			Ceiling: 2 mg/m <sup>3</sup>		Ceiling: 2 mg/m <sup>3</sup>

Component	Austria	Denmark	Switzerland	Poland	Norway
Potassium hydroxide	MAK-TMW: 2 mg/m <sup>3</sup> 8	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> 8	STEL: 1 mg/m³ 15	Ceiling: 2 mg/m <sup>3</sup>
	Stunden		Stunden	minutach TWA: 0.5 mg/m <sup>3</sup> 8	
				godzinach	

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Potassium hydroxide	TWA: 2.0 mg/m <sup>3</sup>	STEL-KGVI: 2 mg/m <sup>3</sup> 15	STEL: 2 mg/m <sup>3</sup> 15 min		TWA: 1 mg/m <sup>3</sup> 8
		minutama.			hodinách.
					Ceiling: 2 mg/m <sup>3</sup>

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Potassium hydroxide	TWA: 2 mg/m³ 8 tundides.		STEL: 2 mg/m³ TWA: 2 mg/m³	STEL: 2 mg/m³ 15 percekben. CK TWA: 2 mg/m³ 8 órában. AK	STEL: 2 mg/m <sup>3</sup>

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Potassium hydroxide				Binding STEL: 2 mg/m <sup>3</sup>	
				15 minuter	
				TLV: 1 mg/m <sup>3</sup> 8 timmar.	
				NGV	

### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

# **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

# Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Potassium hydroxide 1310-58-3 (40)			DNEL = 1mg/m <sup>3</sup>	

### **Predicted No Effect Concentration (PNEC)**

No information available.

Revision Date 10-Dec-2021 Microbact Reagent VP II

# 8.2. Exposure controls **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

**Hand Protection** Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Disposable gloves	See manufacturers	-	EN 374	(minimum requirement)
	recommendations			

Skin and body protection Long sleeved clothing.

Inspect gloves before use, observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

In case of insufficient ventilation, wear suitable respiratory equipment Large scale/emergency use

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** Prevent product from entering drains.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

**Physical State** Liquid

Colorless **Appearance** 

No information available Odor **Odor Threshold** No data available **Melting Point/Range** No data available **Softening Point** No data available **Boiling Point/Range** Not applicable No data available Flammability (liquid)

Flammability (solid, gas) Not applicable Liquid

**Explosion Limits** No data available

Not applicable Flash Point Method - No information available

**Autoignition Temperature** No data available No data available **Decomposition Temperature** pН No information available

No data available **Viscosity** Water Solubility Soluble in water

Microbact Reagent VP II Revision Date 10-Dec-2021

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowPotassium hydroxide0.83

Vapor Pressure
Density / Specific Gravity
Bulk Density
No data available
Not applicable

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### **Product Information**

(a) acute toxicity;

Oral Category 4
Dermal No data available
Inhalation No data available

### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Potassium hydroxide	LD50 = 333-384  mg/kg (Rat)	<del>-</del>	-

(b) skin corrosion/irritation; Category 1 A

(c) serious eye damage/irritation; Category 1

Revision Date 10-Dec-2021 Microbact Reagent VP II

(d) respiratory or skin sensitization;

No data available Respiratory No data available Skin

Component	Test method	Test species	Study result
Potassium hydroxide	OECD Test Guideline 406	guinea pig	non-sensitising
1310-58-3 ( 40 )			

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

No data available (h) STOT-single exposure;

(i) STOT-repeated exposure; No data available

No information available. **Target Organs** 

No data available (j) aspiration hazard;

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation.

11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity effects** Contains a substance which is:. Harmful to aquatic organisms. The product contains

following substances which are hazardous for the environment.

12.2. Persistence and degradability

Soluble in water, Persistence is unlikely, based on information available. **Persistence** 

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Potassium hydroxide	0.83	No data available

Revision Date 10-Dec-2021 Microbact Reagent VP II

The product is water soluble, and may spread in water systems. Will likely be mobile in the 12.4. Mobility in soil

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

According to the European Waste Catalog, Waste Codes are not product specific, but **European Waste Catalogue (EWC)** 

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Large amounts will

affect pH and harm aquatic organisms.

**Switzerland - Waste Ordinance** Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

# **SECTION 14: TRANSPORT INFORMATION**

### IMDG/IMO

UN1814 14.1. UN number

14.2. UN proper shipping name POTASSIUM HYDROXIDE, SOLUTION

14.3. Transport hazard class(es) 14.4. Packing group II

ADR

14.1. UN number

14.2. UN proper shipping name POTASSIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es) 14.4. Packing group

II

IATA

14.1. UN number

14.2. UN proper shipping name POTASSIUM HYDROXIDE, SOLUTION

14.3. Transport hazard class(es)

Microbact Reagent VP II Revision Date 10-Dec-2021

14.4. Packing group II

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

# **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### International Inventories

Component

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Potassium hydroxide	1310-58-3	215-181-3	-	-	Х	Χ	KE-29139	Χ	Χ
Component	CAS No	TSCA	TSCA In notific Active-I	ation -	DSL	NDSL	AICS	NZIoC	PICCS
Potassium hydroxide	1310-58-3	X	ACT	IVE	X	ı	X	X	X

CAS No EINECS ELINCS NLP IECSC TCSI KECL ENCS

**Legend:** X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

# Authorisation/Restrictions according to EU REACH

Component	. ,	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
			Concern (SVHC)
Potassium hydroxide	-	Use restricted. See item 75.	<del>-</del>
		(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Potassium hydroxide	1310-58-3	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

# **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** Water endangering class = 1 (self classification)

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Potassium hydroxide	WGK1	

Page 10/12

Revision Date 10-Dec-2021 Microbact Reagent VP II

# **Swiss Regulations**

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Potassium hydroxide	Prohibited and Restricted		
1310-58-3 ( 40 )	Substances		

### 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

# **SECTION 16: OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

Inventory

Substances List

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

MARPOL - International Convention for the Prevention of Pollution from Shins

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

Microbact Reagent VP II Revision Date 10-Dec-2021

hygiene.

Prepared By Regulatory Affairs on behalf of Thermo Fisher Scientific Australia

Creation Date26-Aug-2010Revision Date10-Dec-2021

**Revision Summary** Update to CLP Format.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No. 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**