

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

### Section 1 - Identification

Product Name TNTplus aluminium 24 tests

Product Code HACTNT848

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list.

Verify requirements related to using, handling and storing these substances. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National Code of Practice

for Chemicals of Security Concern.

## Section 2 - Hazard(s) Identification

#### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

Flammable liquids Category 3

**Health hazards** 

Acute Oral Toxicity Category 4 Category 3

Acute Dermal Toxicity

Acute Inhalation Toxicity - Vapors

Acute Inhalation Toxicity - Dusts and Mists

Category 3

Acute Inhalation Toxicity - Dusts and Mists

Category 3

Serious Eye Damage/Eye Irritation

Category 2

Specific target organ toxicity - (single exposure)

Category 1

**Environmental hazards** 

Chronic aquatic toxicity Category 2

**Label Elements** 

AUS-002671A Version 2 14-Jul-2023 Page 1/12









Skull and Crossbones

Health Hazard

### Signal Word

#### **Danger**

#### **Hazard Statements**

H319 - Causes serious eye irritation

H411 - Toxic to aquatic life with long lasting effects

H226 - Flammable liquid and vapor

H370 - Causes damage to organs

H301 + H331 - Toxic if swallowed or if inhaled

H302 + H312 - Harmful if swallowed or in contact with skin

AUH031 - Contact with acids liberates toxic gas

AUH032 - Contact with acids liberates very toxic gas

### **Precautionary Statements**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P311 - Call a POISON CENTER or doctor

P330 - Rinse mouth

P363 - Wash contaminated clothing before reuse

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/ container to an approved waste disposal plant

### Other information

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

# Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	50-60
Methyl alcohol	67-56-1	15-25
Ammonium acetate	631-61-8	15-25
Sodium acetate	127-09-3	5-10
Acetic acid	64-19-7	<0.5

## Section 4 - First Aid Measures

AUS-002671A Version 2 14-Jul-2023 Page 2 / 12

Inhalation

### SAFETY DATA SHEET

Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If

not breathing, give artificial respiration.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting

Notes to Physician Treat symptomatically.

### Section 5 - Fire Fighting Measures

### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

### Extinguishing media which must not be used for safety reasons

No information available.

### **Specific Hazards Arising from the Chemical**

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## Section 6 - Accidental Release Measures

### **Emergency procedures**

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges.

#### **Environmental Precautions**

Do not flush into surface water or sanitary sewer system.

#### Methods for Containment and Clean Up

### Clean-up methods - small spillage

Sweep up and shovel into suitable containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

### Clean-up methods - large spillage

AUS-002671A Version 2 14-Jul-2023 Page 3 / 12

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

#### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

### **Precautions for Safe Handling**

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not breathe (dust, vapor, mist, gas). Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AS 1940-2004 - The storage and handling of flammable and combustible liquids

## Section 8 - Exposure Controls and Personal Protection

#### **Exposure limits**

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Methyl alcohol	STEL: 250 ppm STEL: 328 mg/m <sup>3</sup> TWA: 200 ppm	TWA: 200 ppm TWA: 262 mg/m <sup>3</sup> STEL: 250 ppm	TWA: 200 ppm STEL: 250 ppm Skin	WEL - TWA: 200 ppm TWA; 266 mg/m <sup>3</sup> TWA WEL - STEL: 250 ppm	100 ppm TWA MAK; 130 mg/m³ TWA MAKSkin absorber
	TWA: 262 mg/m <sup>3</sup>	STEL: 328 mg/m³ Skin	Chair	STEL; 333 mg/m³ STEL	WWW.Commasser
Acetic acid	STEL: 15 ppm STEL: 37 mg/m³ TWA: 10 ppm TWA: 25 mg/m³	TWA: 10 ppm TWA: 25 mg/m³ STEL: 15 ppm STEL: 37 mg/m³	TWA: 10 ppm STEL: 15 ppm	STEL: 37 mg/m³ STEL: 15 ppm TWA: 10 ppm TWA: 25 mg/m³	TWA: 10 ppm (8 Stunden). AGW - exposure factor 2 TWA: 25 mg/m³ (8 Stunden). AGW - exposure factor 2 TWA: 10 ppm (8 Stunden). MAK TWA: 25 mg/m³ (8 Stunden). MAK Höhepunkt: 20 ppm Höhepunkt: 50 mg/m³

### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

	Component	Australia	New Zealand	European Union	United Kingdom	Germany
ſ	Methyl alcohol		15 mg/L (urine) end of			Methanol: 15 mg/L urine
	-		shift (Methyl alcohol)			(end of shift)
						Methanol: 15 mg/L urine

AUS-002671A Version 2 14-Jul-2023 Page 4/12

		(for long-term exposures: at the end of
		the shift after several shifts )

### **Exposure Controls**

### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

	Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
ĺ	Disposable gloves	See manufacturers	-	AS/NZS 2161	(minimum requirement)
		recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system.

# Section 9 - Physical and Chemical Properties

### Information on basic physical and chemical properties

**Appearance** Clear, colorless solution

Physical State Liquid

Odor No information available
Odor Threshold No data available

**pH** 7.5

Melting Point/Range No data available Softening Point No data available

Boiling Point/Range Not applicable 65 °C / 149 °F

Flash Point Not applicable 30 °C / 86 °F Method - No information available

Evaporation Rate Not applicable Solid Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

AUS-002671A Version 2 14-Jul-2023 Page 5 / 12

Vapor Pressure No data available

Vapor Density
Not applicable
Specific Gravity / Density
No data available
Solid

Bulk Density Not applicable Liquid

Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowMethyl alcohol-0.74Ammonium acetate-2.79Sodium acetate-4.22Acetic acid-0.2

Autoignition TemperatureNo data availableDecomposition TemperatureNo data available

 Viscosity
 Not applicable
 Solid

 Explosive Properties
 explosive air/vapour mixtures possible

Oxidizing Properties No information available

Other information

## Section 10 - Stability and Reactivity

**Reactivity** Yes

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products, Excess heat, Keep away from open flames, hot surfaces and

sources of ignition.

Incompatible Materials None known.

Hazardous Decomposition Products None under normal use conditions.

Hazardous Polymerization Hazardous polymerization does not occur.

### Section 11 - Toxicological Information

### Information on Toxicological Effects

### **Product Information**

(a) acute toxicity;

Oral Category 4
Category 3
Dermal Category 4
Inhalation Category 3

### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Methyl alcohol	LD50 = 1187 – 2769 mg/kg (Rat)	LD50 = 17100 mg/kg ( Rabbit )	LC50 = 128.2 mg/L (Rat) 4 h
Sodium acetate	LD50 = 3530 mg/kg (Rat)	LD50 > 10 g/kg(Rabbit)	LC50 > 30 g/m³ (Rat) 1 h
Acetic acid	3310 mg/kg (Rat)	-	> 40 mg/L (Rat) 4 h

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; Category 2

AUS-002671A Version 2 14-Jul-2023 Page 6/12

### (d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

Component	Test method	Test species	Study result
Methyl alcohol	OECD Test Guideline 406	guinea pig	non-sensitising
67-56-1 ( 15-25 )	Guinea Pig Maximisation Test		_
	(GPMT)		

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

Component	Test method	Test species / Duration	Study result
Methyl alcohol	OECD Test Guideline 416	Rat / Inhalation 2 Generation	NOAEC = 1.3 mg/l (air)
67-56-1 ( 15-25 )			<u> </u>

(h) STOT-single exposure; Category 1

Results / Target organs Optic nerve

Central nervous system (CNS)

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting delayed

# Section 12 - Ecological Information

### **Ecotoxicity effects**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Methyl alcohol	Pimephales promelas: LC50 > 10000 mg/L 96h	EC50 > 10000 mg/L 24h		EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min
Ammonium acetate	Mosquito Fish: 238 mg/L/24H Carp: 1.06 mg/L/48H			
Sodium acetate	LC50: > 100 mg/L, 96h semi-static (Danio rerio)	EC50: > 1000 mg/L, 48h (Daphnia magna)	-	= 7200 mg/L EC50 Pseudomonas putida 18 h
Acetic acid	Pimephales promelas: LC50 = 88 mg/L/96h Lepomis macrochirus: LC50 = 75 mg/L/96h	EC50 = 95 mg/L/24h	-	Photobacterium phosphoreum: EC50 = 8.8 mg/L/15 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/25 min Photobacterium phosphoreum: EC50 =

AUS-002671A Version 2 14-Jul-2023 Page 7/12

		8.8 mg/L/5 min
Poreistones and Dogradability		

Persistence and Degradability

**Persistence** Persistence is unlikely, based on information available.

Component	Degradability	
Methyl alcohol	phol DT50 ~ 17.2d	
67-56-1 (15-25)	>94% after 20d	

Degradation in sewage treatment plant Bioaccumulative Potential

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants. Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Methyl alcohol	-0.74	<10 dimensionless
Ammonium acetate	-2.79	No data available
Sodium acetate	-4.22	<10 dimensionless
Acetic acid	-0.2	No data available

Mobility

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mabile in the environment due to its volatility. Disperses rapidly in

surfaces. Will likely be mobile in the environment due to its volatility Disperses rapidly in

air

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

Waste from Residues/Unused

**Products** 

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure

conformity with all applicable regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not empty into drains.

### Section 14 - Transport Information

### IMDG/IMO

UN-No UN1987

Proper Shipping Name ALCOHOLS, N.O.S.

Technical Shipping Name <a href="#">ALCOHOLS, N.O.S.</a>
<20% Methanol in Solution</p>

Hazard Class 3
Packing Group III

<u>ADG</u>

UN-No UN1987

Proper Shipping Name ALCOHOLS, N.O.S. Technical Shipping Name <20% Methanol in Solution

Hazard Class 3
Packing Group III

r doking Group	
Component	Hazchem Code
Methyl alcohol	2WE
67-56-1 ( 15-25 )	
Acetic acid	2P

AUS-002671A Version 2 14-Jul-2023 Page 8/12

	64-19-7 ( <0.5	2R
--	----------------	----

**IATA** 

**UN-No** UN1987

Proper Shipping Name ALCOHOLS, N.O.S.

**Technical Shipping Name** <20% Methanol in Solution

Hazard Class 3
Packing Group III

**Environmental hazards** Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

Special Precautions No special precautions required

Additional information None known

# Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

### Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
Methyl alcohol - 67-56-1	Schedule 5 listed - except its derivatives;in preparations except a) when included in Schedule 10, or b)
	in preparations containing <=2% of Methanol, or c) when Methanol is present only as a denaturant of
	2.13.10.
	Schedule 6 listed - except its derivatives; except a) when included in Schedule 5, or b) when included in
	Schedule 10, or c) in preparations containing <=2% of Methanol
	Schedule 10 listed
Acetic acid - 64-19-7	Schedule 2 listed
	Schedule 5 listed - except its salts and derivatives;in preparations except when included in Schedule 2
	or 6, or for therapeutic use
	Schedule 6 listed - except its salts and derivatives; except when included in Schedule 2

### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Water - 7732-18-5	Present	-
Methyl alcohol - 67-56-1	Present	ē
Ammonium acetate - 631-61-8	Present	-
Sodium acetate - 127-09-3	Present	ē
Acetic acid - 64-19-7	Present	-

### Australian - Illicit Drug Precursors/Reagents Substance List

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling and storing these substances.

### **Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

AUS-002671A Version 2 14-Jul-2023 Page 9/12

Component	Australian - Illicit Drug Precursors/Reagents Substance List	Chemicals of Security Concern
Sodium acetate - 127-09-3	Category 3	
Acetic acid - 64-19-7	Category 3	

#### Legend

Category 3 - Chemicals and apparatus that may be used in the illicit production of drugs. Purchases from this list should alert companies or organizations to seek further indicators of any suspicious orders or enquiries. No official reporting is required for items on this list unless considered warranted

### National pollutant inventory Subject to reporting requirements

Component	National pollutant inventory
Methyl alcohol - 67-56-1	10 tonne/yr. Threshold category 1
Acetic acid - 64-19-7	10 tonne/yr. Threshold category 1

### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

### **International Inventories**

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	<b>ENCS</b>	ISHL	IECSC	KECL
Water	Х	X	231-791-2	-	Х	Х	-	Х	X		Х	KE-35400
Methyl alcohol	X	Х	200-659-6	-	Х	Х	-	Х	Х	Х	Х	KE-23193
Ammonium acetate	X	Х	211-162-9	-	X	Х	-	Χ	Х	Х	Х	KE-01629
Sodium acetate	X	X	204-823-8	-	X	Х	-	Х	Χ	Х	Х	KE-00061
Acetic acid	X	X	200-580-7	-	X	Χ	-	Х	Х	Х	Х	Χ

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

### Basel convention on the control of transboundary movements of hazardous wastes and their dispoal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories of Wastes to Be Controlled
Acetic acid - 64-19-7	Annex I - Y34	Y34 solid or solution

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident	for Safety Report
				Notification	Requirements
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Methyl alcohol	67-56-1	Listed	Not applicable	500 tonne	5000 tonne
Ammonium acetate	631-61-8	Listed	Not applicable	Not applicable	Not applicable

AUS-002671A Version 2 14-Jul-2023 Page 10 / 12

	Sodium acetate	127-09-3	Listed	Not applicable	Not applicable	Not applicable
Ī	Acetic acid	64-19-7	Listed	Not applicable	Not applicable	Not applicable

### Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Methyl alcohol	-	Use restricted. See item 69.	-
		(see link for restriction details)	
		Use restricted. See item 75.	
		(see link for restriction details)	
Acetic acid	-	Use restricted. See item 75.	-
		(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

### Section 16 - Other Information

### Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air

Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

NZS 5433:2020 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

**EC50** - Effective Concentration 50% **WEL** - Workplace Exposure Limit

**DNEL** - Derived No Effect Level

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

**VOC** - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical

Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances **CAS** - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards
On basis of test data
Health Hazards
Calculation method
Environmental hazards
Calculation method

### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Revision Date 14-Jul-2023

**Revision Summary** Update to GHS format.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

AUS-002671A Version 2 14-Jul-2023 Page 11 / 12

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**

AUS-002671A Version 2 14-Jul-2023 Page 12 / 12