

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**Product Identifier**

Perihalan Produk: **R40036 Schaudinn's Fixative**
Product Description: **R40036 Schaudinn's Fixative**
Cat No. : **R40036**

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Details of the supplier of the safety data sheet

Company Thermo Scientific Microbiology Sdn Bhd
No.6, Jalan TTC 6, Taman Teknologi Cheng,
Cheng, 75250 Melaka, Malaysia
+606 334 0975 .

Supplier Remel
12076 Santa Fe Drive Lenexa,
KS 66215 United States
Telephone: 1-800-255-6730
Fax:1-800-621-8251

E-mail address mbd-sds@thermofisher.com

Emergency Telephone Number

(603) 5122 8888
CHEMTREC Malaysia **1-800-815-308** (Malay)
CHEMTREC Malaysia (Kuala Lumpur) **+(60)-327884561** (Malay)

SECTION 2: HAZARDS IDENTIFICATION**Classification of the substance or mixture**

Flammable liquids	Category 3 (H226)
Acute oral toxicity	Category 2 (H300)
Acute dermal toxicity	Category 2 (H310)
Skin Corrosion/Irritation	Category 2 (H315)
Serious Eye Damage/Eye Irritation	Category 1 (H318)
Germ Cell Mutagenicity	Category 2 (H341)
Reproductive Toxicity	Category 2 (H361f)
Specific target organ toxicity - (single exposure)	Category 2 (H371)
Specific target organ toxicity - (repeated exposure)	Category 2 (H373)
Chronic aquatic toxicity	Category 2 (H411)

Label Elements

SAFETY DATA SHEET

R40036 Schaudinn's Fixative

Revision Date 29-Mar-2023



Signal Word

Danger

Hazard Statements

H226 - Flammable liquid and vapor
H315 - Causes skin irritation
H318 - Causes serious eye damage
H371 - May cause damage to organs
H341 - Suspected of causing genetic defects
H361f - Suspected of damaging fertility
H373 - May cause damage to organs through prolonged or repeated exposure
H411 - Toxic to aquatic life with long lasting effects
H300 + H310 - Fatal if swallowed or in contact with skin

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P310 - Immediately call a POISON CENTER or doctor/physician
P361 + P364 - Take off immediately all contaminated clothing and wash it before reuse
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P280 - Wear protective gloves/protective clothing/eye protection/face protection

Other Hazards

This product does not contain any known or suspected endocrine disruptors
Toxic to terrestrial vertebrates

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Ethyl alcohol	64-17-5	31
Glycerin	56-81-5	<2
Water	7732-18-5	63
Methanol	67-56-1	1
Mercuric chloride	7487-94-7	4.4

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical

SAFETY DATA SHEET

R40036 Schaudinn's Fixative

Revision Date 29-Mar-2023

	advice.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Causes eye burns. Causes severe eye damage. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

None under normal use conditions.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental precautions

Do not flush into surface water or sanitary sewer system.

Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use

SAFETY DATA SHEET

R40036 Schaudinn's Fixative

Revision Date 29-Mar-2023

spark-proof tools and explosion-proof equipment.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	Malaysia	ACGIH TLV	OSHA PEL
Ethyl alcohol		STEL: 1000 ppm	(Vacated) TWA: 1000 ppm (Vacated) TWA: 1900 mg/m ³ TWA: 1000 ppm TWA: 1900 mg/m ³
Glycerin			(Vacated) TWA: 10 mg/m ³ (Vacated) TWA: 5 mg/m ³ TWA: 15 mg/m ³ TWA: 5 mg/m ³
Methanol		TWA: 200 ppm STEL: 250 ppm Skin	(Vacated) TWA: 200 ppm (Vacated) TWA: 260 mg/m ³ (Vacated) STEL: 250 ppm (Vacated) STEL: 325 mg/m ³ Skin TWA: 200 ppm TWA: 260 mg/m ³
Mercuric chloride		TWA: 0.025 mg/m ³ Skin	(Vacated) Ceiling: 0.1 mg/m ³

Component	European Union	The United Kingdom	Germany
Ethyl alcohol		TWA: 1000 ppm TWA: 1920 mg/m ³ TWA WEL - STEL: 3000 ppm STEL; 5760 mg/m ³ STEL	200 ppm TWA MAK; 380 mg/m ³ TWA MAK
Glycerin		TWA: 10 mg/m ³ 8 hr (mist only)	TWA: 200 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 200 mg/m ³ (8 Stunden). MAK Höhepunkt: 400 mg/m ³
Methanol	TWA: 200 ppm (8hr) TWA: 260 mg/m ³ (8hr) Skin	STEL: 250 ppm STEL: 333 mg/m ³ TWA: 266 mg/m ³ TWA: 200 ppm	TWA: 100 ppm (8 Stunden). AGW - exposure factor 2 TWA: 130 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 100 ppm (8 Stunden). MAK TWA: 130 mg/m ³ (8 Stunden). MAK Höhepunkt: 200 ppm

100000000108450

SAFETY DATA SHEET

R40036 Schaudinn's Fixative

Revision Date 29-Mar-2023

			Höhepunkt: 260 mg/m ³ Haut
Mercuric chloride	TWA: 0.02 mg/m ³ (8h)	TWA: 0.02 mg/m ³ 8 hr	0.1mg/ml VME skin absorber

Exposure Controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles

Hand Protection

Protective gloves

Skin and body protection

Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls

Prevent product from entering drains Do not allow material to contaminate ground water system Local authorities should be advised if significant spillages cannot be contained

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance

Clear

Physical State

Liquid

Odor

No information available

Odor Threshold

No data available

pH

No information available

Melting Point/Range

No data available

Softening Point

No data available

Boiling Point/Range

Not applicable

Flash Point

< 23 °C

Method - No information available

Evaporation Rate

No data available

Flammability (solid,gas)

Not applicable

Liquid

Explosion Limits

No data available

SAFETY DATA SHEET

R40036 Schaudinn's Fixative

Revision Date 29-Mar-2023

Vapor Pressure	No data available	
Vapor Density	No data available	(Air = 1.0)
Specific Gravity / Density	No data available	
Bulk Density	Not applicable	Liquid
Water Solubility	No information available	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	log Pow	
Ethyl alcohol	-0.32	
Glycerin	-1.75	
Methanol	-0.77	
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
Viscosity	No data available	
Explosive Properties	No information available	explosive air/vapour mixtures possible
Oxidizing Properties	No information available	
VOC Content(%)	34	

SECTION 10: STABILITY AND REACTIVITY

Reactivity

None known, based on information available.

Chemical Stability

Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous Polymerization	No information available.
Hazardous Reactions	None under normal processing.

Conditions to Avoid

No information available. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials

None known.

Hazardous Decomposition Products

None under normal use conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

100000000108450

SAFETY DATA SHEET

R40036 Schaudinn's Fixative

Revision Date 29-Mar-2023

Information on Toxicological Effects

Acute Toxicity

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl alcohol	LD50 = 7060 mg/kg (Rat)		20000 ppm/10H (Rat)
Glycerin	12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 2.75 mg/L/4h (Rat)(mist)
Water	-	-	-
Methanol	LD50 = 6200 mg/kg (Rat)	LD50 = 15840 mg/kg (Rabbit)	LC50 = 22500 ppm (Rat) 8 h
Mercuric chloride	25.9 mg/kg (Rat) 1 mg/kg (Rat)	LD50 = 41 mg/kg (Rabbit)	

Chronic Toxicity

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen
This product contains one or more substances which are classified by IARC as
carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly
carcinogenic to humans (Group 2B)

Sensitization

Mutagenic Effects

Reproductive Effects

Developmental Effects

Target Organs

No information available
No information available
No information available
No information available
No information available.

Symptoms

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects

The product contains following substances which are hazardous for the environment.
Contains a substance which is: Very toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Ethyl alcohol	Fathead minnow (Pimephales promelas) LC50 = 14200 mg/l/96h	EC50 = 9268 mg/L/48h EC50 = 10800 mg/L/24h	EC50 (72h) = 275 mg/l (Chlorella vulgaris)	Photobacterium phosphoreum:EC50 = 34634 mg/L/30 min Photobacterium phosphoreum:EC50 = 35470 mg/L/5 min
Glycerin	LC50: 51 - 57 mL/L, 96h static (Oncorhynchus mykiss)			
Methanol	LC50: 13500 - 17600 mg/L, 96h flow-through (Lepomis macrochirus) LC50: 18 - 20 mL/L, 96h static (Oncorhynchus mykiss) LC50: 19500 - 20700			

SAFETY DATA SHEET

R40036 Schaudinn's Fixative

Revision Date 29-Mar-2023

	mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: > 100 mg/L, 96h static (Pimephales promelas) LC50: = 28200 mg/L, 96h flow-through (Pimephales promelas)			
Mercuric chloride	LC50: 0.1 - 0.182 mg/L, 96h flow-through (Pimephales promelas) LC50: 0.096 - 0.133 mg/L, 96h static (Lepomis macrochirus) LC50: 0.13 - 0.19 mg/L, 96h static (Oncorhynchus mykiss) LC50: 0.014 - 0.019 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: 0.02 - 0.26 mg/L, 96h static (Cyprinus carpio) LC50: = 4.425 mg/L, 96h (Cyprinus carpio) LC50: = 0.4 mg/L, 96h semi-static (Lepomis macrochirus) LC50: = 0.041 mg/L, 96h (Poecilia reticulata) LC50: 5.933 - 10.34 mg/L, 96h static (Poecilia reticulata) LC50: = 0.155 mg/L, 96h (Pimephales promelas)	EC50=0.0015mg/L 48 h EC50=0.012mg/L >48 h		

Persistence and degradability

Degradation in sewage treatment plant

No information available

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Bioaccumulative potential

No information available

Component	log Pow	Bioconcentration factor (BCF)
Ethyl alcohol	-0.32	No data available
Glycerin	-1.75	No data available
Methanol	-0.77	<10 dimensionless

Mobility in soil

.

Other adverse effects

No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused Products

Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous Keep product and empty container away from heat and sources of ignition

100000000108450

SAFETY DATA SHEET

R40036 Schaudinn's Fixative

Revision Date 29-Mar-2023

Other Information

Do not flush to sewer Waste codes should be assigned by the user based on the application for which the product was used Can be landfilled or incinerated, when in compliance with local regulations Do not empty into drains Do not let this chemical enter the environment

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

UN-No UN1986
Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group III
Proper Shipping Name ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.
Marine Pollutant This product contains a chemical which is listed as a severe marine pollutant according to IMDG/IMO

Road and Rail Transport

UN-No UN1986
Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group III
Proper Shipping Name ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.

IATA

UN-No UN1986
Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group III
Proper Shipping Name ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.

Special Precautions for User

No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Ethyl alcohol	200-578-6	X	X	X	X	X	X	X	KE-13217
Glycerin	200-289-5	X	X	X	X	X	X	X	KE-29297
Water	231-791-2	X	X	X	X		X	X	KE-35400
Methanol	200-659-6	X	X	X	X	X	X	X	KE-23193
Mercuric chloride	231-299-8	X	X	X	X	X	X	X	KE-23121

Note

Note 1: The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)

100000000108450

SAFETY DATA SHEET

R40036 Schaudinn's Fixative

Revision Date 29-Mar-2023

Ethyl alcohol				Annex I - Y42
Methanol	500 tonne	5000 tonne		
Mercuric chloride			X	Annex I - Y29

National Regulations

Persistent Organic Pollutant This product does not contain any known or suspected substance
Ozone Depletion Potential This product does not contain any known or suspected substance

Component	Persistent Organic Pollutant	Ozone Depletion Potential	Pesticides Act 1974
Mercuric chloride			X

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadviser - LOLI, Merck index, RTECS

Revision Date

29-Mar-2023

Revision Summary

Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

SAFETY DATA SHEET

R40036 Schaudinn's Fixative

Revision Date 29-Mar-2023

End of Safety Data Sheet