Thermo Fisher SCIENTIFIC

SAFETY DATA SHEET

Page 1/9 Creation Date 03-Dec-2010 Revision Date 22-Apr-2024 Version 4

AI FAAI 15048

Sodium chromate, anhydrous

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: Sodium chromate, anhydrous Product Description: Sodium chromate, anhydrous

 Cat No.:
 L15048

 CAS No
 7775-11-3

 Molecular Formula
 Cr Na2 O4

Supplier Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals.
Uses advised against No Information available

SECTION 2. HAZARD IDENTIFICATION

Physical StateAppearanceOdorSolidYellowNo information available

Emergency Overview

Toxic if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause genetic defects. May cause cancer. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

Harmful in contact with skin. Fatal if inhaled. Hygroscopic.

Classification of the substance or mixture

Acute Oral Toxicity	Category 3
Acute Dermal Toxicity	Category 4
Acute Inhalation Toxicity - Dusts and Mists	Category 2
Skin Corrosion/Irritation	Category 1 B
Serious Eye Damage/Eye Irritation	Category 1
Respiratory Sensitization	Category 1
Skin Sensitization	Category 1
Germ Cell Mutagenicity	Category 1B
Carcinogenicity	Category 1A
Reproductive Toxicity	Category 1B
Specific target organ toxicity - (repeated exposure)	Category 1
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

Sodium chromate, anhydrous

Label Elements



Signal Word

Danger

Hazard Statements

- H301 Toxic if swallowed
- H312 Harmful in contact with skin
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H330 Fatal if inhaled
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H340 May cause genetic defects
- H350 May cause cancer
- H372 Causes damage to organs through prolonged or repeated exposure
- H410 Very toxic to aquatic life with long lasting effects
- H360 May damage fertility or the unborn child

Precautionary Statements

Prevention

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P271 Use only outdoors or in a well-ventilated area
- P272 Contaminated work clothing should not be allowed out of the workplace
- P280 Wear protective gloves
- P284 In case of inadequate ventilation wear respiratory protection

Response

- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor
- P330 Rinse mouth
- P331 Do NOT induce vomiting
- P362 + P364 Take off contaminated clothing and wash it before reuse

Storage

- P403 + P233 Store in a well-ventilated place. Keep container tightly closed
- P405 Store locked up

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Physical and Chemical Hazards

Hygroscopic.

Health Hazards

Toxic if swallowed. Corrosive. Causes skin and eye burns. May cause an allergic skin reaction. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause genetic defects. May cause cancer. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. Harmful in contact with skin. Fatal if inhaled.

Environmental hazards

Very toxic to aquatic life with long lasting effects. Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

Page 3/9 Revision Date 22-Apr-2024

Sodium chromate, anhydrous

Toxic to terrestrial vertebrates. This product does not contain any known or suspected endocrine disruptors.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Sodium chromate	7775-11-3	100

SECTION 4. FIRST AID MEASURES

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

Skin Contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.

Inhalation

Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If not breathing, give artificial respiration.

Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and effects

Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Notes to Physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Very toxic by inhalation. Corrosive material. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Do not allow run-off from fire-fighting to enter drains or water courses.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Page 4/9 Revision Date 22-Apr-2024

Sodium chromate, anhydrous

Personal Precautions

Wear self-contained breathing apparatus and protective suit. Evacuate personnel to safe areas. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing.

Environmental Precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

Methods for Containment and Clean Up

Wear self-contained breathing apparatus and protective suit. Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid dust formation. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	China	Taiwan	Thailand	Hong Kong
Sodium chromate	-	TWA: 0.05 mg/m ³		-

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Sodium chromate	TWA: 0.0002 mg/m ³	(Vacated) Ceiling: 0.1	IDLH: 15 mg/m ³	STEL: 0.03 mg/m ³ 15	
	STEL: 0.0005 mg/m ³	mg/m³	TWA: 0.0002 mg/m ³	min	
	Skin	Ceiling: 0.1 mg/m ³		STEL: 0.065 mg/m ³ 15	
				min	
				TWA: 0.01 mg/m ³ 8 hr	
				TWA: 0.025 mg/m ³ 8	
				hr	
				Carc. as Cr	
				Resp. Sens.	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust MDHS12/2 Chromium and inorganic compounds of chromium in air Laboratory method using flame atomic absorption spectrometry

Exposure Controls

Engineering Measures

Page 5/9 Revision Date 22-Apr-2024

Sodium chromate, anhydrous

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material Natural rubber Nitrile rubber	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)
Neoprene PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Wear appropriate protective gloves and clothing to prevent skin exposure Skin and body protection

When workers are facing concentrations above the exposure limit they must use **Respiratory Protection**

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

> are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure Small scale/Laboratory use

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures**

Prevent product from entering drains. Do not allow material to contaminate ground water **Environmental exposure controls**

system. Local authorities should be advised if significant spillages cannot be contained.

100 g/L aq.sol

Solid

Method - No information available

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Yellow **Appearance Physical State** Solid

Odor No information available

Odor Threshold No data available

9.2

Melting Point/Range 792 °C / 1457.6 °F

Softening Point No data available

Boiling Point/Range No information available Flash Point No information available

Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Explosion Limits No data available

Page 6/9 Revision Date 22-Apr-2024

Sodium chromate, anhydrous

Vapor Pressure No data available

Vapor Density Not applicable Solid

Specific Gravity / Density No data available **Bulk Density** 2.71 - 2.73 g/cm3 Water Solubility 530 g/L (20°C)

No information available Solubility in other solvents

Partition Coefficient (n-octanol/water)

Autoignition Temperature No data available **Decomposition Temperature** No data available

Viscosity Not applicable No information available **Explosive Properties**

No information available **Oxidizing Properties**

Cr Na2 O4 Molecular Formula **Molecular Weight** 161.97

SECTION 10. STABILITY AND REACTIVITY

Solid

Stability Hygroscopic.

Hazardous Reactions No information available.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid Avoid dust formation. Incompatible products. Excess heat. Exposure to moisture.

Materials to avoid Strong reducing agents.

Hazardous Decomposition Products Sodium oxides. Chromium oxide.

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information

(a) acute toxicity:

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Sodium chromate	LD50 = 136 mg/kg (Rat)	LD50 = 1330 mg/kg (Rabbit)	LC50 = 104 mg/m ³ (Rat) 4 h		

(b) skin corrosion/irritation; Category 1 B

Category 1 (c) serious eye damage/irritation;

(d) respiratory or skin sensitization;

Respiratory Category 1 Skin Category 1

May cause sensitization by skin contact

(e) germ cell mutagenicity; Category 1B

Mutagenic

Category 1B (f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Sodium chromate	Carc Cat. 1B			Group 1

Page 7/9 Revision Date 22-Apr-2024

Sodium chromate, anhydrous

Category 1B (g) reproductive toxicity; **Reproductive Effects** May impair fertility.

Developmental Effects May cause harm to the unborn child.

Teratogenicity Teratogenic effects have occurred in experimental animals.

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; Category 1

Reproductive System, Blood, Kidney, Liver. **Target Organs**

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects, both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

delayed

Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

SECTION 12. ECOLOGICAL INFORMATION

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic **Ecotoxicity effects**

environment. Do not allow material to contaminate ground water system. The product

contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Sodium chromate	LC50: = 118 mg/L, 96h	EC50: 0.0183 - 0.023		
	static (Lepomis	mg/L, 48h Static		
	macrochirus)	(Daphnia magna)		
	LC50: = 3 mg/L, 96h			
	(Pimephales promelas)			

Persistence and Degradability Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary

Persistence May persist, based on information available. Degradability Not relevant for inorganic substances.

Contains substances known to be hazardous to the environment or not degradable in waste Degradation in sewage treatment plant

water treatment plants.

Bioaccumulative Potential May have some potential to bioaccumulate

Mobility in soil The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility Highly mobile in soils

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from Residues/Unused Should not be released into the environment. Waste is classified as hazardous. Dispose of

Page 8/9 Revision Date 22-Apr-2024

Sodium chromate, anhydrous

Products in accordance with the European Directives on waste and hazardous waste. Dispose of in

accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport

UN-No UN3290

Proper Shipping Name Toxic solid, corrosive, inorganic, n.o.s.

Technical Shipping Name Sodium chromate

Hazard Class 6.1 Subsidiary Hazard Class 8 Packing Group II

IMDG/IMO

UN-No UN3290

Proper Shipping Name Toxic solid, corrosive, inorganic, n.o.s.

Technical Shipping Name Sodium chromate

Hazard Class 6.1 Subsidiary Hazard Class 8 Packing Group II

<u>IATA</u>

UN-No UN3290

Proper Shipping Name TOXIC SOLID, CORROSIVE, INORGANIC, N.O.S.*

Technical Shipping Name Sodium chromate

Hazard Class 6.1 Subsidiary Hazard Class 8 Packing Group II

Special Precautions for User No special precautions required

SECTION 15. REGULATORY INFORMATION

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	Hazardous Chemicals (2015	List of dangerous goods GB 12268 - 2012	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
	Edition)											
Sodium chromate	X	-	Х	Х	231-889-5	Х	Х	Х	Х	Х	Х	KE-31398

National Regulations

Page 9/9 Revision Date 22-Apr-2024

Sodium chromate, anhydrous

Component	Toxic Chemical Substances Control Act
Sodium chromate	Class II (1 wt%)
7775-11-3 (100)	TRQ = 500 kg

SECTION 16. OTHER INFORMATION

Prepared By Health, Safety and Environmental Department

03-Dec-2010 **Creation Date Revision Date** 22-Apr-2024

Revision Summary New emergency telephone response service provider.

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances Substances List

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet