

### Classified as hazardous in accordance with the criteria of EPA New Zealand

### **Section 1 - Identification**

Product Identifier

Product Name Sulfur in Kerosene standard solution, Specpure®, (0.030%)

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Product Code 40538

Address Thermo Fisher Scientific New Zealand Ltd

244 Bush Road, Albany, Auckland, New Zealand

Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Telephone / Fax Numbers Tel: 09 980 6700

Fax: 09 980 6788

E-mail address ANZinfo@thermofisher.com

## **Section 2 - Hazard(s) Identification**

Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

**GHS Classification** 

Physical hazards

Flammable liquids Category 4

**Health hazards** 

Aspiration Toxicity Category 1

**Environmental hazards** 

Based on available data, the classification criteria are not met

**Label Elements** 



ALFAA40538 Version 2 22-Mar-2023 Page 1/10

Signal Word Danger

#### **Hazard Statements**

H227 - Combustible liquid

H304 - May be fatal if swallowed and enters airways

#### **Precautionary Statements**

#### Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

#### Storage

P403 + P235 - Store in a well-ventilated place. Keep cool

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

## **Section 3 - Composition and Information on Ingredients**

Component	CAS No	Weight %
Petroleum distillates, hydrotreated light	64742-47-8	99.97
Sulfur	7704-34-9	0.03

### **Section 4 - First Aid Measures**

#### Description of first aid measures

**General Advice** If symptoms persist, call a physician.

New Zealand Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur. Risk of serious damage to the lungs (by aspiration).

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call

a physician or poison control center immediately. If vomiting occurs naturally, have victim

lean forward.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting

Notes to Physician Treat symptomatically. Symptoms may be delayed.

ALFAA40538 Version 2 22-Mar-2023 Page 2 / 10

\_\_\_\_\_

## **Section 5 - Fire Fighting Measures**

#### **Suitable Extinguishing Media**

Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### Specific Hazards Arising from the Chemical

Combustible material. Containers may explode when heated.

#### **Hazardous Combustion Products**

None under normal use conditions.

#### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### **Section 6 - Accidental Release Measures**

#### Personal Precautions, Protective Equipment and Emergency Procedures

#### **Emergency procedures**

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

#### **Environmental Precautions**

Do not flush into surface water or sanitary sewer system.

#### Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

#### Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

### **Section 7 - Handling and Storage**

#### **Precautions for Safe Handling**

#### Advice on safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### Conditions for Safe Storage, Including any Incompatibilities

#### **Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

### **Incompatible Materials**

None known.

ALFAA40538 Version 2 22-Mar-2023 Page 3 / 10

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals AS 1940-2004 - The storage and handling of flammable and combustible liquids

## **Section 8 - Exposure Controls and Personal Protection**

#### **Control parameters**

#### **Exposure limits**

The product does not contain any hazardous materials with occupational exposure limits established.

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Appropriate engineering controls

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Individual protection measures, such as personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard

AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Viton (R).	See manufacturers	-	AS/NZS 2161	(minimum requirement)
	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

**Repiratory Protection**Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ

equivalent)

Recommended half mask:- Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system.

## **Section 9 - Physical and Chemical Properties**

Information on basic physical and chemical properties

ALFAA40538 Version 2 22-Mar-2023 Page 4/10

Sulfur in Kerosene standard solution, Specpure®, (0.030%)

### SAFETY DATA SHEET

**Physical State** Liquid

Light yellow **Appearance** Odor sulfurous

No data available **Odor Threshold** pН No information available No data available

**Melting Point/Range Softening Point** No data available

**Boiling Point/Range** 175 - 325 °C / 347 - 617 °F

Flammability (liquid) Combustible liquid On basis of test data

Flammability (solid,gas) Not applicable Liquid

**Explosion Limits** Lower 0.7 Vol % Upper 5 Vol %

**Flash Point** 66 °C / 150.8 °F Method - No information available

**Autoignition Temperature** No data available **Decomposition Temperature** No data available No data available **Viscosity** 

Water Solubility **Immiscible** 

No information available Solubility in other solvents

Partition Coefficient (n-octanol/water)

**Vapor Pressure** No data available

0.9 g/cm3 @ 20 °C **Density / Specific Gravity Bulk Density** Not applicable Liquid **Vapor Density** No data available (Air = 1.0)**Particle characteristics** 

Not applicable (liquid)

Other information

**Explosive Properties** explosive air/vapour mixtures possible

### **Section 10 - Stability and Reactivity**

Reactivity None known, based on information available

Stable under normal conditions. Stability

**Sensitivity to Mechanical Impact** No information available

Sensitivity to Static Discharge No information available

**Hazardous Polymerization** No information available.

**Hazardous Reactions** None under normal processing.

**Conditions to Avoid** Keep away from open flames, hot surfaces and sources of ignition.

None known. **Incompatible Materials** 

Hazardous Decomposition Products None under normal use conditions.

### **Section 11 - Toxicological Information**

**Acute Effects** 

Information on likely routes of exposure

**Product Information** 

Inhalation Avoid breathing vapors or mists.

Avoid contact with eyes. Eyes

**ALFAA40538** Version 2 22-Mar-2023 Page 5/10

## Sulfur in Kerosene standard solution, Specpure®, (0.030%)

### SAFETY DATA SHEET

**Skin** Avoid contact with skin. Prolonged skin contact may defat the skin and produce dermatitis.

Ingestion Harmful if swallowed. Potential for aspiration if swallowed.

Numerical measures of toxicity

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Petroleum distillates, hydrotreated light	LD50 > 5000 mg/kg (Rat)	LD50 > 2000 mg/kg ( Rabbit )	LC50 > 5.2 mg/L (Rat) 4 h		
Sulfur	LD50 > 3000 mg/kg (Rat)	LD50 > 2000 mg/kg ( Rabbit )	LC50 > 9.23 mg/L (Rat) 4 h		

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

**Respiratory**Skin
No data available
No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; Category 1

### Symptoms / effects,both acute and delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

## Section 12 - Ecological Information

#### **Ecotoxicity**

**Aquatic ecotoxicity**Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. The product contains following substances which are hazardous for the

environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Petroleum distillates, hydrotreated light	LC50: = 2.4 mg/L, 96h			

ALFAA40538 Version 2 22-Mar-2023 Page 6 / 10

	static (Oncorhynchus mykiss) LC50: = 45 mg/L, 96h flow-through (Pimephales promelas) LC50: = 2.2 mg/L, 96h static (Lepomis macrochirus)		
Sulfur	Oncorhynchus mykiss:LC50>180mg/L/ 96h	EC50: >5g/L/48h	

Terrestrial ecotoxicity

There is no data for this product

Persistence and Degradability

Persistence Immiscible with water, May persist, based on information available.

Degradation in sewage treatment

plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative Potential May have some potential to bioaccumulate

Component	log Pow	Bioconcentration factor (BCF)
Petroleum distillates, hydrotreated light		61 - 159 dimensionless

**Mobility** Spillage unlikely to penetrate soil. The product is insoluble and floats on water. The product

evaporates slowly. Is not likely mobile in the environment due its low water solubility.

Spillage unlikely to penetrate soil

Other adverse effects

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **Section 13 - Disposal Considerations**

#### Waste treatment methods

Waste from Residues/Unused Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure

conformity with all applicable regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Disposal agencies or waste contractors must comply with the New Zealand Hazardous

Substances (Disposal) Regulations . Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not

empty into drains.

## **Section 14 - Transport Information**

Component	Hazchem Code
Sulfur	1Z

ALFAA40538 Version 2 22-Mar-2023 Page 7/10

7704-34-9 ( 0.03 )	1Y

#### NZS 5433:2020

**UN-No** UN1223 **Proper Shipping Name** KEROSENE

**Hazard Class Packing Group** Ш

IATA

UN1223 **UN-No Proper Shipping Name KEROSENE** 

**Hazard Class Packing Group** Ш

IMDG/IMO

UN1223 **UN-No Proper Shipping Name KEROSENE** 

**Hazard Class Packing Group** Ш

**Environmental hazards** No hazards identified

Transport in bulk according to Annex II of MARPOL 73/78 and the

Not applicable, packaged goods

**IBC Code** 

**Special Precautions** No special precautions required. Please refer to the applicable dangerous goods

regulations for additional information.

Additional information None known

### **Section 15 - Regulatory Information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National Regulations**

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

#### Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

#### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

International Regulations

**Ozone Depletion Potential** This product does not contain any known or suspected substance

This product does not contain any known or suspected substance **Persistent Organic Pollutant** 

**Rotterdam Convention (PIC)** Not applicable

**ALFAA40538** Version 2 22-Mar-2023 Page 8/10

## Authorisation/Restrictions according to EU REACH

Component	, ,	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `
Sulfur	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

#### International Inventories

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	NZIoC	AICS	EINECS	ELINCS	NLP	KECL	IECSC	TCSI
Petroleum distillates, hydrotreated	64742-47-8	Х	Х	-	-	-	KE-12550	Χ	Х
light									
Sulfur	7704-34-9	Х	X	-	-	-	KE-32688	Χ	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	PICCS	ISHL	ENCS
Petroleum distillates, hydrotreated light	64742-47-8	X	ACTIVE	X	1	X	ı	-
Sulfur	7704-34-9	X	ACTIVE	X	-	Х	-	Х

**Legend:** X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### **Section 16 - Other Information**

# This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

#### Legend

NZIoC - New Zealand Inventory of Chemicals

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

NZS 5433:2020 - Transport of Dangerous Goods on Land

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

WEL - Workplace Exposure Limit DNEL - Derived No Effect Level

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

**AICS** - Australian Inventory of Chemical Substances

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical

Substances/EU List of Notified Chemical Substances **ENCS** - Japanese Existing and New Chemical Substances

,

KECL - Korean Existing and Evaluated Chemical Substances

**CAS** - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists

PNEC - Predicted No Effect Concentration

**OECD** - Organisation for Economic Co-operation and Development

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

 $\ensuremath{\mathbf{ADG}}$  - Australian Code for the Transport of Dangerous Goods by Road and Rail

LC50 - Lethal Concentration 50%

ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment

NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID). https://echa.europa.eu/information-on-chemicals

ALFAA40538 Version 2 22-Mar-2023 Page 9/10

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS EPA Guide to classifying hazardous substances in New Zealand EPA - Assigning a product to an existing HSNO approval guide

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards
Health Hazards
Calculation method
Environmental hazards
Cn basis of test data
Calculation method

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Revision Date 22-Mar-2023 Revision Summary Not applicable

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**

ALFAA40538 Version 2 22-Mar-2023 Page 10 / 10