

SAFETY DATA SHEET

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name Haynes® 25 gauze

Product Code 46645

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National

Code of Practice for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

No hazards identified

Health hazards

Respiratory Sensitization Category 1 Sub-category 1B

Skin Sensitization

Germ Cell Mutagenicity

Carcinogenicity

Reproductive Toxicity

Specific target organ toxicity - (repeated exposure)

Category 1

Category 1

Category 1

Category 1

Environmental hazards

No hazards identified

Label Elements

ALFAA46645 Version 3 19-Nov-2022 Page 1 / 11



Signal Word

Danger

Hazard Statements

- H317 May cause an allergic skin reaction
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H341 Suspected of causing genetic defects if inhaled
- H350 May cause cancer
- H360 May damage fertility or the unborn child
- H372 Causes damage to organs through prolonged or repeated exposure

Precautionary Statements

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P272 Contaminated work clothing should not be allowed out of the workplace
- P280 Wear protective gloves
- P284 In case of inadequate ventilation wear respiratory protection
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water
- P308 + P313 IF exposed or concerned: Get medical advice/attention
- P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor
- P363 Wash contaminated clothing before reuse
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P403 Store in a well-ventilated place
- P501 Dispose of contents/ container to an approved waste disposal plant

Other information

No information available

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Cobalt	7440-48-4	50
Chromium	7440-47-3	20
Tungsten	7440-33-7	15
Nickel	7440-02-0	10
Iron	7439-89-6	3
Manganese	7439-96-5	1.5

Section 4 - First Aid Measures

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

ALFAA46645 Version 3 19-Nov-2022 Page 2/11

Skin Contact

SAFETY DATA SHEET

call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

General Advice If symptoms persist, call a physician.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

None reasonably foreseeable. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

lightheadedness, chest pain, muscle pain or flushing

Notes to Physician Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

approved class D extinguishers. Do not use water or foam.

Extinguishing media which must not be used for safety reasons

Water may be ineffective.

Hazardous Decomposition Products

Nickel oxides, Tungsten oxides, Manganese oxides, Iron oxides, Cobalt oxides, Chromium oxide.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 - Accidental Release Measures

Emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. No special precautions required.

Environmental Precautions

Do not flush into surface water or sanitary sewer system. Should not be released into the environment. Do not allow material to contaminate ground water system.

Methods for Containment and Clean Up

Clean-up methods - small spillage

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal. Pick up and transfer to properly labelled containers.

Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

ALFAA46645 Version 3 19-Nov-2022 Page 3 / 11

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

Conditions for Safe Storage, Including any Incompatibilities

Keep in a dry place. Keep away from acids.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

Exposure limits

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Cobalt	TWA: 0.05 mg/m ³	TWA: 0.02 mg/m³ Skin	TWA: 0.02 mg/m ³	STEL: 0.3 mg/m³ 15 min TWA: 0.1 mg/m³ 8 hr Resp. Sens.	Haut
Chromium	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	STEL: 1.5 mg/m ³ 15 min TWA: 0.5 mg/m ³ 8 hr	TWA: 2 mg/m³ (8 Stunden). AGW - exposure factor 1
Tungsten	STEL: 10 mg/m ³ TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 3 mg/m ³	STEL: 10 mg/m ³ 15 min TWA: 5 mg/m ³ 8 hr	
Nickel	TWA: 1 mg/m³	TWA: 0.005 mg/m ³	TWA: 1.5 mg/m³	STEL: 1.5 mg/m³ 15 min TWA: 0.5 mg/m³ 8 hr Skin	TWA: 0.03 mg/m³ (8 Stunden). AGW - exposure factor 8 TWA: 0.006 mg/m³ (8 Stunden). AGW - exposure factor 8
Manganese	STEL: 3 mg/m ³ TWA: 1 mg/m ³	TWA: 0.2 mg/m ³ TWA: 0.02 mg/m ³	TWA: 0.02 mg/m ³ TWA: 0.1 mg/m ³	STEL: 0.6 mg/m³ 15 min STEL: 0.15 mg/m³ 15 min TWA: 0.2 mg/m³ 8 hr TWA: 0.05 mg/m³ 8 hr	TWA: 0.2 mg/m³ (8 Stunden). AGW - exposure factor 8 TWA: 0.02 mg/m³ (8 Stunden). AGW - exposure factor 8 TWA: 0.2 mg/m³ (8 Stunden). MAK TWA: 0.02 mg/m³ (8 Stunden). MAK Höhepunkt: 1.6 mg/m³

Biological limit values

NZ - Substances assigned Biological Exposure Indices in the New Zealand Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand	European Union	United Kingdom	Germany
Cobalt		15 µg/L (urine) end of			
		shift at end of work			
		week (Cobalt)			

ALFAA46645 Version 3 19-Nov-2022 Page 4 / 11

Exposure Controls Engineering Measures

None under normal use conditions.

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard

AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection No special protective equipment required

Glove material Breakthrough time Glove thickness AUS/NZ Standard Glove comments

Disposable gloves See manufacturers - AS/NZS 2161 (minimum requirement)

recommendations

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

Solid

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance

Physical State Solid

Odor No information available

Odor Threshold No data available

pH No information availableMelting Point/Range No data available

Softening Point/Range
No data available
No data available
No information available

Flash Point No information available Method - No information available

Evaporation Rate Not applicable Solid

Flammability (solid,gas) No information available

Explosion Limits No data available

Vapor Pressure 23 hPa @ 20 °C Vapor Density Not applicable

Specific Gravity / Density

Bulk Density

No data available

No data available

Water Solubility Insoluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow

Cobalt 5

Autoignition Temperature No data available Decomposition Temperature No data available

Viscosity Not applicable Solid

Explosive PropertiesNo information available **Oxidizing Properties**No information available

ALFAA46645 Version 3 19-Nov-2022 Page 5/11

Other information

Section 10 - Stability and Reactivity

Reactivity None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Heat, flames and sparks.

Incompatible Materials Acids, Oxidizing agent.

Hazardous Decomposition Products Nickel oxides. Tungsten oxides. Manganese oxides. Iron oxides. Cobalt oxides. Chromium

oxide.

Hazardous Polymerization No information available.

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met

DermalNo data availableInhalationNo data available

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Cobalt	LD50 = 6171 mg/kg (Rat)		LC50 < 0.05 mg/L (Rat) 4 h
Tungsten		LD50 > 2000 mg/kg (Rat)	
Nickel	LD50 > 9000 mg/kg (Rat)		LC50 > 10.2 mg/L (Rat) 1 h
Iron	7500 mg/kg (Rat)		
Manganese	LD50 = 9 g/kg (Rat)		LC50 > 5.14 mg/L (Rat) 4 h

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory Sub Category 1B Skin Category 1

Sensitization No information available

(e) germ cell mutagenicity; Category 2

(f) carcinogenicity; Category 1B

The table below indicates whether each agency has listed any ingredient as a carcinogen

ALFAA46645 Version 3 19-Nov-2022 Page 6 / 11

Component	Australia	New Zealand	New South Wales	Western Australia	IARC	EU	UK	Germany
Cobalt		Suspected carcinogen			Group 2A	Carc Cat. 1B		Cat. 2
Nickel		Suspected carcinogen			Group 2B			Cat. 1

(a) reproductive toxicity: Category 1B

No data available (h) STOT-single exposure;

Category 1 (i) STOT-repeated exposure;

Route of exposure Inhalation **Target Organs** Lungs.

(j) aspiration hazard; Not applicable

Solid

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Section 12 - Ecological Information

Ecotoxicity effects

The product contains following substances which are hazardous for the environment. Contains a substance which is:. Very toxic to aquatic organisms. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Cobalt	LC50: > 100 mg/L, 96h static (Brachydanio rerio)			
Nickel	LC50: > 100 mg/L, 96h (Brachydanio rerio) LC50: = 1.3 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 10.4 mg/L, 96h static (Cyprinus carpio)	EC50 = 510 μg/L 96h	EC50 = 0.1 mg/L 72h EC50 = 0.18 mg/L 72h	
Manganese	LC50: > 3.6 mg/L, 96h semi-static (Oncorhynchus mykiss)			

Product contains heavy metals. Discharge into the environment must be avoided. Special Persistence and Degradability

> pre-treatment is necessary Insoluble in water, May persist.

Persistence

Degradability Not relevant for inorganic substances. Degradation in sewage Contains substances known to be hazardous to the environment or not degradable in waste

treatment plant water treatment plants. **Bioaccumulative Potential** May have some potential to bioaccumulate Product has a high potential to bioconcentrate

Component	log Pow Bioconcentration factor	
Cobalt	5	No data available
Chromium		1.03 - 1.22

Mobility Spillage unlikely to penetrate soil. Is not likely mobile in the environment due its low water

solubility

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

ALFAA46645 Version 3 19-Nov-2022 Page 7/11

Section 13 - Disposal Considerations

Waste from Residues/Unused

Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

Section 14 - Transport Information

IMDG/IMO Not regulated

Not regulated ADG

Not regulated IATA

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations

Australia

See section 8 for national exposure control parameters.

Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
Cobalt - 7440-48-4	Schedule 4 listed - for human therapeutic use except as Dicobalt edentate in preparations for the
	treatment of Cyanide poisoning
	· · · · · · · · · · · · · · · · · · ·

Australian Industrial Chemicals Introduction Scheme (AICIS)

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Cobalt - 7440-48-4	Present	-
Chromium - 7440-47-3	Present	-
Tungsten - 7440-33-7	Present	-
Nickel - 7440-02-0	Present	-
Iron - 7439-89-6	Present	-

ALFAA46645 19-Nov-2022 Version 3 Page 8/11

Manganese - 7439-96-5	Present	-

Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Chemicals of Security Concern

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Subject to reporting requirements

Component	National pollutant inventory
Cobalt - 7440-48-4	10 tonne/yr. Threshold category 1
Nickel - 7440-02-0	10 tonne/yr. Threshold category 1
	2000 tonne/yr. Threshold category 2b
	60000 MWH. Threshold category 2b
	20 MW. Threshold category 2b
Manganese - 7439-96-5	10 tonne/yr. Threshold category 1

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

Component	Australia	New South Wales	Western Australia	New Zealand
Cobalt - 7440-48-4				Suspected carcinogen
Nickel - 7440-02-0				Suspected carcinogen

International Inventories

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
Cobalt	X	X	231-158-0	-	X	X	-	X	Х		X	KE-06060
Chromium	Х	Х	231-157-5	-	Х	Х	-	Х	Х		Х	KE-05970
Tungsten	Х	Х	231-143-9	-	Х	Х	-	Х	Х		Х	KE-35000
Nickel	Х	Х	231-111-4	-	Х	Х	-	Х	Х		Х	KE-25818
Iron	Х	Х	231-096-4	-	Х	Х	-	Х	Х		Х	KE-21059
Manganese	Х	Х	231-105-1	-	Х	Х	-	Х	Х		Х	KE-22999

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal Not applicable.

Component	CAS No	OECD HPV	Restriction of	Seveso III Directive	Seveso III Directive
·					

ALFAA46645 Version 3 19-Nov-2022 Page 9 / 11

			Hazardous	(2012/18/EC) -	(2012/18/EC) -
			Substances (RoHS)		Qualifying Quantities
				for Major Accident	for Safety Report
				Notification	Requirements
Cobalt	7440-48-4	Listed	Not applicable	Not applicable	Not applicable
Chromium	7440-47-3	Listed	Not applicable	Not applicable	Not applicable
Tungsten	7440-33-7	Listed	Not applicable	Not applicable	Not applicable
Nickel	7440-02-0	Listed	Not applicable	Not applicable	Not applicable
Iron	7439-89-6	Listed	Not applicable	Not applicable	Not applicable
Manganese	7439-96-5	Listed	Not applicable	Not applicable	Not applicable

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Cobalt	-	Use restricted. See item 30. (see link for restriction details) Use restricted. See item 28. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-
Chromium	-	Use restricted. See item 75. (see link for restriction details)	-
Nickel	-	Use restricted. See item 27. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	<u>-</u>

https://echa.europa.eu/substances-restricted-under-reach

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

NZS 5433:2012 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit DNEL - Derived No Effect Level

POW - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

ADG Australian Code for the Transport of Dangerous Goods by Road and Rail

OECD - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data
Health Hazards Calculation method

ALFAA46645 Version 3 19-Nov-2022 Page 10 / 11

Environmental hazards Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Revision Date 19-Nov-2022 Revision Summary Not applicable.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

ALFAA46645 Version 3 19-Nov-2022 Page 11 / 11