# thermo scientific

# SAFETY DATA SHEET

Page 1 / 10 Creation Date 09-Mar-2022 Revision Date 23-Mar-2025 Version 3

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: <u>Ammonia Solution, 30-33%</u> Product Description: <u>Ammonia Solution, 30-33%</u>

**Cat No. :** TS/0125/07

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

**Supplier** 

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

# **SECTION 2: HAZARDS IDENTIFICATION**

# Classification of the substance or mixture

Skin Corrosion/Irritation	Category 1 B (H314)
Serious Eye Damage/Eye Irritation	Category 1 (H318)
Specific target organ toxicity - (single exposure)	Category 3 (H335)
Acute aquatic toxicity	Category 1 (H400)
Chronic aquatic toxicity	Category 2 (H411)

#### **Label Elements**



FSUTS0125

Revision Date 23-Mar-2025

Signal Word Danger

#### **Hazard Statements**

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

H410 - Very toxic to aquatic life with long lasting effects

### **Precautionary Statements**

#### Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P362 + P364 - Take off contaminated clothing and wash it before reuse

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other Hazards

This product does not contain any known or suspected endocrine disruptors

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Ammonium hydroxide	1336-21-6	30 - 33
Ammonia	7664-41-7	-
Water	7732-18-5	67 - 70

# **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

**General Advice** Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eve wide open while rinsing. Immediate medical attention is required.

Wash off immediately with plenty of water for at least 15 minutes. Remove and wash **Skin Contact** 

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean

mouth with water. Call a physician immediately.

Inhalation If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or

# Ammonia Solution, 30-33%

inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove from exposure, lie

down. Call a physician immediately.

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Revision Date 23-Mar-2025

#### Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. . Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

#### Extinguishing media

#### **Suitable Extinguishing Media**

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

### Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx).

#### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

#### **Environmental precautions**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.

# Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. After cleaning, flush away traces with water.

#### Reference to Other Sections

FSUTS0125

Revision Date 23-Mar-2025

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

#### Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe mist/vapors/spray. Contents may develop pressure upon prolonged storage.

#### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Contents may develop pressure upon prolonged storage.

#### Specific End Uses

Use in laboratories.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	Malaysia	ACGIH TLV	OSHA PEL
Ammonia		TWA: 25 ppm	(Vacated) STEL: 35 ppm
		STEL: 35 ppm	(Vacated) STEL: 27 mg/m <sup>3</sup>
			TWA: 50 ppm
			TWA: 35 mg/m <sup>3</sup>

Component	European Union	The United Kingdom	Germany
Ammonia	TWA: 20 ppm (8h)	STEL: 35 ppm 15 min	TWA: 20 ppm (8 Stunden). AGW -
	TWA: 14 mg/m <sup>3</sup> (8h)	STEL: 25 mg/m <sup>3</sup> 15 min	exposure factor 2
	STEL: 50 ppm (15min)	TWA: 25 ppm 8 hr	TWA: 14 mg/m³ (8 Stunden). AGW -
	STEL: 36 mg/m <sup>3</sup> (15min)	TWA: 18 mg/m <sup>3</sup> 8 hr	exposure factor 2
		_	TWA: 20 ppm (8 Stunden). MAK
			TWA: 14 mg/m³ (8 Stunden). MAK
			Höhepunkt: 40 ppm
			Höhepunkt: 28 mg/m <sup>3</sup>

### **Exposure Controls**

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

Eye ProtectionGogglesHand ProtectionProtective glovesSkin and body protectionLong sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

\_\_\_\_\_

Ammonia Solution, 30-33% Revision Date 23-Mar-2025

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Recommended Filter type: Inorganic gases and vapours filter Type B Grey or Ammonia and organic ammonia

derivatives filter Type K Green conforming to EN14387

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice

**Environmental exposure controls** Prevent product from entering drains Do not allow material to contaminate ground water

system Local authorities should be advised if significant spillages cannot be contained

(Air = 1.0)

Liquid

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance Colorless
Physical State Liquid
Odor Ammonia-like
Odor Threshold 5 ppm

pH > 12 @ 20°C

•

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/RangeNo information available

Flash Point No information available Method - No information available

**Evaporation Rate** No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Vapor Pressure No data available Vapor Density No data available

Specific Gravity / Density 0.88 - 0.91

Bulk Density

Not applicable
Water Solubility

Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Autoignition TemperatureNo data availableDecomposition TemperatureNo data availableViscosityNo data availableExplosive PropertiesNot explosiveOxidizing PropertiesNot oxidising

# **SECTION 10: STABILITY AND REACTIVITY**

Ammonia Solution, 30-33% Revision Date 23-Mar-2025

Reactivity

None known, based on information available.

Chemical Stability

Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

**Conditions to Avoid** 

Incompatible products. Excess heat.

Incompatible Materials

Strong oxidizing agents. Acids. Metals. Aluminium. Zinc. copper. Copper alloys. Fluorine.

Halogens.

**Hazardous Decomposition Products** 

Nitrogen oxides (NOx).

# **SECTION 11: TOXICOLOGICAL INFORMATION**

#### Information on Toxicological Effects

#### **Product Information**

(a) acute toxicity;

Oral

Dermal
Based on available data, the classification criteria are not met
Based on available data, the classification criteria are not met
Inhalation
Based on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ammonium hydroxide	LD50 > 350 mg/kg (Rat)	-	-
Ammonia	LD50 = 350 mg/kg ( Rat )	-	LC50 = 9850 mg/m³ (Rat) 1 h LC50 = 13770 mg/m³ (Rat) 1 h
Water	-	-	-

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

**Respiratory**Skin
Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

Ammonia Solution, 30-33% Revision Date 23-Mar-2025

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Category 3

Respiratory system. Results / Target organs

Based on available data, the classification criteria are not met (i) STOT-repeated exposure;

**Target Organs** None known.

(j) aspiration hazard; Based on available data, the classification criteria are not met

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

# **SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity effects** Very toxic to aquatic organisms. The product contains following substances which are

hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Ammonium hydroxide	0.53 mg/l LC50 96h 0.75 - 3.4 mg/l LC50	EC50: 0.66 mg/L/48h	-	-
	96h			
	8.2 mg/L LC50 96h			
Ammonia	LC50: 0.26 - 4.6 mg/L, 96h (Lepomis macrochirus) LC50: = 1.17 mg/L, 96h flow-through (Lepomis macrochirus) LC50: 0.73 - 2.35 mg/L, 96h (Pimephales promelas) LC50: = 5.9 mg/L, 96h static (Pimephales promelas) LC50: > 1.5 mg/L, 96h (Poecilia reticulata) LC50: = 1.19 mg/L, 96h static (Poecilia reticulata) LC50: = 0.44 mg/L, 96h (Cyprinus carpio)			EC50 = 2.0 mg/L 5 min

Persistence and degradability

Soluble in water, Persistence is unlikely, based on information available. **Persistence** 

Contains substances known to be hazardous to the environment or not degradable in waste Degradation in sewage

Ammonia Solution, 30-33% Revision Date 23-Mar-2025

**treatment plant** water treatment plants.

Bioaccumulative potential Bioaccumulation is unlikely

Mobility in soil

The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Should not be released into the environment Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in

accordance with local regulations

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Do not flush to sewer Waste codes should be assigned by the user based on the

application for which the product was used Do not empty into drains Large amounts will affect pH and harm aquatic organisms Do not let this chemical enter the environment

# **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

UN-No UN2672 Hazard Class 8 Packing Group III

Proper Shipping Name AMMONIA SOLUTION

**Road and Rail Transport** 

UN-No UN2672 Hazard Class 8 Packing Group III

Proper Shipping Name AMMONIA SOLUTION

<u>IATA</u>

UN-No UN2672 Hazard Class 8 Packing Group III

Proper Shipping Name AMMONIA SOLUTION

Special Precautions for User No special precautions required

### **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

Ammonia Solution, 30-33%

Revision Date 23-Mar-2025

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Ammonium hydroxide	215-647-6	Х	Х	X	Х	X	Х	Х	KE-01688
Ammonia	231-635-3	Х	Х	Х	Х	X	Χ	Χ	KE-01625
Water	231-791-2	Х	Х	Х	Х		Х	Х	KE-35400

Component	Seveso III Directive	Seveso III Directive	Rotterdam Convention	Basel Convention
	(2012/18/EC) - Qualifying	(2012/18/EC) - Qualifying	(PIC)	(Hazardous Waste)
	Quantities for Major	Quantities for Safety		
	Accident Notification	Report Requirements		
Ammonia	50 tonne	200 tonne		

**National Regulations** 

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 16: OTHER INFORMATION**

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

Inventory

**ENCS** - Japanese Existing and New Chemical Substances

Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

MARPOL - International Convention for the Prevention of Pollution from

Ships ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

# Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Revision Date** 23-Mar-2025 **Revision Summary** Initial Release.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Revision Date 23-Mar-2025

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

FSUTS0125