

# SAFETY DATA SHEET

Creation Date 21-April-2009 Revision Date 24-December-2021 **Revision Number 4** 

1. Identification

**Product Name** Chloroform-d

Cat No.: AC464020000; AC464020075

**CAS-No** 

**Synonyms** Methane Trichloride-D; Formyl Trichloride-D; Methane-D, Trichloro-

**Recommended Use** Laboratory chemicals.

Food, drug, pesticide or biocidal product use. Uses advised against

Details of the supplier of the safety data sheet

Company

Manufacturer Importer/Distributor

Acros Organics Fisher Scientific Company Fisher Scientific One Reagent Lane 112 Colonnade Road. One Reagent Lane Fair Lawn, NJ 07410 Fair Lawn, NJ 07410 Ottawa, ON K2E 7L6, Tel: (201) 796-7100

Canada

Tel: 1-800-234-7437

**Emergency Telephone Number** For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11

> Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

## 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Acute oral toxicity Category 4 Acute Inhalation Toxicity Category 3 Skin Corrosion/Irritation Category 2 Serious Eye Damage/Eye Irritation Category 2 Carcinogenicity Category 2 Reproductive Toxicity Category 2 Specific target organ toxicity (single exposure) Category 3 Target Organs - Central nervous system (CNS).

Specific target organ toxicity - (repeated exposure) Category 1

Target Organs - Kidney, Liver, Heart.

**Label Elements** 

Signal Word

#### Danger

#### **Hazard Statements**

Causes serious eye irritation
May cause drowsiness and dizziness
Suspected of causing cancer
Harmful if swallowed
Toxic if inhaled
Causes skin irritation
Suspected of damaging the unborn child
Causes damage to organs through prolonged or repeated exposure



## **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

## Response

IF exposed or concerned: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Call a POISON CENTER/ doctor

Rinse mouth

Take off contaminated clothing

## Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

### **Disposal**

Dispose of contents/container to an approved waste disposal plant

### **Other Hazards**

Light sensitive

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Methane-d, trichloro-	865-49-6	>95
Chloroform	67-66-3	-

## 4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth Inhalation

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms/effects

**Notes to Physician** 

. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

Treat symptomatically

# 5. Fire-fighting measures

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Suitable Extinguishing Media

**Unsuitable Extinguishing Media** No information available

**Flash Point** No information available No information available Method -

982 °C / 1799.6 °F **Autoignition Temperature** 

**Explosion Limits** 

No data available Upper No data available Lower Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2). Phosgene. Chlorine. Hydrogen chloride gas.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Instability Physical hazards Health Flammability N/A 1 1

## 6. Accidental release measures

Ensure adequate ventilation. Use personal protective equipment as required. Keep people **Personal Precautions** 

away from and upwind of spill/leak. Evacuate personnel to safe areas.

**Environmental Precautions** Should not be released into the environment.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

## 7. Handling and storage

Handling Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on

clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not

ingest. If swallowed then seek immediate medical assistance.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct sunlight. Protect from moisture. Store under an inert atmosphere. Incompatible Materials. Strong oxidizing agents.

## 8. Exposure controls / personal protection

### **Exposure Guidelines**

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH
Chloroform	TWA: 10 ppm TWA: 49 mg/m <sup>3</sup>	TWA: 2 ppm	TWA: 10 ppm	TWA: 5 ppm TWA: 24.4 mg/m <sup>3</sup>	TWA: 10 ppm	(Vacated) TWA: 2 ppm (Vacated) TWA: 9.78 mg/m³ Ceiling: 50 ppm Ceiling: 240 mg/m³	STEL: 2 ppm STEL: 9.78 mg/m³

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

**Eye Protection** Goggles

**Hand Protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material		Breakthrough time	Glove thickness	Glove comments		
١	Viton (R)	See manufacturers	-	Splash protection only		
1		recommendations				

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

#### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** low boiling organic solvent Type AX Brown conforming to EN371

When RPE is used a face piece Fit Test should be conducted

### **Environmental exposure controls**

No information available.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

### Chloroform-d

# 9. Physical and chemical properties

Physical StateLiquidAppearanceColorlessOdoraromatic

Odor Threshold
pH
No information available
No information available
No information available
All °C / -83.2 °F

Boiling Point/Range 60 °C / 140 °F @ 760mmHg

Flash Point No information available Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressure211 mbar @ 20 °CVapor DensityNo information available

Specific Gravity 1.500

Solubility

Partition coefficient; n-octanol/water

Autoignition Temperature

Decomposition Temperature

Viscosity

Slightly soluble in water
No data available
982 °C / 1799.6 °F
No information available
No information available

Molecular Formula C Cl3 D Molecular Weight 120.39

# 10. Stability and reactivity

**Reactive Hazard**None known, based on information available

**Stability** Light sensitive. Hygroscopic.

Conditions to Avoid Incompatible products. Excess heat. Exposure to moist air or water. Protect from light. Keep

away from open flames, hot surfaces and sources of ignition.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Phosgene, Chlorine, Hydrogen chloride gas

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

LC50 Inhalation (DUST) VALUE 695 mg/kg 47 mg/L/4h

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Chloroform	LD50 = 908 mg/kg (rat) LD50 = 695 mg/kg ( Rat ) LD50 = 450 mg/kg ( Rat )	LD50 > 20 g/kg (Rabbit)	LC50 = 10.5 mg/L ( Rat ) 4 h

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes and skin

Revision Date 24-December-2021

Chloroform-d

Sensitization No information available

Carcinogenicity Limited evidence of a carcinogenic effect. The table below indicates whether each agency

has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Methane-d, trichloro-	865-49-6	Not listed	Not listed	Not listed	Not listed	Not listed
Chloroform	67-66-3	Group 2B	Reasonably Anticipated	A3	Х	A3

IARC (International Agency for Research on Cancer)

Mexico - Occupational Exposure Limits - Carcinogens

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program) NTP: (National Toxicity Program) Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

Hygienists)

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen A5 - Not Suspected as a Human Carcinogen

**Mutagenic Effects** Not mutagenic in AMES Test

**Reproductive Effects** Experiments have shown reproductive toxicity effects on laboratory animals.

**Developmental Effects** No information available.

Teratogenic effects have occurred in experimental animals. **Teratogenicity** 

Central nervous system (CNS) STOT - single exposure

Kidney Liver Heart STOT - repeated exposure

**Aspiration hazard** No information available

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

**Endocrine Disruptor Information** No information available

Other Adverse Effects Tumorigenic effects have been reported in experimental animals.

# 12. Ecological information

**Ecotoxicity** 

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Methane-d, trichloro-	Not listed	Lepomis macrochirus: LC50:	Not listed	Daphnia magna: EC50: 79
		18 mg/L/96h		mg/LL48h
		Pimephales promelas: LC50:		
		71 mg/L/96h		
Chloroform	EC50 = 560 mg/L/48h	LC50: = 300 mg/L, 96h static	Photobacterium	EC50 = 28.9 mg/L/48h
		(Poecilia reticulata) phosphoreum: EC50 = 520		
		LC50: = 18 mg/L, 96h	mg/L/5 min	
		flow-through (Lepomis	Photobacterium	
		macrochirus)	phosphoreum: EC50 = 670	

#### Chloroform-d

promelas)		LC50: = 18 mg/L, 96h flow-through (Oncorhynchus mykiss)  LC50: = 71 mg/L, 96h flow-through (Pimenhales	70	
		flow-through (Pimephales		

Persistence and Degradability Persiste

Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** 

No information available.

**Mobility** 

Will likely be mobile in the environment due to its volatility.

Component	log Pow	
Methane-d, trichloro-	2	
Chloroform	2	

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Chloroform - 67-66-3	U044	-

## 14. Transport information

DOT

UN-No UN1888

Proper Shipping Name CHLOROFORM

Hazard Class 6.1 Packing Group III

TDG

<u>UN-No</u> UN1888

Proper Shipping Name CHLOROFORM

Hazard Class 6.1
Packing Group

<u>IATA</u>

UN-No UN1888
Proper Shipping Name Chloroform

Hazard Class 6.1 Packing Group III

IMDG/IMO

UN-No UN1888
Proper Shipping Name Chloroform
Hazard Class 6.1
Packing Group III

# 15. Regulatory information

### International Inventories

	Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
	Methane-d, trichloro-	865-49-6	X	-	1	•	212-742-4	-	1
I	Chloroform	67-66-3	Х	-	Х	ACTIVE	200-663-8	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Methane-d, trichloro-	865-49-6	Х	-	-	-	X	X	Х	X
Chloroform	67-66-3	Х	Х	Х	X	X	Х	Х	Х

#### Chloroform-d

#### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)	
Chloroform	Part 1, Group A Substance Part 4 Substance			

Legend

NPRI - National Pollutant Release Inventory

## Other International Regulations

# Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Chloroform	-	Use restricted. See item 32.	-
		(see	
		http://eur-lex.europa.eu/LexUriServ/L	
		exUriServ.do?uri=CELEX:32006R190	
		7:EN:NOT for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Methane-d, trichloro-	865-49-6	Not applicable	Not applicable	Not applicable	Not applicable
Chloroform	67-66-3	Listed	Not applicable	Not applicable	Not applicable

Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Methane-d, trichloro-	865-49-6	Not applicable	Not applicable	Not applicable	Not applicable
Chloroform	67-66-3	Not applicable	Not applicable	Not applicable	Annex I - Y45

## 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date 21-April-2009

Revision Date 24-December-2021

#### Chloroform-d

Revision Date 24-December-2021 Print Date 24-December-2021

**Revision Summary**This document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**