

Classified as hazardous in accordance with the criteria of EPA New Zealand

Section 1 - Identification

Product Identifier

Product Name Chlorobenzene

CAS No 108-90-7

Synonyms Monochlorobenzene; Benzene chloride (Laboratory/Certified)

Molecular FormulaC6 H5 ClMolecular Weight112.56

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Product Code B254-4; B254-4LC; B254-20; B254RS-200; B255-1; B255-500

Address Thermo Fisher Scientific New Zealand Ltd

244 Bush Road, Albany, Auckland, New Zealand

Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Telephone / Fax Numbers Tel: 09 980 6700

Fax: 09 980 6788

E-mail address ANZinfo@thermofisher.com

Section 2 - Hazard(s) Identification

Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

HSNO Approval Number HSR001108

GHS Classification

Physical hazards

Flammable liquids Category 3

Health hazards

Acute Oral Toxicity

Acute Inhalation Toxicity - Vapors

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Category 2

Category 2

Category 2

Category 2

Environmental hazards

Acute aquatic toxicity
Chronic aquatic toxicity
Category 1
Category 1

FSH04730 Version 2 10-Mar-2023 Page 1/11

Label Elements



Signal Word

Danger

Hazard Statements

H226 - Flammable liquid and vapor

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H410 - Very toxic to aquatic life with long lasting effects

H302 + H332 - Harmful if swallowed or if inhaled

Precautionary Statements

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P273 - Avoid release to the environment

Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER or doctor if you feel unwell

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P362 + P364 - Take off contaminated clothing and wash it before reuse

P391 - Collect spillage

Storage

P403 + P235 - Store in a well-ventilated place. Keep cool

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

Toxic to terrestrial vertebrates

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Chlorobenzene	108-90-7	>95

Section 4 - First Aid Measures

Description of first aid measures

General Advice If symptoms persist, call a physician.

FSH04730 Version 2 10-Mar-2023 Page 2/11

New Zealand Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

None reasonably foreseeable. Causes central nervous system depression: Symptoms of

overexposure may be headache, dizziness, tiredness, nausea and vomiting

Notes to Physician Treat symptomatically. Symptoms may be delayed.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO2), Phosgene, Hydrogen chloride gas.

Decomposition Temperature

> 132°C

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 - Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation.

Environmental Precautions

Should not be released into the environment.

Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations

FSH04730 Version 2 10-Mar-2023 Page 3/11

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Advice on safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Ensure adequate ventilation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

Incompatible Materials

Strong oxidizing agents. Bases. Strong reducing agents. Metals.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals AS 1940-2004 - The storage and handling of flammable and combustible liquids

Section 8 - Exposure Controls and Personal Protection

Control parameters

Exposure limits

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

Component	New Zealand WEL	Australia	ACGIH TLV	The United Kingdom
Chlorobenzene	TWA: 10 ppm TWA: 46 mg/m ³	TWA: 10 ppm TWA: 46 mg/m ³	TWA: 10 ppm	STEL: 3 ppm 15 min STEL: 14 mg/m³ 15 min
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 177 ti 10 mg/m		TWA: 1 ppm 8 hr
				TWA: 4.7 mg/m ³ 8 hr Skin

Biological limit values

ACGIH - American Conference of Governmental Industrial Hygienists (ACGIH) TLVs® and BEIs®- Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices. 2022 Edition

UK - Biological Monitoring Guidance Values provided by the UK's Health and Safety Executive (HSE) Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended) and EH40/2005.

Component	New Zealand	Australia	ACGIH - Biological Exposure Indices	United Kingdom
Chlorobenzene			100 mg/g creatinine Medium: urine	4-Chlorocatechol: 5 mmol/mol creatinine urine
			Time: end of shift at end of	post-shift
			workweek	
			Determinant:	
			4-Chlorocatechol with	
			hydrolysis	
			20 mg/g creatinine	

FSH04730 Version 2 10-Mar-2023 Page 4/11

	Medium: urine Time: end of shift at end of	
	workweek Determinant: p-Chlorophenol	
	with hydrolysis	

Appropriate engineering controls

Engineering Measures

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Individual protection measures, such as personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard

AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection Protective gloves

	Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
-	Viton (R).	> 480 minutes	0.7 mm	AS/NZS 2161	As tested under EN374-3 Determination of
	. ,				Resistance to Permeation by Chemicals

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ

equivalent)

Recommended half mask:- Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Liquid

Appearance Clear

Odor
Odor bitter almonds
Odor Threshold No data available
PH No information available
Melting Point/Range -45 °C / -49 °F

Melting Point/Range-45 °C / -49 °FSoftening PointNo data availableBoiling Point/Range131 °C / 267.8 °F

FSH04730 Version 2 10-Mar-2023 Page 5 / 11

Flammability (liquid) Flammable On basis of test data

Flammability (solid, gas) Not applicable Liquid

Explosion Limits Lower 1.3 Vol% Upper 11 Vol%

23 °C / 73.4 °F

Method - No information available Flash Point 590 °C / 1094 °F

Autoignition Temperature Decomposition Temperature > 132°C

0.8 mPa.s @ 20°C **Viscosity** Water Solubility 0.4 g/l (20°C)

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component Chlorobenzene 3.79

12 mbar @ 20°C **Vapor Pressure**

Density / Specific Gravity 1.108

Bulk Density Not applicable Liquid **Vapor Density** (Air = 1.0)3.9

Particle characteristics Not applicable (liquid)

Other information

C6 H5 CI Molecular Formula **Molecular Weight** 112.56

Explosive Properties explosive air/vapour mixtures possible

Evaporation Rate 1 (Butyl Acetate = 1.0)

Section 10 - Stability and Reactivity

Reactivity None known, based on information available

Stable under recommended storage conditions. Stability

Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

Hazardous polymerization does not occur. **Hazardous Polymerization**

None under normal processing. **Hazardous Reactions**

Conditions to Avoid Incompatible products, Excess heat, Keep away from open flames, hot surfaces and

sources of ignition.

Incompatible Materials Strong oxidizing agents, Bases, Strong reducing agents, Metals.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO₂). Phosgene. Hydrogen chloride gas.

Section 11 - Toxicological Information

Acute Effects

Information on likely routes of exposure

Product Information

Inhalation Harmful by inhalation. INHALATION MAY CAUSE CENTRAL NERVOUS SYSTEM

EFFECTS. May cause irritation of respiratory tract.

Eyes Irritating to eyes.

Irritating to skin. May be harmful in contact with skin. Skin

Aspiration hazard. May be harmful if swallowed. May cause central nervous system effects. Ingestion

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

FSH04730 Version 2 10-Mar-2023 Page 6/11

Numerical measures of toxicity

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not met

Inhalation Category 4

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Chlorobenzene	LD50 2000 - 4000 mg/kg (Rat)	LD50 > 7940 mg/kg (Rabbit)	LC50 = 13.5 mg/L (Rat) 7 h

(b) skin corrosion/irritation;

Test method OECD 404
Test species rabbit

Observational endpoint Erythema/Eschar = 2.7

Oedema = 1

(c) serious eye damage/irritation;

Test method OECD 405 Test species rabbit

Observation end point Redness of the conjunctivae = 0.9

Iris lesion = 0

Oedema of the conjunctivae = 0.4

Cornea opacity = 0.1

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Test method Chronic Toxicity

Test species / DurationRat / 90 daysRat / 90 daysStudy resultNOAEL = 125 mg/kgNOAEC = 234 mg/m³Route of exposureOralInhalation

Target Organs No information available.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Other Adverse Effects Tumorigenic effects have been reported in experimental animals.

Symptoms / effects,both acute and delayed

FSH04730 Version 2 10-Mar-2023 Page 7/11

Causes central nervous system depression. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Section 12 - Ecological Information

Ecotoxicity

Aquatic ecotoxicity

The product contains following substances which are hazardous for the environment. Contains a substance which is:. Very toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Chlorobenzene	LC50: 36.35 - 58.19 mg/L, 96h static (Poecilia reticulata) LC50: 7 - 8.5 mg/L, 96h flow-through (Pimephales promelas) LC50: = 4.5 mg/L, 96h static (Pimephales promelas) LC50: 6.9 - 7.9 mg/L, 96h flow-through (Lepomis macrochirus) LC50: 4.1 - 4.9 mg/L, 96h static (Lepomis macrochirus) LC50: 4.1 - 5.3 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: = 91 mg/L, 96h static (Brachydanio rerio)	(Daphnia magna)	EC50: = 12.5 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: 2.55 - 420 mg/L, 96h (Pseudokirchneriella subcapitata)	min EC50 = 11.3 mg/L 30 min

Terrestrial ecotoxicity

Component	Earthworm	Avian	Honeybees
Chlorobenzene	Acute toxicity: LC50 = 29		
	mg/cm2 (Eisenia foetida, 48 h,		
	filter paper)		

Persistence and Degradability

Not readily biodegradable

Persistence

Persistence is unlikely.

Degradation in sewage treatment

plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Bioaccumulative Potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Chlorobenzene	3.79	4.3 - 39.6 dimensionless

Mobility

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

Other adverse effects

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

FSH04730 Version 2 10-Mar-2023 Page 8 / 11

Section 13 - Disposal Considerations

Waste treatment methods

Waste from Residues/Unused

Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure

conformity with all applicable regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

Other Information Disposal agencies or waste contractors must comply with the New Zealand Hazardous

Substances (Disposal) Regulations. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical

enter the environment. Do not empty into drains.

Section 14 - Transport Information

Component	Hazchem Code
Chlorobenzene	2Y
108-90-7 (>95)	

NZS 5433:2020

UN-No UN1134

Proper Shipping Name CHLOROBENZENE

Hazard Class 3
Packing Group III

<u>IATA</u>

UN-No UN1134

Proper Shipping Name CHLOROBENZENE

Hazard Class 3
Packing Group III

IMDG/IMO

UN-No UN1134

Proper Shipping Name CHLOROBENZENE

Hazard Class 3
Packing Group III

Environmental hazards Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

Transport in bulk according to Annex II of MARPOL 73/78 and the

IBC Code

Not applicable, packaged goods

Special PrecautionsNo special precautions required. Please refer to the applicable dangerous goods

regulations for additional information.

Additional information None known

Section 15 - Regulatory Information

FSH04730 Version 2 10-Mar-2023 Page 9/11

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number	HSR001108
----------------------	-----------

National Regulations

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Authorisation/Restrictions according to EU REACH

Component	,	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Chlorobenzene	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

International Inventories

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	NZIoC	AICS	EINECS	ELINCS	NLP	KECL	IECSC	TCSI
Chlorobenzene	108-90-7	X	Х	203-628-5	ı	ı	KE-25489	Х	Х
Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive		DSL	NDSL	PICCS	ISHL	ENCS
Chlorobenzene	108-90-7		Active-mactive ACTIVF						

Legend: X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Section 16 - Other Information

This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

FSH04730 Version 2 10-Mar-2023 Page 10 / 11

_____Legend_

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer NZS 5433:2020 - Transport of Dangerous Goods on Land

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%
WEL - Workplace Exposure Limit
DNEL - Derived No Effect Level

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

AICS - Australian Inventory of Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

PNEC - Predicted No Effect Concentration

OECD - Organisation for Economic Co-operation and Development **IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

ADG - Australian Code for the Transport of Dangerous Goods by Road and Rail

LC50 - Lethal Concentration 50%

ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand

EPA - Assigning a product to an existing HSNO approval guide

Training Advice

Chemical incident response training.

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Revision Date 10-Mar-2023 Revision Summary Not applicable

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

FSH04730 Version 2 10-Mar-2023 Page 11 / 11