

Creation Date 10-Jun-2014

Revision Date 15-Feb-2024

Revision Number 3

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

<b>Product Description:</b>	<b>Nitrobenzene</b>
<b>Cat No. :</b>	<b>S55621</b>
<b>Synonyms</b>	Essence of mirbane; Mirbane oil; Nitrobenzol
<b>Index No</b>	609-003-00-7
<b>CAS No</b>	98-95-3
<b>EC No</b>	202-716-0
<b>Molecular Formula</b>	C6 H5 N O2

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Recommended Use</b>	Laboratory chemicals.
<b>Uses advised against</b>	No Information available

### 1.3. Details of the supplier of the safety data sheet

#### Company

Thermo Fisher (Kandel) GmbH  
Erlenbachweg 2, 76870 Kandel, Germany  
Tel: +49 (0) 721 84007 280  
Fax: +49 (0) 721 84007 300

**Swiss distributor** - Fisher Scientific AG  
Neuhofstrasse 11, CH 4153 Reinach  
Tel: +41 (0) 56 618 41 11  
<https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html>

**E-mail address** begel.sdsdesk@thermofisher.com

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:  
Tox Info Suisse Emergency Number: **145 (24hr)**  
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)  
Chemtrec (24h) Toll-Free: 0800 564 402  
Chemtrec Local: +41-43 508 20 11 (Zurich)

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

# SAFETY DATA SHEET

Nitrobenzene

Revision Date 15-Feb-2024

## CLP Classification - Regulation (EC) No 1272/2008

### Physical hazards

Based on available data, the classification criteria are not met

### Health hazards

Acute oral toxicity	Category 3 (H301)
Acute dermal toxicity	Category 3 (H311)
Acute Inhalation Toxicity - Vapors	Category 3 (H331)
Carcinogenicity	Category 2 (H351)
Reproductive Toxicity	Category 1B (H360F)
Specific target organ toxicity - (repeated exposure)	Category 1 (H372)

### Environmental hazards

Chronic aquatic toxicity	Category 3 (H412)
--------------------------	-------------------

Full text of Hazard Statements: see section 16

## 2.2. Label elements



Signal Word

Danger

### **Hazard Statements**

H351 - Suspected of causing cancer  
H360F - May damage fertility  
H372 - Causes damage to organs through prolonged or repeated exposure  
H412 - Harmful to aquatic life with long lasting effects  
H301 + H311 + H331 - Toxic if swallowed, in contact with skin or if inhaled  
Combustible liquid

### **Precautionary Statements**

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P302 + P350 - IF ON SKIN: Gently wash with plenty of soap and water  
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P273 - Avoid release to the environment

### **Additional EU labelling**

Restricted to professional users

## 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

# SAFETY DATA SHEET

Nitrobenzene

Revision Date 15-Feb-2024

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Nitrobenzene	98-95-3	EEC No. 202-716-0	99	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Carc. 2 (H351) Repr. 1B (H360F) STOT RE 1 (H372) Aquatic Chronic 3 (H412)

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>General Advice</b>	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
<b>Skin Contact</b>	Immediate medical attention is required. Wash off immediately with plenty of water for at least 15 minutes.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician or poison control center immediately.
<b>Inhalation</b>	Remove to fresh air. If breathing is difficult, give oxygen. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
<b>Self-Protection of the First Aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### 4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically. Symptoms may be delayed.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

No information available.

# SAFETY DATA SHEET

Nitrobenzene

Revision Date 15-Feb-2024

## 5.2. Special hazards arising from the substance or mixture

Flammable. Combustible material. Containers may explode when heated.

### **Hazardous Combustion Products**

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

### 6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame.

**Technical Rules for Hazardous Substances (TRGS) 510**  
**Storage Class (LGK) (Germany)**

Storage Class/LGK 6.1C

**Switzerland - Storage of hazardous substances**

Storage class - SC 6.1  
<https://www.kvu.ch/de/themen/stoffe-und-produkte>  
<https://www.kvu.ch/fr/themes/substances-et-produits>  
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

### 7.3. Specific end use(s)

Use in laboratories

# SAFETY DATA SHEET

Nitrobenzene

Revision Date 15-Feb-2024

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Nitrobenzene	TWA: 1 mg/m <sup>3</sup> (8h) TWA: 0.2 ppm (8h) Skin TWA: 0.2 ppm (8hr) TWA: 1 mg/m <sup>3</sup> (8hr)	TWA: 0.2 ppm 8 hr TWA: 1 mg/m <sup>3</sup> 8 hr Skin	TWA / VME: 0.2 ppm (8 heures). indicative limit TWA / VME: 1 mg/m <sup>3</sup> (8 heures). indicative limit Peau	TWA: 0.2 ppm 8 uren TWA: 1 mg/m <sup>3</sup> 8 uren Huid	TWA / VLA-ED: 0.2 ppm (8 horas) TWA / VLA-ED: 1 mg/m <sup>3</sup> (8 horas) Piel

Component	Italy	Germany	Portugal	The Netherlands	Finland
Nitrobenzene	TWA: 0.2 ppm 8 ore. Time Weighted Average TWA: 1 mg/m <sup>3</sup> 8 ore. Time Weighted Average Pelle	TWA: 0.51 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 4 TWA: 0.1 ppm (8 Stunden). AGW - exposure factor 4 TWA: 0.1 ppm (8 Stunden). MAK can occur as vapor and aerosol at the same time TWA: 0.51 mg/m <sup>3</sup> (8 Stunden). MAK can occur as vapor and aerosol at the same time Höhepunkt: 0.4 ppm Höhepunkt: 2.04 mg/m <sup>3</sup> Haut	TWA: 0.2 ppm 8 horas TWA: 1 mg/m <sup>3</sup> 8 horas Pele	huid TWA: 1 mg/m <sup>3</sup> 8 uren	TWA: 0.2 ppm 8 tunteina TWA: 1 mg/m <sup>3</sup> 8 tunteina STEL: 1 ppm 15 minuutteina STEL: 5.1 mg/m <sup>3</sup> 15 minuutteina Iho

Component	Austria	Denmark	Switzerland	Poland	Norway
Nitrobenzene	Haut MAK-KZGW: 0.8 ppm 15 Minuten MAK-KZGW: 4 mg/m <sup>3</sup> 15 Minuten MAK-TMW: 0.2 ppm 8 Stunden MAK-TMW: 1 mg/m <sup>3</sup> 8 Stunden	TWA: 0.2 ppm 8 timer TWA: 1 mg/m <sup>3</sup> 8 timer STEL: 0.4 ppm 15 minutter STEL: 2 mg/m <sup>3</sup> 15 minutter Hud	Haut/Peau STEL: 2 ppm 15 Minuten STEL: 10 mg/m <sup>3</sup> 15 Minuten TWA: 0.2 ppm 8 Stunden TWA: 1 mg/m <sup>3</sup> 8 Stunden	TWA: 1 mg/m <sup>3</sup> 8 godzinach	TWA: 0.2 ppm 8 timer TWA: 1 mg/m <sup>3</sup> 8 timer STEL: 3 mg/m <sup>3</sup> 15 minutter. value calculated STEL: 0.6 ppm 15 minutter. value calculated Hud

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Nitrobenzene	TWA: 0.2 ppm TWA: 1.0 mg/m <sup>3</sup> Skin notation	kože TWA-GVI: 0.2 ppm 8 satima. TWA-GVI: 1 mg/m <sup>3</sup> 8 satima.	TWA: 0.2 ppm 8 hr. TWA: 1 mg/m <sup>3</sup> 8 hr. STEL: 0.6 ppm 15 min STEL: 3 mg/m <sup>3</sup> 15 min Skin	Skin-potential for cutaneous absorption TWA: 0.2 ppm TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> 8 hodinách. Potential for cutaneous absorption Ceiling: 2 mg/m <sup>3</sup> toxic for reproduction

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Nitrobenzene	Nahk TWA: 0.2 ppm 8 tundides. TWA: 1 mg/m <sup>3</sup> 8 tundides.	Skin notation TWA: 0.2 ppm 8 hr TWA: 1 mg/m <sup>3</sup> 8 hr	skin - potential for cutaneous absorption TWA: 0.2 ppm TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> 8 órában. AK lehetséges borön keresztül felszívódás	TWA: 0.2 ppm 8 klukkustundum. TWA: 1 mg/m <sup>3</sup> 8 klukkustundum. Skin notation Ceiling: 0.4 ppm Ceiling: 2 mg/m <sup>3</sup>

# SAFETY DATA SHEET

Nitrobenzene

Revision Date 15-Feb-2024

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Nitrobenzene	skin - potential for cutaneous exposure TWA: 0.2 ppm TWA: 1 mg/m <sup>3</sup>	TWA: 0.2 ppm IPRD TWA: 1 mg/m <sup>3</sup> IPRD Oda	Possibility of significant uptake through the skin TWA: 0.2 ppm 8 Stunden TWA: 1 mg/m <sup>3</sup> 8 Stunden	possibility of significant uptake through the skin TWA: 0.2 ppm TWA: 1 mg/m <sup>3</sup>	Skin notation TWA: 0.2 ppm 8 ore TWA: 1 mg/m <sup>3</sup> 8 ore

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Nitrobenzene	TWA: 3 mg/m <sup>3</sup> 1549 Skin notation MAC: 6 mg/m <sup>3</sup>	Potential for cutaneous absorption TWA: 1 ppm TWA: 5 mg/m <sup>3</sup>	TWA: 0.2 ppm 8 urah TWA: 1 mg/m <sup>3</sup> 8 urah Koža STEL: 0.4 ppm 15 minutah STEL: 2 mg/m <sup>3</sup> 15 minutah	TLV: 0.2 ppm 8 timmar. NGV TLV: 1 mg/m <sup>3</sup> 8 timmar. NGV Hud	Deri TWA: 0.2 ppm 8 saat TWA: 1 mg/m <sup>3</sup> 8 saat

## Biological limit values

List source(s):

Component	European Union	United Kingdom	France	Spain	Germany
Nitrobenzene			Total p-Nitrophenol: 5 mg/g creatinine urine end of shift at end of workweek Methemoglobin: 1.5 % of hemoglobin blood end of shift	total p-Nitrophenol: 5 mg/g Creatinine urine end of workweek Methemoglobin: 1.5 % total hemoglobin end of shift	

Component	Italy	Finland	Denmark	Bulgaria	Romania
Nitrobenzene					Methemoglobin: 1.5 % Hemoglobin blood end of shift total p-Nitrophenol: 5 mg/g Creatinine urine end of shift

Component	Gibraltar	Latvia	Slovak Republic	Luxembourg	Turkey
Nitrobenzene			Aniline (released from hemoglobin): 100 µg/L blood after all work shifts for long-term exposure		

## Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

No information available

## Predicted No Effect Concentration (PNEC)

No information available.

## 8.2. Exposure controls

### Engineering Measures

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

# SAFETY DATA SHEET

Nitrobenzene

Revision Date 15-Feb-2024

and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

## Personal protective equipment

### Eye Protection

If splashes are likely to occur: Goggles Face protection shield (European standard - EN 166)

### Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Viton (R)	See manufacturers recommendations	-	EN 374	(minimum requirement)

### Skin and body protection

Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

### Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

**Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

### Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141

When RPE is used a face piece Fit Test should be conducted

### Environmental exposure controls

Prevent product from entering drains.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance	Yellow	
Odor	bitter almonds	
Odor Threshold	No data available	
Melting Point/Range	5 - 6 °C / 41 - 42.8 °F	
Softening Point	No data available	
Boiling Point/Range	210 - 211 °C / 410 - 411.8 °F	@ 760 mmHg
Flammability (liquid)	Combustible liquid	On basis of test data
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	<b>Lower</b> 1.8 <b>Upper</b> 40	
Flash Point	88 °C / 190.4 °F	<b>Method -</b> No information available
Autoignition Temperature	480 °C / 896 °F	
Decomposition Temperature	No data available	
pH	Not applicable	
Viscosity	No data available	
Water Solubility	slightly soluble	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	log Pow	

# SAFETY DATA SHEET

Nitrobenzene

Revision Date 15-Feb-2024

Nitrobenzene	1.86	
Vapor Pressure	0.2 mbar @ 20 °C	
Density / Specific Gravity	1.205	
Bulk Density	Not applicable	Liquid
Vapor Density	4.25	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	

## 9.2. Other information

Molecular Formula	C6 H5 N O2
Molecular Weight	123.11
Explosive Properties	explosive air/vapour mixtures possible

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Stable under normal conditions. Unstable if heated.

### 10.3. Possibility of hazardous reactions

Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

### 10.4. Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.

### 10.5. Incompatible materials

Reducing Agent. Acids. Bases. Alkali metals. Oxidizing agent.

### 10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

#### (a) acute toxicity;

Oral	Category 3
Dermal	Category 3
Inhalation	Category 3

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Nitrobenzene	LD50 = 349 mg/kg ( Rat )	LD50 = 760 mg/kg ( Rabbit )	LC50 = 2.847 mg/L ( Rat ) 4 h

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available



# SAFETY DATA SHEET

Nitrobenzene

Revision Date 15-Feb-2024

Skin

No data available

(e) germ cell mutagenicity;

No data available

(f) carcinogenicity;

Category 2

Possible cancer hazard. May cause cancer based on animal data The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Nitrobenzene				Group 2B

(g) reproductive toxicity;  
Reproductive Effects

Category 1B

Experiments have shown reproductive toxicity effects on laboratory animals.

(h) STOT-single exposure;

No data available

(i) STOT-repeated exposure;  
Target Organs

Category 1

Blood.

(j) aspiration hazard;

No data available

Other Adverse Effects

The toxicological properties have not been fully investigated.

Symptoms / effects,both acute and delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

## 11.2. Information on other hazards

<b>Endocrine Disrupting Properties</b>	Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.
--	---

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity effects

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Nitrobenzene	LC50: 121 - 150 mg/L, 96h semi-static (Poecilia reticulata) LC50: 36 - 49 mg/L, 96h static (Lepomis macrochirus) LC50: 40.49 - 47.51 mg/L, 96h flow-through (Pimephales promelas) LC50: = 92.2 mg/L, 96h (Brachydanio rerio)	EC50: = 33 mg/L, 48h (Daphnia magna) EC50: 25.6 - 42 mg/L, 48h Static (Daphnia magna)	EC50: 36 - 88.8 mg/L, 72h static (Pseudokirchneriella subcapitata) EC50: = 44.1 mg/L, 96h (Pseudokirchneriella subcapitata) EC50: 3.45 - 38.13 mg/L, 96h static (Pseudokirchneriella subcapitata)

Component	Microtox	M-Factor
Nitrobenzene	EC50 = 18 mg/L 15 min EC50 = 34.67 mg/L 30 min EC50 = 98 mg/L 24 h	

### 12.2. Persistence and degradability

Not readily biodegradable

# SAFETY DATA SHEET

Nitrobenzene

Revision Date 15-Feb-2024

**Persistence  
Degradation in sewage  
treatment plant**

Soluble in water, Persistence is unlikely, based on information available.  
Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

**12.3. Bioaccumulative potential**

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Nitrobenzene	1.86	1.6 - 7.7 dimensionless

**12.4. Mobility in soil**

The product is water soluble, and may spread in water systems . Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

**12.5. Results of PBT and vPvB  
assessment**

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

**12.6. Endocrine disrupting  
properties**

**Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

**12.7. Other adverse effects  
Persistent Organic Pollutant  
Ozone Depletion Potential**

This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

**13.1. Waste treatment methods**

**Waste from Residues/Unused  
Products**

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point.

**European Waste Catalogue (EWC)**

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

**Other Information**

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.

**Switzerland - Waste Ordinance**

Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600  
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

## SECTION 14: TRANSPORT INFORMATION

**IMDG/IMO**

**14.1. UN number**

UN1662

**14.2. UN proper shipping name**

NITROBENZENE

**14.3. Transport hazard class(es)**

6.1

**14.4. Packing group**

II

**ADR**

**14.1. UN number**

UN1662

**14.2. UN proper shipping name**

NITROBENZENE

**14.3. Transport hazard class(es)**

6.1

# SAFETY DATA SHEET

Nitrobenzene

Revision Date 15-Feb-2024

**14.4. Packing group** II

## IATA

**14.1. UN number** UN1662  
**14.2. UN proper shipping name** NITROBENZENE  
**14.3. Transport hazard class(es)** 6.1  
**14.4. Packing group** II

**14.5. Environmental hazards** No hazards identified

**14.6. Special precautions for user** No special precautions required.

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Nitrobenzene	98-95-3	202-716-0	-	-	X	X	KE-25965	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Nitrobenzene	98-95-3	X	ACTIVE	X	-	X	X	X

**Legend:** X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Nitrobenzene	98-95-3	-	Use restricted. See item 30. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - 202-716-0 - Toxic for reproduction (Article 57c)

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

#### REACH links

<https://echa.europa.eu/authorisation-list>

<https://echa.europa.eu/substances-restricted-under-reach>

<https://echa.europa.eu/candidate-list-table>

### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report
-----------	--------	--	---

# SAFETY DATA SHEET

Nitrobenzene

Revision Date 15-Feb-2024

		Notification	Requirements
Nitrobenzene	98-95-3	Not applicable	Not applicable

**Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals**

Not applicable

**Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?**

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Nitrobenzene	WGK3	Class I : 20 mg/m³ (Massenkonzentration)

Component	France - INRS (Tables of occupational diseases)
Nitrobenzene	Tableaux des maladies professionnelles (TMP) - RG 13

## Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Nitrobenzene 98-95-3 ( 99 )	Prohibited and Restricted Substances		

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H351 - Suspected of causing cancer

H360F - May damage fertility

H372 - Causes damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

### Legend

**CAS** - Chemical Abstracts Service

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical

# SAFETY DATA SHEET

Nitrobenzene

Revision Date 15-Feb-2024

Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**IECSC** - Chinese Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances  
**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (volatile organic compound)

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

**Prepared By**

Health, Safety and Environmental Department

**Creation Date**

10-Jun-2014

**Revision Date**

15-Feb-2024

**Revision Summary**

New emergency telephone response service provider.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**