

SAFETY DATA SHEET

Creation Date 11-June-2009 Revision Date 02-April-2024 **Revision Number 2**

1. Identification

Product Name Tetrahydrofuran, stab. with 250ppm BHT

Cat No.: S37606

CAS-No 109-99-9 **Synonyms** THF

Recommended Use Laboratory chemicals.

Food, drug, pesticide or biocidal product use. Uses advised against

Details of the supplier of the safety data sheet

Company

Importer/Distributor

Fisher Scientific 112 Colonnade Road. Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US:001-800-424-9300 / Europe:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids Category 2 Acute oral toxicity Category 4 Serious Eye Damage/Eye Irritation Category 2 Category 2 Carcinogenicity Specific target organ toxicity (single exposure) Category 3 Target Organs - Respiratory system, Central nervous system (CNS).

Physical Hazards Not Otherwise Classified Category 1

May form explosive peroxides Hazardous polymerization may occur

Label Elements

Signal Word

Danger

Hazard Statements

Highly flammable liquid and vapor Harmful if swallowed Causes serious eye irritation May cause respiratory irritation May cause drowsiness and dizziness Suspected of causing cancer May form explosive peroxides Hazardous polymerization may occur



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Keep container tightly closed

Keep cool. Protect from sunlight

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Use non-sparking tools

Take action to prevent static discharges

Response

IF exposed or concerned: Get medical advice/attention

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Rinse mouth

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Contains a known or suspected endocrine disruptor

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Tetrahydrofuran	109-99-9	>95
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	128-37-0	0.025

4. First-aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms/effects Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting: Causes central nervous system depression

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may

be used to cool closed containers.

Unsuitable Extinguishing Media Water may be ineffective

Flash Point -21 °C / -5.8 °F

Method - No information available

Autoignition Temperature 215 °C / 419 °F

Explosion Limits

Upper 11.8% **Lower** 2.0%

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. May form explosive peroxides.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO2). peroxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u>

HealthFlammabilityInstabilityPhysical hazards231N/A

6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation. Remove all

sources of ignition. Take precautionary measures against static discharges. Avoid contact

with skin and eyes. Keep people away from and upwind of spill/leak.

Environmental Precautions Should not be released into the environment.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Up

Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

7. Handling and storage

Handling

Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. If peroxide formation is suspected, do not open or move container. Handle under an inert atmosphere.

Storage.

Store under an inert atmosphere. Shelf life 30 months (Unopened) or Shelf life: 6 months after opening. Containers should be dated when opened. May form explosive peroxides on prolonged storage. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area. Incompatible Materials. Strong oxidizing agents. Acids.

8. Exposure controls / personal protection

Exposure Guidelines

Component	Alberta	British	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH
		Columbia					
Tetrahydrofuran	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm	TWA: 100 ppm	TWA: 50 ppm	(Vacated) TWA:	IDLH: 2000 ppm
	TWA: 147	STEL: 100 ppm	STEL: 100 ppm	TWA: 300	STEL: 100 ppm	200 ppm	TWA: 200 ppm
	mg/m³	Skin	Skin	mg/m³	Skin	(Vacated) TWA:	TWA: 590
	STEL: 100 ppm					590 mg/m ³	mg/m³
	STEL: 295					(Vacated) STEL:	STEL: 250 ppm
	mg/m³					250 ppm	STEL: 735
	Skin					(Vacated) STEL:	mg/m³
						735 mg/m ³	
						TWA: 200 ppm	
						TWA: 590	
						mg/m³	
Phenol,	TWA: 10 mg/m ³	TWA: 2 mg/m ³	(Vacated) TWA:	TWA: 10 mg/m ³			
2,6-bis(1,1-dimethylethyl						10 mg/m ³	
)-4-methyl-							

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles **Hand Protection** Wear ap

Hand Protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Butyl rubber	< 25 minutes	0.6 mm	Permeation rate 106
			μg/cm2/min
			As tested under EN374-3

Determination of Resistance to Permeation by Chemicals

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

No information available.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

9. Physical and chemical properties

Physical State Liquid Appearance Colorless

Odor Petroleum distillates
Odor Threshold No information available
pH 7-8 20% aq. solution

pH
7-8 20% aq. solution
Melting Point/Range
-108.4 °C / -163.1 °F
Boiling Point/Range
66 °C / 150.8 °F
Flash Point
-21 °C / -5.8 °F
Evaporation Rate
> 1 (Ether = 1.0)
Flammability (solid,gas)
Not applicable

Flammability or explosive limits
Upper 11.8%
Lower 2.0%

 Vapor Pressure
 170 mbar @ 20 °C

 Vapor Density
 2.5 (Ether = 1.0)

 Specific Gravity
 0.880

Solubility miscible
Partition coefficient; n-octanol/water No data available

Autoignition Temperature215 °C / 419 °FDecomposition TemperatureNo information availableViscosity0.456 mPas @ 20°C Dynamic

Molecular Formula C4 H8 O
Molecular Weight 72.11

10. Stability and reactivity

Reactive Hazard Yes.

Stability Stable under recommended storage conditions. Reacts with air to form peroxides. May form

explosive peroxides on prolonged storage. Hygroscopic.

Conditions to Avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition. Exposure to moist air or water.

Incompatible Materials Strong oxidizing agents, Acids

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), peroxides

Hazardous Polymerization Hazardous polymerization may occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50	O Oral	LD50 Dermal	LC50 Inhalation
Tetrahydrofura	n 1650 mg.	/kg (Rat)	> 2000 mg/kg (Rabbit)	180 mg/L (Rat) 1 h
	_			53.9 mg/L (Rat) 4 h
Phenol,	> 6 g/k	g (Rat)	> 2 g/kg (Rat)	Not listed
2,6-bis(1,1-dimethylethyl	I)-4-methyl-			

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes May cause irritation of respiratory tract

Sensitization No information available

Carcinogenicity Limited evidence of a carcinogenic effect.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Tetrahydrofuran	109-99-9	Group 2B	Not listed	A3	X	A3
Phenol, 2.6-bis(1,1-dimethyleth	128-37-0	Not listed				
yl)-4-methyl-						

ACGIH: (American Conference of Governmental Industrial

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

Hygienists)

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

No information available **Mutagenic Effects**

No information available. **Reproductive Effects**

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system Central nervous system (CNS)

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting:

delayed Causes central nervous system depression

Endocrine Disruptor Information

	Component	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
Т	etrahydrofuran	Group III Chemical	Not applicable	Not applicable

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Tetrahydrofuran	Not listed	2160 mg/l LC50 = 96 h	Not listed	EC50 48 h 3485 mg/l
		Pimephales promelas		EC50: >10000 mg/L/24h
		Leuciscus idus: LC50: 2820		
		mg/L/48h		
Phenol,	EC50 = 0.758 mg/L 96h	LC50 = 0.199 mg/L 96h	EC50 = 7.82 mg/L 5 min	EC50 >0.31 mg/L 48h
2,6-bis(1,1-dimethylethyl)-4-	EC50 = 6 mg/L 72 h		EC50 = 8.57 mg/L 15 min	_
methyl-	_		EC50 = 8.98 mg/L 30 min	

Persistence and Degradability Persistence

Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation

No information available.

Mobility

Will likely be mobile in the environment due to its volatility.

Component	log Pow
Tetrahydrofuran	0.45
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	5.1

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Tetrahydrofuran - 109-99-9	U213	-

14. Transport information

DOT

UN-No UN2056

Proper Shipping Name TETRAHYDROFURAN

Hazard Class 3 Packing Group II

TDG

UN-No UN2056

Proper Shipping Name TETRAHYDROFURAN

Hazard Class 3
Packing Group ||

<u>IATA</u>

UN-No UN2056

Proper Shipping Name TETRAHYDROFURAN

Hazard Class 3 Packing Group II

IMDG/IMO

UN-No UN2056

Proper Shipping Name TETRAHYDROFURAN

Hazard Class 3
Packing Group ||

15. Regulatory information

International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Tetrahydrofuran	109-99-9	Х	-	Х	ACTIVE	203-726-8	-	-
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl	128-37-0	Х	-	Х	ACTIVE	204-881-4	-	-

								<u> </u>	
Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Tetrahydrofuran	109-99-9	Х	KE-33454	Х	Х	X	Х	Х	X
Phenol,	128-37-0	Х	KE-03079	Х	Х	Х	Х	Х	X
2,6-bis(1,1-dimethylethyl)-4-methyl									ĺ
-									ĺ

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
Tetrahydrofuran	Part 5, Individual Substances Part 4		
-	Substance		
Phenol,	Part 1, Group A Substance		
2,6-bis(1,1-dimethylethyl)-4-methyl-			

Other International Regulations

Authorisation/Restrictions according to EU REACH

Component		REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Tetrahydrofuran	-	Use restricted. See item 75. (see link for restriction details)	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Tetrahydrofuran	109-99-9	Listed	Not applicable	Not applicable	Not applicable
Phenol, 2,6-bis(1,1-dimethylethyl)-4-m ethyl-	128-37-0	Listed	Not applicable	Not applicable	Not applicable

Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	(2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Tetrahydrofuran	109-99-9	Not applicable	Not applicable	Not applicable	Not applicable
Phenol,	128-37-0	Not applicable	Not applicable	Not applicable	Not applicable

2,6-bis(1,1-dimethylethyl)-4-m			
ethyl-			

16. Other information

Prepared By Product Safety Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Creation Date
 11-June-2009

 Revision Date
 02-April-2024

 Print Date
 02-April-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS