

Australian statement of hazardous nature : Classified as hazardous according to criteria of Safe Work Australia

## Section 1 - Identification

**Product Name** Silica, amorphous

<b>Product Code</b>	HAC26871-00 Hypochlorite test kit high range digital 34932 Starch Indicator Solution 104299 Acid Reagent 2059996 Potassium Iodide Powder Pillows 2686901 Stabilized Sodium Thiosulfate 2.26 ± 0.01 N
<b>Address</b>	ThermoFisher Scientific Australia Pty Ltd 5 Caribbean Drive, Scoresby VICTORIA 3179, Australia
<b>Emergency Tel.</b>	<b>CHEMTREC®</b> <b>03 9757 4559 or +613 9757 4559</b>
<b>Telephone / Fax Numbers</b>	Tel: 1300 735 292 Fax: 1800 067 639
<b>E-mail address</b>	ANZinfo@thermofisher.com

**Recommended Use** Laboratory chemicals.

**Uses advised against** This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

## Section 2 - Hazard(s) Identification

### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

#### Physical hazards

No hazards identified

#### Health hazards

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2

#### Environmental hazards

Chronic aquatic toxicity	Category 3
--------------------------	------------

#### Label Elements



Exclamation Mark

**Signal Word****Warning****Hazard Statements**

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H412 - Harmful to aquatic life with long lasting effects

**Precautionary Statements**

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P337 + P313 - If eye irritation persists: Get medical advice/attention

P362 + P364 - Take off contaminated clothing and wash it before reuse

P403 - Store in a well-ventilated place

P501 - Dispose of contents/ container to an approved waste disposal plant

**Other information**

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

**Section 3 - Composition and Information on Ingredients**

Component	CAS No	Weight %
Water	7732-18-5	HAC34932
Potassium iodide	7681-11-0	HAC2059996
Sulfamic acid	5329-14-6	HAC104299
Sodium thiosulfate	7772-98-7	HAC2686901
Sodium chloride	7647-14-5	HAC104299
1,2-Propylene glycol	57-55-6	HAC2686901
Soluble Starch	9005-84-9	HAC34932
Silica, amorphous	7631-86-9	HAC2059996
Salicylic acid	69-72-7	HAC34932

**Section 4 - First Aid Measures****Inhalation**

Remove to fresh air.

**Ingestion**

Clean mouth with water and drink afterwards plenty of water.

**Skin Contact**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

**Eye Contact**

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

<b>Self-Protection of the First Aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
<b>First Aid Facilities</b>	Eyewash, safety shower and washroom.
<b>Most important symptoms and effects</b>	No information available.
<b>Notes to Physician</b>	Treat symptomatically.

## Section 5 - Fire Fighting Measures

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Extinguishing media which must not be used for safety reasons

No information available.

### Specific Hazards Arising from the Chemical

None reasonably foreseeable.

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## Section 6 - Accidental Release Measures

### Emergency procedures

Ensure adequate ventilation.

### Environmental Precautions

See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage. Do not flush into surface water or sanitary sewer system.

### Methods for Containment and Clean Up

#### Clean-up methods - small spillage

#### Clean-up methods - large spillage

Typically only supplied in small quantities as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

### Precautions for Safe Handling

Ensure adequate ventilation.

### Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

## Section 8 - Exposure Controls and Personal Protection

### Exposure limits

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

**UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

**NZ** - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Potassium iodide			TWA: 0.01 mg/m <sup>3</sup> Skin		
1,2-Propylene glycol	TWA: 150 ppm TWA: 474 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	TWA: 150 ppm TWA: 474 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>		STEL: 450 ppm 15 min STEL: 1422 mg/m <sup>3</sup> 15 min STEL: 30 mg/m <sup>3</sup> 15 min TWA: 150 ppm 8 hr TWA: 474 mg/m <sup>3</sup> 8 hr TWA: 10 mg/m <sup>3</sup> 8 hr	
Silica, amorphous	TWA: 2 mg/m <sup>3</sup>			STEL: 18 mg/m <sup>3</sup> 15 min STEL: 7.2 mg/m <sup>3</sup> 15 min TWA: 6 mg/m <sup>3</sup> 8 hr TWA: 2.4 mg/m <sup>3</sup> 8 hr	TWA: 4 mg/m <sup>3</sup> (8 Stunden). AGW - TWA: 0.02 mg/m <sup>3</sup> (8 Stunden). MAK Höhepunkt: 0.16 mg/m <sup>3</sup>

### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

### Exposure Controls

#### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

#### Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Disposable gloves	See manufacturers recommendations	-	AS/NZS 2161	(minimum requirement)

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### Skin and body protection

Long sleeved clothing

#### Respiratory Protection

Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices (or AUS/NZ equivalent)  
When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains.

## Section 9 - Physical and Chemical Properties

### Information on basic physical and chemical properties

<b>Appearance</b>	Varies	
<b>Physical State</b>	For complete information see the following SDS's	
<b>Odor</b>	No information available	
<b>Odor Threshold</b>	No data available	
<b>pH</b>	0.8	
<b>Melting Point/Range</b>	205 °C / 401 °F	
<b>Softening Point</b>	No data available	
<b>Boiling Point/Range</b>	Not applicable	
<b>Flash Point</b>	Not applicable	<b>Method -</b> No information available
<b>Evaporation Rate</b>	No data available	
<b>Flammability (solid,gas)</b>	No information available	
<b>Explosion Limits</b>	No data available	
<b>Vapor Pressure</b>	No data available	
<b>Vapor Density</b>	No data available	(Air = 1.0)
<b>Specific Gravity / Density</b>	No data available	
<b>Bulk Density</b>	No data available	
<b>Water Solubility</b>	Soluble in water	
<b>Solubility in other solvents</b>	No information available	
<b>Partition Coefficient (n-octanol/water)</b>		
<b>Component</b>	<b>log Pow</b>	
Potassium iodide	0.04	
Sulfamic acid	0.1	
Sodium thiosulfate	-4.35	
1,2-Propylene glycol	-0.9	
Salicylic acid	2.25	
<b>Autoignition Temperature</b>	No data available	
<b>Decomposition Temperature</b>	No data available	
<b>Viscosity</b>	No data available	
<b>Explosive Properties</b>	No information available	
<b>Oxidizing Properties</b>	No information available	

### Other information

## Section 10 - Stability and Reactivity

**Reactivity** None known, based on information available

**Stability** Stable under normal conditions.

**Conditions to Avoid** Heat, flames and sparks.

**Incompatible Materials** None known.

**Hazardous Decomposition Products** None under normal use conditions.

Hazardous Polymerization

No information available.

## Section 11 - Toxicological Information

### Information on Toxicological Effects

#### Product Information

#### (a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Potassium iodide	2779 mg/kg (Rat)	LD50 > 2000 mg/kg ( Rat )	
Sulfamic acid	3160 mg/kg (Rat)	>2000 mg/kg (Rat)	
Sodium thiosulfate	>8000 mg/kg (Rat)		
Sodium chloride	LD50 = 3550 mg/kg ( Rat )	LD50 > 10000 mg/kg ( Rabbit )	LC50 > 42 mg/L ( Rat ) 1 h
1,2-Propylene glycol	LD50 = 20 g/kg ( Rat )	LD50 = 20800 mg/kg ( Rabbit )	
Silica, amorphous	>5000 mg/kg ( Rat )	>2000 mg/kg ( Rabbit )	-
Salicylic acid	891 mg/kg ( Rat )	> 2 g/kg ( Rat )	>0.9 mg/L ( Rat ) 1 h

#### (b) skin corrosion/irritation;

Category 2

#### (c) serious eye damage/irritation;

Category 2

#### (d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

#### (e) germ cell mutagenicity;

No data available

#### (f) carcinogenicity;

No data available

There are no known carcinogenic chemicals in this product

#### (g) reproductive toxicity;

No data available

#### (h) STOT-single exposure;

No data available

#### (i) STOT-repeated exposure;

No data available

Target Organs

No information available.

#### (j) aspiration hazard;

No data available

Symptoms / effects, both acute and delayed

No information available

## Section 12 - Ecological Information

**Ecotoxicity effects**

Contains a substance which is: Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Potassium iodide	Onchorhynchus mykiss: LC50: 3200 mg/L/120h	-	-	-
Sulfamic acid	LC50: 70.3 mg/L/96h (Pimephales promelas) OECD 203	EC50: 71.6 mg/L/48h (Daphnia magna) OECD 202	EC50: 48 mg/L/72h (Scenedesmus subspicatus) OECD 201	EC50: >200 mg/L/3h (Activated sludge)
Sodium chloride	Pimephals prome: LC50: 7650 mg/L/96h	EC50: 1000 mg/L/48h		
1,2-Propylene glycol	LC50: = 51600 mg/L, 96h static (Onchorhynchus mykiss) LC50: 41 - 47 mL/L, 96h static (Onchorhynchus mykiss) LC50: = 51400 mg/L, 96h static (Pimephales promelas) LC50: = 710 mg/L, 96h (Pimephales promelas)	EC50: > 1000 mg/L, 48h Static (Daphnia magna)	EC50: = 19000 mg/L, 96h (Pseudokirchneriella subcapitata)	= 710 mg/L EC50 Photobacterium phosphoreum 30 min
Silica, amorphous	LC50: 5000 mg/L/96 h	EC50: 7600 mg/L/48h	EC50: 440 mg/L/72h	
Salicylic acid		EC50: 105 mg/L/24h		EC50 = 138 mg/L 1 h EC50 = 214 mg/L 5 min EC50 = 552 mg/L 1 h EC50 = 78 mg/L 210 min

**Persistence and Degradability****Persistence**

Soluble in water, Persistence is unlikely, based on information available.

**Degradation in sewage treatment plant**

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

**Bioaccumulative Potential**

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Potassium iodide	0.04	No data available
Sulfamic acid	0.1	No data available
Sodium thiosulfate	-4.35	No data available
1,2-Propylene glycol	-0.9	<1 dimensionless
Salicylic acid	2.25	>=1000 dimensionless

**Mobility**

The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

**Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

**Persistent Organic Pollutant**

This product does not contain any known or suspected substance

**Ozone Depletion Potential**

This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

**Waste from Residues/Unused Products**

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point.

**Other Information**

Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Solutions with low pH-value must be neutralized before discharge. Do not let this chemical enter the environment.

## Section 14 - Transport Information

**IMDG/IMO**

UN-No UN2967  
Proper Shipping Name SULPHAMIC ACID  
Technical Shipping Name Hypochlorite Test Kit High Range Digital Titrator  
Hazard Class 8  
Packing Group III

**ADG**

UN-No UN2967  
Proper Shipping Name SULPHAMIC ACID  
Technical Shipping Name Hypochlorite Test Kit High Range Digital Titrator  
Hazard Class 8  
Packing Group III

Component	Hazchem Code
Sulfamic acid 5329-14-6 ( HAC104299 )	2X

**IATA**

UN-No UN2967  
Proper Shipping Name SULPHAMIC ACID  
Technical Shipping Name Hypochlorite Test Kit High Range Digital Titrator  
Hazard Class 8  
Packing Group III

Environmental hazards No hazards identified  
Special Precautions No special precautions required  
Additional information None known

**Section 15 - Regulatory Information****Safety, health and environmental regulations/legislation specific for the substance or mixture****National Regulations** Australia

See section 8 for national exposure control parameters.

**Standard for the Uniform Scheduling of Medicines and Poisons**

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
Sulfamic acid - 5329-14-6	Schedule 5 listed - except its salts and derivatives;in preparations containing <=10% of Sulfamic acid Schedule 6 listed - except its salts and derivatives;except when included in Schedule 5
Salicylic acid - 69-72-7	Schedule 3 listed

**Australian Industrial Chemicals Introduction Scheme (AICIS)**

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Water - 7732-18-5	Present	-
Potassium iodide - 7681-11-0	Present	-
Sulfamic acid - 5329-14-6	Present	-



Sodium thiosulfate - 7772-98-7	Present	-
Sodium chloride - 7647-14-5	Present	-
1,2-Propylene glycol - 57-55-6	Present	-
Soluble Starch - 9005-84-9	Present	-
Silica, amorphous - 7631-86-9	Present	-
Salicylic acid - 69-72-7	Present	-

**Australian - Illicit Drug Precursors/Reagents Substance List**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

**Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

**National pollutant inventory** Not applicable

**Prohibition or notification/licensing requirements**

Shown below are details of specific prohibition/notifications or licensing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

**International Inventories**

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
Water	X	X	231-791-2	-	X	X	-	X	X		X	KE-35400
Potassium iodide	X	X	231-659-4	-	X	X	-	X	X	X	X	KE-29149
Sulfamic acid	X	X	226-218-8	-	X	X	-	X	X	X	X	KE-32336
Sodium thiosulfate	X	X	231-867-5	-	X	X	-	X	X	X	X	KE-31633
Sodium chloride	X	X	231-598-3	-	X	X	-	X	X	X	X	KE-31387
1,2-Propylene glycol	X	X	200-338-0	-	X	X	-	X	X	X	X	KE-29267
Soluble Starch	X	X	232-686-4	-	X	X	-	X	X	X	X	KE-01773
Silica, amorphous	X	X	231-545-4	-	X	X	-	X	X	X	X	KE-31032
Salicylic acid	X	X	200-712-3	-	X	X	-	X	X	X	X	KE-20367

**Legend:** X - Listed. '-' - Not Listed. XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B)). **KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

**International Regulations**

**Ozone Depletion Potential** This product does not contain any known or suspected substance

**Persistent Organic Pollutant** This product does not contain any known or suspected substance

**Rotterdam Convention (PIC)** Not applicable

**Basel convention on the control of transboundary movements of hazardous wastes and their disposal**

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories of Wastes to Be Controlled
Salicylic acid - 69-72-7	Annex I - Y34	Y34 solid or solution

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Potassium iodide	7681-11-0	Listed	Not applicable	Not applicable	Not applicable
Sulfamic acid	5329-14-6	Listed	Not applicable	Not applicable	Not applicable
Sodium thiosulfate	7772-98-7	Listed	Not applicable	Not applicable	Not applicable
Sodium chloride	7647-14-5	Listed	Not applicable	Not applicable	Not applicable
1,2-Propylene glycol	57-55-6	Listed	Not applicable	Not applicable	Not applicable
Soluble Starch	9005-84-9	Listed	Not applicable	Not applicable	Not applicable
Silica, amorphous	7631-86-9	Listed	Not applicable	Not applicable	Not applicable
Salicylic acid	69-72-7	Listed	Not applicable	Not applicable	Not applicable

#### Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Sulfamic acid	-	Use restricted. See entry 75. (see link for restriction details)	-
Salicylic acid	-	Use restricted. See entry 75. (see link for restriction details)	-

<https://echa.europa.eu/substances-restricted-under-reach>

## Section 16 - Other Information

### Legend

**AICS** - Australian Inventory of Chemical Substances  
**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**IECSC** - Chinese Inventory of Existing Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**NZS 5433:2020** - Transport of Dangerous Goods on Land

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**WEL** - Workplace Exposure Limit

**DNEL** - Derived No Effect Level

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**VOC** - (Volatile Organic Compound)

**NZIoC** - New Zealand Inventory of Chemicals

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**CAS** - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists  
Predicted No Effect Concentration (PNEC)

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**ADG** - Australian Code for the Transport of Dangerous Goods by Road and Rail

**OECD** - Organisation for Economic Co-operation and Development

**LC50** - Lethal Concentration 50%

**ATE** - Acute Toxicity Estimate

**RPE** - Respiratory Protective Equipment

**NOEC** - No Observed Effect Concentration

**BCF** - Bioconcentration factor

**PBT** - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Revision Date

12-Mar-2025

Revision Summary

Update to GHS format.

**This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).**

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**