

according to Regulation (EC) No. 1907/2006

Creation Date 26-Sep-2009 Revision Date 15-Mar-2024 Revision Number 1

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description: <u>Hydroquinone</u>

Cat No. : \$36449

**Synonyms** 1,4-Dihydroxybenzene; 1,4-Benzenediol

 Index No
 604-005-00-4

 CAS No
 123-31-9

 EC No
 204-617-8

 Molecular Formula
 C6 H6 O2

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

#### 1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH

Erlenbachweg 2, 76870 Kandel, Germany

Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG Neuhofstrasse 11, CH 4153 Reinach

Tel: +41 (0) 56 618 41 11

https://www.fishersci.ch/ch/en/customer-help-

support/forms/email-us.html

E-mail address begel.sdsdesk@thermofisher.com

#### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

Hydroquinone Revision Date 15-Mar-2024

#### CLP Classification - Regulation (EC) No 1272/2008

#### **Physical hazards**

Based on available data, the classification criteria are not met

#### **Health hazards**

Acute oral toxicity
Serious Eye Damage/Eye Irritation
Skin Sensitization
Category 1 (H318)
Skin Sensitization
Category 1 (H317)
Germ Cell Mutagenicity
Carcinogenicity
Category 2 (H341)
Category 2 (H351)

#### **Environmental hazards**

Acute aquatic toxicity Category 1 (H400)

Full text of Hazard Statements: see section 16





Signal Word

Danger

#### **Hazard Statements**

- H318 Causes serious eye damage
- H341 Suspected of causing genetic defects
- H317 May cause an allergic skin reaction
- H351 Suspected of causing cancer
- H302 Harmful if swallowed
- H400 Very toxic to aquatic life

#### **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P310 - Immediately call a POISON CENTER or doctor/physician

P273 - Avoid release to the environment

#### 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

Hydroquinone Revision Date 15-Mar-2024

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
1,4-Benzenediol	123-31-9	EEC No. 204-617-8	99	Acute Tox. 4 (H302) Eye Dam. 1 (H318)
				Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 2 (H351)
				Aquatic Acute 1 (H400)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
1,4-Benzenediol	-	10	-

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

**General Advice** If symptoms persist, call a physician.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get **Eye Contact** 

medical attention.

Wash off immediately with plenty of water for at least 15 minutes. Get medical attention. **Skin Contact** 

Clean mouth with water and drink afterwards plenty of water. Get medical attention if Ingestion

symptoms occur.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.

Self-Protection of the First Aider Use personal protective equipment as required.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes eye burns. May cause allergic skin reaction. . Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Page 3/13

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

## 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

Hydroquinone Revision Date 15-Mar-2024

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Fine dust dispersed in air may ignite. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2).

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.

#### 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Storage Class/LGK 11

Switzerland - Storage of hazardous substances

Storage class - SC 11/13

https://www.kvu.ch/de/themen/stoffe-und-produkte https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

#### 7.3. Specific end use(s)

Use in laboratories

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### **Exposure limits**

List source(s): **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
1,4-Benzenediol		STEL: 1.5 mg/m3 15 min	TWA / VME: 2 mg/m <sup>3</sup> (8	TWA: 1 mg/m <sup>3</sup> 8 uren	TWA / VLA-ED: 2 mg/m <sup>3</sup>
		TWA: 0.5 mg/m <sup>3</sup> 8 hr	heures).		(8 horas)
	•	T			1
Component	Italy	Germany	Portugal	The Netherlands	Finland
1,4-Benzenediol		Haut	TWA: 1 mg/m <sup>3</sup> 8 horas		TWA: 0.5 mg/m <sup>3</sup> 8
					tunteina
					STEL: 2 mg/m <sup>3</sup> 15
					minuutteina
Component	Austria	Denmark	Switzerland	Poland	Norway
1.4-Benzenediol			Haut/Peau		
1,4-benzenedioi	MAK-KZGW: 4 mg/m <sup>3</sup> 15 Minuten	Ceiling: 2 mg/m <sup>3</sup>	STEL: 2 mg/m <sup>3</sup> 15	STEL: 2 mg/m³ 15 minutach	TWA: 0.5 mg/m <sup>3</sup> 8 timer STEL: 1.5 mg/m <sup>3</sup> 15
	MAK-TMW: 2 mg/m <sup>3</sup> 8		Minuten	TWA: 1 mg/m <sup>3</sup> 8	minutter, value
	Stunden		TWA: 2 mg/m <sup>3</sup> 8	godzinach	calculated
	Sturideri		Stunden	godzinach	Calculated
			Otanach		ļ.
Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
1,4-Benzenediol	TWA: 2.0 mg/m <sup>3</sup>	TWA-GVI: 0.5 mg/m <sup>3</sup> 8	TWA: 0.5 mg/m <sup>3</sup> 8 hr.		TWA: 2 mg/m <sup>3</sup> 8
•		satima.	STEL: 1.5 mg/m <sup>3</sup> 15 min		hodinách.
					Potential for cutaneous
					absorption
					Ceiling: 4 mg/m <sup>3</sup>
Component	Estonia	Gibraltar	Greece	Hungary	Iceland
1,4-Benzenediol	TWA: 0.5 mg/m <sup>3</sup> 8		STEL: 4 mg/m <sup>3</sup>		STEL: 2 mg/m <sup>3</sup>
	tundides.		TWA: 2 mg/m <sup>3</sup>		TWA: 0,5 mg/m <sup>3</sup> 8
	STEL: 1.5 mg/m <sup>3</sup> 15				klukkustundum.
	minutites.				

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
1,4-Benzenediol		TWA: 0.5 mg/m <sup>3</sup> IPRD			TWA: 1 mg/m <sup>3</sup> 8 ore
		STEL: 1.5 mg/m <sup>3</sup>			STEL: 2 mg/m <sup>3</sup> 15
		_			minute
		,			

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
1,4-Benzenediol	Skin notation	Potential for cutaneous		Indicative STEL: 1.5	
	MAC: 1 mg/m <sup>3</sup>	absorption		mg/m <sup>3</sup> 15 minuter	
	_	TWA: 2 mg/m <sup>3</sup>		TLV: 0.5 mg/m <sup>3</sup> 8	
				timmar. NGV	

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### **Monitoring methods**

ALFAAS36449

Revision Date 15-Mar-2024

Hydroquinone Revision Date 15-Mar-2024

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

MDHS 98/2 Hydroquinone in air - Laboratory method using high performance liquid chromatography

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
1,4-Benzenediol				DNEL = 3.33mg/kg
123-31-9 ( 99 )				bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
1,4-Benzenediol 123-31-9 ( 99 )				DNEL = 2.1mg/m <sup>3</sup>

## **Predicted No Effect Concentration (PNEC)**

See values below.

	Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
			sediment		sewage treatment	
Ī	1,4-Benzenediol	$PNEC = 0.57 \mu g/L$	$PNEC = 4.9 \mu g/kg$	PNEC = 1.34µg/L	PNEC = 0.71mg/L	$PNEC = 0.64 \mu g/kg$
	123-31-9 ( 99 )	_	sediment dw		-	soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
1,4-Benzenediol 123-31-9 ( 99 )	PNEC = 0.057µg/L	PNEC = 0.49µg/kg sediment dw			

#### 8.2. Exposure controls

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

**Eye Protection** Tight sealing safety goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber	See manufacturers	-	EN 374	(minimum requirement)
Neoprene	recommendations			
Natural rubber				
PVC				

Skin and body protection Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Hydroquinone Revision Date 15-Mar-2024

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

> are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure Small scale/Laboratory use

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Prevent product from entering drains. Do not allow material to contaminate ground water **Environmental exposure controls** 

system. Local authorities should be advised if significant spillages cannot be contained.

Solid

Solid

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

**Physical State** Solid

Off-white **Appearance** Odorless Odor

**Odor Threshold** No data available

170 - 174 °C / 338 - 345.2 °F Melting Point/Range

**Softening Point** No data available

285 - 287 °C / 545 - 548.6 °F **Boiling Point/Range** @ 760 mmHg

Flammability (liquid) Not applicable

Flammability (solid,gas) No information available

No data available **Explosion Limits** 

**Flash Point** 165 °C / 329 °F Method - No information available

**Autoignition Temperature** 520 - °C / 968 - °F **Decomposition Temperature** No data available

70 g/l ag.sol Ha 3.75 Not applicable **Viscosity** Solid

70 g/l in water (20°C) **Water Solubility** Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow 1,4-Benzenediol 0.59

1 mmHa @ 132 °C **Vapor Pressure** 

Density / Specific Gravity 1.320

**Bulk Density** No data available **Vapor Density** Not applicable

Particle characteristics No data available

9.2. Other information

Molecular Formula C6 H6 O2 Molecular Weight 110.11

**Evaporation Rate** Not applicable - Solid

## **SECTION 10: STABILITY AND REACTIVITY**

Hydroquinone Revision Date 15-Mar-2024

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Avoid dust formation. Incompatible products. Excess heat.

10.5. Incompatible materials

Strong oxidizing agents. Strong bases. Alkaline.

#### 10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO2).

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

Oral Category 4

**Dermal**Based on available data, the classification criteria are not met
Inhalation
Based on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
1,4-Benzenediol	LD50 = 298 mg/kg (Rat)	LD50 = 74800 mg/kg ( Rabbit )	-

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available Skin Category 1

May cause sensitization by skin contact

(e) germ cell mutagenicity; Category 2

Mutagenic category 2

(f) carcinogenicity; Category 2

The table below indicates whether each agency has listed any ingredient as a carcinogen

L	Component	EU	UK	Germany	IARC
	1,4-Benzenediol			Cat. 2	

(g) reproductive toxicity: No data available

**Reproductive Effects** Experiments have shown reproductive toxicity effects on laboratory animals.

Hydroquinone Revision Date 15-Mar-2024

No data available (h) STOT-single exposure;

No data available (i) STOT-repeated exposure;

No information available. **Target Organs** 

(j) aspiration hazard; Not applicable

Solid

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

#### 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

#### **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity effects** Very toxic to aquatic organisms. The product contains following substances which are

hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
1,4-Benzenediol	LC50: 0.1 - 0.18 mg/L, 96h static	EC50: = 0.29 mg/L, 48h	EC50: = 0.335 mg/L, 72h
	(Pimephales promelas)	(Daphnia magna)	(Pseudokirchneriella subcapitata)
	LC50: = 0.17 mg/L, 96h		
	(Brachydanio rerio)		
	LC50: = 0.044 mg/L, 96h		
	flow-through (Pimephales		
	promelas)		
	LC50: = 0.044 mg/L, 96h		
	flow-through (Oncorhynchus		
	mykiss)		

Component	Microtox	M-Factor
1,4-Benzenediol	EC50 = 0.038 mg/L 15 min	10
	EC50 = 0.0382 mg/L 30 min	
	EC50 = 0.042 mg/L 5 min	
	EC50 = 23.75 mg/L 60 min	

12.2. Persistence and degradability Expected to be biodegradable

Soluble in water, Persistence is unlikely, based on information available. **Persistence** 

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
1,4-Benzenediol	0.59	40 dimensionless

12.4. Mobility in soil The product is water soluble, and may spread in water systems . Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

Hydroquinone Revision Date 15-Mar-2024

12.5. Results of PBT and vPvB

assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent

and very bioaccumulative (vPvB).

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information** 

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in

accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

**European Waste Catalogue (EWC)** According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Do not let this

chemical enter the environment.

**Switzerland - Waste Ordinance** Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

#### **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

UN3077 14.1. UN number

Environmentally hazardous substances, solid, n.o.s. 14.2. UN proper shipping name

**Technical Shipping Name** Hydroquinone

14.3. Transport hazard class(es)

14.4. Packing group Ш

ADR

14.1. UN number UN3077

14.2. UN proper shipping name Environmentally hazardous substances, solid, n.o.s.

**Technical Shipping Name** Hydroquinone

14.3. Transport hazard class(es) 14.4. Packing group Ш

IATA

14.1. UN number UN3077

14.2. UN proper shipping name Environmentally hazardous substances, solid, n.o.s.

Hydroquinone Revision Date 15-Mar-2024

Technical Shipping Name Hydroguinone

14.3. Transport hazard class(es) 9 14.4. Packing group III

**14.5. Environmental hazards** Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk Not applicable, packaged goods

according to IMO instruments

## **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
1,4-Benzenediol	123-31-9	204-617-8	i	ı	X	X	KE-35112	Χ	X
Component	CAS No	TSCA	TSCA In		DSL	NDSL	AICS	NZIoC	PICCS

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
1,4-Benzenediol	123-31-9	X	ACTIVE	Х	-	X	Х	X

**Legend:** X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
		Subject to Authorization	Annex XVII - Restrictions on Certain Dangerous	1907/2006) article 59 - Candidate List of
				Substances of Very High
				Concern (SVHC)
1,4-Benzenediol	123-31-9	-	Use restricted. See item	-
			75.	
			(see link for restriction	
			details)	

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -
		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report
		Notification	Requirements
1,4-Benzenediol	123-31-9	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
1,4-Benzenediol	WGK3	Class I: 20 mg/m³ (Massenkonzentration)

Component	France - INRS (Tables of occupational diseases)
1,4-Benzenediol	Tableaux des maladies professionnelles (TMP) - RG 65

#### **Swiss Regulations**

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
1,4-Benzenediol 123-31-9 ( 99 )	Prohibited and Restricted Substances		

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

#### **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H341 - Suspected of causing genetic defects

H351 - Suspected of causing cancer

H400 - Very toxic to aquatic life

#### Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances **AICS** - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water

Revision Date 15-Mar-2024

Hydroquinone Revision Date 15-Mar-2024

PBT - Persistent, Bioaccumulative, Toxic

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate

**VOC** - (volatile organic compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical incident response training.

**Prepared By** Health, Safety and Environmental Department

**Creation Date** 26-Sep-2009 **Revision Date** 15-Mar-2024

**Revision Summary** New emergency telephone response service provider.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**