

## SAFETY DATA SHEET

Revision Date 24-December-2021

Revision Number 3

### 1. Identification

**Product Name** Diisobutylamine

**Cat No. :** AC159070000; AC159070010; AC159070025; AC159070050; AC159075000

**CAS-No** 110-96-3  
**Synonyms** 2-Methyl-N-(2-Methylpropyl)-1-Propanamine.

**Recommended Use** Laboratory chemicals.  
**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

##### Company

**Importer/Distributor**  
Fisher Scientific  
112 Colonnade Road,  
Ottawa, ON K2E 7L6,  
Canada  
Tel: 1-800-234-7437

Acros Organics  
One Reagent Lane  
Fair Lawn, NJ 07410

**Manufacturer**  
Fisher Scientific Company  
One Reagent Lane  
Fair Lawn, NJ 07410  
Tel: (201) 796-7100

**Emergency Telephone Number** For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

**WHMIS 2015 Classification** Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

|   |            |
|---|------------|
| <b>Flammable liquids</b>                                | Category 3 |
| <b>Acute oral toxicity</b>                              | Category 3 |
| <b>Acute dermal toxicity</b>                            | Category 3 |
| <b>Skin Corrosion/Irritation</b>                        | Category 1 |
| <b>Serious Eye Damage/Eye Irritation</b>                | Category 1 |
| <b>Specific target organ toxicity (single exposure)</b> | Category 3 |
| Target Organs - Respiratory system.                     |            |

#### Label Elements

**Signal Word**  
Danger

**Hazard Statements**

Flammable liquid and vapor  
Toxic if swallowed or in contact with skin  
Causes severe skin burns and eye damage  
May cause respiratory irritation

**Precautionary Statements****Prevention**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
Keep container tightly closed  
Ground/bond container and receiving equipment  
Use explosion-proof electrical/ventilating/lighting/equipment  
Use only non-sparking tools  
Take precautionary measures against static discharges  
Do not breathe dust/fumes/gas/mist/vapours/spray  
Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Use only outdoors or in a well-ventilated area  
Wear protective gloves/protective clothing/eye protection/face protection

**Response**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower  
IF INHALED: Remove person to fresh air and keep comfortable for breathing  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER/doctor  
Rinse mouth  
Do NOT induce vomiting  
Wash contaminated clothing before reuse  
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

**Storage**

Store locked up  
Store in a well-ventilated place. Keep container tightly closed

**Disposal**

Dispose of contents/container to an approved waste disposal plant

### 3. Composition/Information on Ingredients

| Component       | CAS-No   | Weight % |
|-----------------|----------|----------|
| Diisobutylamine | 110-96-3 | 99       |

### 4. First-aid measures

**Eye Contact**

Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

**Skin Contact**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.

**Inhalation**

Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial

respiration. Immediate medical attention is required.

**Ingestion**

Do NOT induce vomiting. Call a physician immediately. Clean mouth with water.

**Most important symptoms/effects**

Difficulty in breathing. Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

**Notes to Physician**

Treat symptomatically

## 5. Fire-fighting measures

**Suitable Extinguishing Media**

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam. Water mist may be used to cool closed containers.

**Unsuitable Extinguishing Media**

No information available

**Flash Point**

26 °C / 78.8 °F

**Method -**

No information available

**Autoignition Temperature**

290 °C / 554 °F

**Explosion Limits****Upper**

5.70%

**Lower**

.80%

**Sensitivity to Mechanical Impact** No information available

**Sensitivity to Static Discharge** No information available

**Specific Hazards Arising from the Chemical**

Flammable. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

**Hazardous Combustion Products**

Nitrogen oxides (NO<sub>x</sub>). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**NFPA**

**Health**  
3

**Flammability**  
2

**Instability**  
0

**Physical hazards**  
N/A

## 6. Accidental release measures

**Personal Precautions**

Remove all sources of ignition. Take precautionary measures against static discharges.

**Environmental Precautions**

See Section 12 for additional Ecological Information.

**Methods for Containment and Clean Up**

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

## 7. Handling and storage

**Handling**

Avoid contact with skin and eyes. Do not breathe mist/vapors/spray. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges.

**Storage.**

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Flammables area. Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Incompatible Materials. Acids.

## 8. Exposure controls / personal protection

**Exposure Guidelines**

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

**Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

**Personal protective equipment**

**Eye Protection**  
**Hand Protection**

Goggles  
Protective gloves

| Glove material | Breakthrough time | Glove thickness | Glove comments         |
|----------------|-------------------|-----------------|------------------------|
| Nitrile rubber | See manufacturers | -               | Splash protection only |
| Neoprene       | recommendations   |                 |                        |
| Natural rubber |                   |                 |                        |
| PVC            |                   |                 |                        |

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

**Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

**Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls**

No information available.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 9. Physical and chemical properties

|                            |  |
|----------------------------|--|
| <b>Physical State</b>      | Liquid                                   |
| <b>Appearance</b>          | Colorless                                |
| <b>Odor</b>                | Rotten-egg like                          |
| <b>Odor Threshold</b>      | No information available                 |
| <b>pH</b>                  | No information available                 |
| <b>Melting Point/Range</b> | -77 °C / -106.6 °F                       |
| <b>Boiling Point/Range</b> | 137 - 139 °C / 278.6 - 282.2 °F @ 7 mmHg |
| <b>Flash Point</b>         | 26 °C / 78.8 °F                          |

|  |                          |
|--|--------------------------|
| Evaporation Rate                       | No information available |
| Flammability (solid,gas)               | Not applicable           |
| Flammability or explosive limits       |                          |
| Upper                                  | 5.70%                    |
| Lower                                  | .80%                     |
| Vapor Pressure                         | 7 hPa @ 20 °C            |
| Vapor Density                          | 4.46                     |
| Specific Gravity                       | 0.740                    |
| Solubility                             | No information available |
| Partition coefficient; n-octanol/water | No data available        |
| Autoignition Temperature               | 290 °C / 554 °F          |
| Decomposition Temperature              | No information available |
| Viscosity                              | 0.8 mPa s at 20 °C       |
| Molecular Formula                      | C8 H19 N                 |
| Molecular Weight                       | 129.24                   |

## 10. Stability and reactivity

|                                  |   |
|----------------------------------|---|
| Reactive Hazard                  | None known, based on information available  |
| Stability                        | Stable under normal conditions.   |
| Conditions to Avoid              | Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.    |
| Incompatible Materials           | Acids   |
| Hazardous Decomposition Products | Nitrogen oxides (NO <sub>x</sub> ), Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ) |
| Hazardous Polymerization         | Hazardous polymerization does not occur.  |
| Hazardous Reactions              | None under normal processing.   |

## 11. Toxicological information

### Acute Toxicity

#### Product Information

#### Component Information

| Component       | LD50 Oral                | LD50 Dermal                 | LC50 Inhalation |
|-----------------|--------------------------|-----------------------------|-----------------|
| Diisobutylamine | LD50 = 258 mg/kg ( Rat ) | LD50 = 250 mg/kg ( Rabbit ) | Not listed      |

**Toxicologically Synergistic Products** No information available

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

|                 |  |
|-----------------|--|
| Irritation      | No information available   |
| Sensitization   | No information available   |
| Carcinogenicity | The table below indicates whether each agency has listed any ingredient as a carcinogen. |

| Component       | CAS-No   | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|-----------------|----------|------------|------------|------------|------------|------------|
| Diisobutylamine | 110-96-3 | Not listed | Not listed | Not listed | Not listed | Not listed |

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

|   |   |
|---|---|
| <b>STOT - single exposure</b>                     | Respiratory system  |
| <b>STOT - repeated exposure</b>                   | None known  |
| <b>Aspiration hazard</b>                          | No information available  |
| <b>Symptoms / effects, both acute and delayed</b> | Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation |
| <b>Endocrine Disruptor Information</b>            | No information available  |
| <b>Other Adverse Effects</b>                      | The toxicological properties have not been fully investigated.  |

## 12. Ecological information

### Ecotoxicity

.

|                                      |  |
|--------------------------------------|--|
| <b>Persistence and Degradability</b> | Soluble in water Persistence is unlikely based on information available. |
| <b>Bioaccumulation/ Accumulation</b> | No information available.  |
| <b>Mobility</b>                      | Will likely be mobile in the environment due to its water solubility.    |

## 13. Disposal considerations

|                               |   |
|-------------------------------|---|
| <b>Waste Disposal Methods</b> | Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification. |
|-------------------------------|---|

## 14. Transport information

### DOT

|                                |        |
|--------------------------------|--------|
| <b>UN-No</b>                   | UN2361 |
| <b>Hazard Class</b>            | 3      |
| <b>Subsidiary Hazard Class</b> | 8      |
| <b>Packing Group</b>           | III    |

### TDG

|                                |        |
|--------------------------------|--------|
| <b>UN-No</b>                   | UN2361 |
| <b>Hazard Class</b>            | 3      |
| <b>Subsidiary Hazard Class</b> | 8      |
| <b>Packing Group</b>           | III    |

### IATA

|                                |                 |
|--------------------------------|-----------------|
| <b>UN-No</b>                   | UN2361          |
| <b>Proper Shipping Name</b>    | DIISOBUTYLAMINE |
| <b>Hazard Class</b>            | 3               |
| <b>Subsidiary Hazard Class</b> | 8               |
| <b>Packing Group</b>           | III             |

### IMDG/IMO

|                                |                 |
|--------------------------------|-----------------|
| <b>UN-No</b>                   | UN2361          |
| <b>Proper Shipping Name</b>    | DIISOBUTYLAMINE |
| <b>Hazard Class</b>            | 3               |
| <b>Subsidiary Hazard Class</b> | 8               |
| <b>Packing Group</b>           | III             |

## 15. Regulatory information

### International Inventories

| Component | CAS-No | DSL | NDSL | TSCA | TSCA Inventory notification - | EINECS | ELINCS | NLP |
|-----------|--------|-----|------|------|-------------------------------|--------|--------|-----|
|-----------|--------|-----|------|------|-------------------------------|--------|--------|-----|

|                 |          |   |   |   | Active-Inactive |           |   |   |
|-----------------|----------|---|---|---|-----------------|-----------|---|---|
| Diisobutylamine | 110-96-3 | - | X | X | ACTIVE          | 203-819-3 | - | - |

| Component       | CAS-No   | IECSC | KECL           | ENCS | ISHL | TCSI | AICS | NZIoC | PICCS |
|-----------------|----------|-------|----------------|------|------|------|------|-------|-------|
| Diisobutylamine | 110-96-3 | X     | KE-05-050<br>0 | X    | X    | X    | X    | X     | X     |

**Legend:**

X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**Canada**

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

**Other International Regulations****Authorisation/Restrictions according to EU REACH****Safety, health and environmental regulations/legislation specific for the substance or mixture**

| Component       | CAS-No   | OECD HPV       | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|-----------------|----------|----------------|------------------------------|---------------------------|--|
| Diisobutylamine | 110-96-3 | Not applicable | Not applicable               | Not applicable            | Not applicable                             |

| Component       | CAS-No   | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|-----------------|----------|---|--|----------------------------|------------------------------------|
| Diisobutylamine | 110-96-3 | Not applicable  | Not applicable   | Not applicable             | Not applicable                     |

## 16. Other information

**Prepared By**

Regulatory Affairs  
Thermo Fisher Scientific  
Email: EMSDS.RA@thermofisher.com

**Revision Date**

24-December-2021

**Print Date**

24-December-2021

**Revision Summary**

This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text

**End of SDS**