# Thermo Fisher SCIENTIFIC

## SAFETY DATA SHEET

Page 1/8 Creation Date 13-Feb-2014 Revision Date 23-Apr-2024 Version 4

ALFAA36715

## Chromium (III) potassium sulfate

## SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: 十二水合硫酸铬(Ⅲ)钾,

Product Description: Chromium (III) potassium sulfate

 Cat No.:
 36715

 Synonyms
 Chrome alum

 CAS No
 7788-99-0

Molecular Formula Cr K O8 S2 . 12 H2 O

Supplier Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No. **US:**001-800-424-9300 / **Europe:**001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals.
Uses advised against No Information available

## **SECTION 2. HAZARD IDENTIFICATION**

Physical StateAppearanceOdorSolidPurpleOdorless

**Emergency Overview** 

Causes skin irritation. Causes serious eye irritation.

## Classification of the substance or mixture

| Skin Corrosion/Irritation         | Category 2 |
|-----------------------------------|------------|
| Serious Eye Damage/Eye Irritation | Category 2 |

## **Label Elements**



Signal Word Warning

**Hazard Statements** 

Page 2/8 Revision Date 23-Apr-2024

## Chromium (III) potassium sulfate

H315 - Causes skin irritation

H319 - Causes serious eye irritation

## **Precautionary Statements**

#### Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

## Response

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P337 + P313 - If eye irritation persists: Get medical advice/attention

P362 + P364 - Take off contaminated clothing and wash it before reuse

#### Storage

P403 - Store in a well-ventilated place

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## **Physical and Chemical Hazards**

None identified.

## **Health Hazards**

Causes skin irritation. Causes serious eye irritation.

## **Environmental hazards**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

This product does not contain any known or suspected endocrine disruptors.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Component                                       | CAS No     | Weight % |
|---|------------|----------|
| Chromium (III) potassium sulfate, dodecahydrate | 7788-99-0  | <=100    |
| Chromium(III) potassium sulfate                 | 10141-00-1 | -        |

## **SECTION 4. FIRST AID MEASURES**

## **General Advice**

If symptoms persist, call a physician.

#### **Eve Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

#### **Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.

#### Ingestion

Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

## Most important symptoms and effects

None reasonably foreseeable.

## Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Page 3/8 Revision Date 23-Apr-2024

## Chromium (III) potassium sulfate

## **Notes to Physician**

Treat symptomatically.

## **SECTION 5. FIRE-FIGHTING MEASURES**

## Suitable Extinguishing Media

Water spray. Carbon dioxide (CO2). Dry chemical. Chemical foam.

## Extinguishing media which must not be used for safety reasons

No information available.

## **Specific Hazards Arising from the Chemical**

Keep product and empty container away from heat and sources of ignition. Thermal decomposition can lead to release of irritating gases and vapors.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions**

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

## **Environmental Precautions**

Should not be released into the environment.

## Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7. HANDLING AND STORAGE**

## Handling

Ensure adequate ventilation. Wear personal protective equipment/face protection. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

## Storage

Keep in a dry, cool and well-ventilated place. Keep container tightly closed.

## Specific Use(s)

Use in laboratories

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **Control Parameters**

| Component                | China | Taiwan                     | Thailand | Hong Kong |
|--------------------------|-------|----------------------------|----------|-----------|
| Chromium (III) potassium | -     | TWA: 0.5 mg/m <sup>3</sup> |          | -         |
| sulfate, dodecahydrate   |       | _                          |          |           |
| Chromium(III) potassium  | -     | TWA: 0.5 mg/m <sup>3</sup> |          | -         |
| sulfate                  |       |                            |          |           |

| Component                | ACGIH TLV | OSHA PEL           | NIOSH                      | The United Kingdom              | European Union |
|--------------------------|-----------|--------------------|----------------------------|---------------------------------|----------------|
| Chromium (III) potassium |           | (Vacated) TWA: 0.5 | IDLH: 25 mg/m <sup>3</sup> | STEL: 1.5 mg/m <sup>3</sup> 15  |                |
| sulfate, dodecahydrate   |           | mg/m³              | TWA: 0.5 mg/m <sup>3</sup> | min                             |                |
|                          |           |                    | _                          | TWA: 0.5 mg/m <sup>3</sup> 8 hr |                |

Page 4/8 Revision Date 23-Apr-2024

## Chromium (III) potassium sulfate

| Chromium(III) potassium | (Vacated) TWA: 0.5 | IDLH: 25 mg/m <sup>3</sup> | STEL: 1.5 mg/m <sup>3</sup> 15  |  |
|-------------------------|--------------------|----------------------------|---------------------------------|--|
| sulfate                 | mg/m³              | TWA: 0.5 mg/m <sup>3</sup> | min                             |  |
|                         | _                  | _                          | TWA: 0.5 mg/m <sup>3</sup> 8 hr |  |

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

## **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

## **Exposure Controls**

## **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

## Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments        |
|----------------|-------------------|-----------------|-------------|-----------------------|
| Natural rubber | See manufacturers | -               | EN 374      | (minimum requirement) |
| Nitrile rubber | recommendations   |                 |             |                       |
| Neoprene       |                   |                 |             |                       |
| PVC            |                   |                 |             |                       |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Page 5 / 8 Revision Date 23-Apr-2024

## Chromium (III) potassium sulfate

AppearancePurplePhysical StateSolid

**Odor** Odorless

Odor Threshold No data available

**pH** 3 50 g/l aq.sol (20°C)

Melting Point/Range89 °C / 192.2 °FSoftening PointNo data availableBoiling Point/RangeNo information available

Flash Point No information available Method - No information available

**Evaporation Rate** Not applicable Solid

Flammability (solid,gas)

No information available

**Explosion Limits** No data available

Vapor PressureNo data availableVapor DensityNot applicable

Vapor Density Not applicable Solid Specific Gravity / Density

Bulk Density
Water Solubility
Solubility in other solvents

No data available
24 g/100 ml (15°C)
No information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature

Decomposition Temperature

Viscosity

No data available
No data available
Not applicable

Explosive Properties No information available Oxidizing Properties No information available

Molecular Formula Cr K O8 S2 . 12 H2 O

Molecular Weight 499.39

## **SECTION 10. STABILITY AND REACTIVITY**

Solid

**Stability** Stable under normal conditions.

**Hazardous Reactions**None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid Incompatible products.

Materials to avoid Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products Sulfur oxides.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Product Information The toxicological properties have not been fully investigated

(a) acute toxicity;

| LD50 Oral               | LD50 Dermal | LC50 Inhalation |
|-------------------------|-------------|-----------------|
| LD50 = 3530 mg/kg (Rat) |             |                 |
|                         |             |                 |

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 2

ALFAA36715

## SAFETY DATA SHEET

Page 6/8 Revision Date 23-Apr-2024

## Chromium (III) potassium sulfate

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects,both acute and No information available

delayed

## **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity effects

| Component                         | Freshwater Fish | Water Flea | Freshwater Algae | Microtox             |
|-----------------------------------|-----------------|------------|------------------|----------------------|
| Chromium (III) potassium sulfate, |                 |            |                  | = 10.7 mg/L EC50     |
| dodecahydrate                     |                 |            |                  | Photobacterium       |
|                                   |                 |            |                  | phosphoreum 5 min as |
|                                   |                 |            |                  | Cr3+                 |
|                                   |                 |            |                  | = 12.6 mg/L EC50     |
|                                   |                 |            |                  | Photobacterium       |
|                                   |                 |            |                  | phosphoreum 10 min   |
|                                   |                 |            |                  | as Cr3+              |
|                                   |                 |            |                  | = 15.3 mg/L EC50     |
|                                   |                 |            |                  | Photobacterium       |
|                                   |                 |            |                  | phosphoreum 15 min   |
|                                   |                 |            |                  | as Cr3+              |
|                                   |                 |            |                  | = 15.8 mg/L EC50     |
|                                   |                 |            |                  | Photobacterium       |
|                                   |                 |            |                  | phosphoreum 20 min   |
|                                   |                 |            |                  | as Cr3+              |
|                                   |                 |            |                  | = 16.0 mg/L EC50     |
|                                   |                 |            |                  | Photobacterium       |
|                                   |                 |            |                  | phosphoreum 30 min   |
|                                   |                 |            |                  | as Cr3+              |

Persistence and Degradability

Readily biodegradable

Persistence Degradability Soluble in water, Persistence is unlikely, based on information available.

Not relevant for inorganic substances.

Bioaccumulative Potential

Bioaccumulation is unlikely

Page 7/8 Revision Date 23-Apr-2024

Chromium (III) potassium sulfate

Mobility in soil

The product is water soluble, and may spread in water systems Will likely be mobile in the

environment due to its water solubility Highly mobile in soils

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains.

## **SECTION 14. TRANSPORT INFORMATION**

Road and Rail Transport Not Regulated

IMDG/IMO Not regulated

<u>IATA</u> Not regulated

Special Precautions for User No special precautions required

## **SECTION 15. REGULATORY INFORMATION**

## **International Inventories**

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

| Component                                       | The<br>Inventory of<br>Hazardous<br>Chemicals<br>(2015<br>Edition) | goods GB | TCSI | IECSC | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | AICS | KECL     |
|---|--|----------|------|-------|-----------|------|-----|-------|------|------|------|----------|
| Chromium (III) potassium sulfate, dodecahydrate | -  | -        | Х    | Х     | -         | -    | -   | X     | X    | Х    | Χ    | -        |
| Chromium(III) potassium sulfate                 | -  | -        | Х    | Х     | 233-401-6 | Х    | Х   | Х     | -    |      | Х    | KE-06009 |

## **National Regulations**

| CECTION 4C | OTLIED | INICODMATION | ī |
|------------|--------|--------------|---|
| SECTION 16 | OIHER  | INFORMATION  |   |

Page 8/8 Revision Date 23-Apr-2024

## Chromium (III) potassium sulfate

Prepared By Health, Safety and Environmental Department

**Creation Date** 13-Feb-2014 **Revision Date** 23-Apr-2024

**Revision Summary** New emergency telephone response service provider.

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances Substances List **ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

## Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**