

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 22-Nov-2010 Revision Date 20-Oct-2023 Revision Number 10

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Aqualine™ Titrant 5

Cat No.: AL2200-1, AL2200-212, AL2200-4

Synonyms Karl Fischer Reagent

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name

Fisher Scientific UK

Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom

**EU entity/business name** Thermo Fisher Scientific

Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887

Tel: 01509 231166

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

**Physical hazards** 

Flammable liquids Category 2 (H225)

**Health hazards** 

Acute oral toxicity

Acute dermal toxicity

Category 3 (H301)

Category 3 (H311)

Aqualine™ Titrant 5 Revision Date 20-Oct-2023

Acute Inhalation Toxicity - Vapors

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity - (single exposure)

Category 2 (H315)

Category 2 (H319)

Category 1 (H370)

Specific target organ toxicity - (repeated exposure)

Category 1 (H372)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



#### Signal Word

Danger

#### **Hazard Statements**

H225 - Highly flammable liquid and vapor

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H370 - Causes damage to organs

H372 - Causes damage to organs through prolonged or repeated exposure

H301 + H311 + H331 - Toxic if swallowed, in contact with skin or if inhaled

#### **Precautionary Statements**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P311 - Call a POISON CENTER or doctor/physician

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P308 + P311 - IF exposed or concerned: Call a POISON CENTER or doctor

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### 2.3. Other hazards

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.2. Mixtures

| Component | CAS No | EC No | Weight % | CLP Classification - According to     |
|-----------|--------|-------|----------|---------------------------------------|
|           |        |       |          | GB-CLP Regulations UK SI 2019/720 and |

#### Aqualine™ Titrant 5

Revision Date 20-Oct-2023

|                |           |           |    | UK SI 2020/1567        |
|----------------|-----------|-----------|----|------------------------|
| Methyl alcohol | 67-56-1   | 200-659-6 | 90 | Flam. Liq. 2 (H225)    |
|                |           |           |    | Acute Tox. 3 (H301)    |
|                |           |           |    | Acute Tox. 3 (H311)    |
|                |           |           |    | Acute Tox. 3 (H331)    |
|                |           |           |    | STOT SE 1 (H370)       |
| lodine         | 7553-56-2 | 231-442-4 | 10 | Acute Tox. 4 (H302)    |
|                |           |           |    | Acute Tox. 4 (H312)    |
|                |           |           |    | Acute Tox. 4 (H332)    |
|                |           |           |    | Skin Irrit. 2 (H315)   |
|                |           |           |    | Eye Irrit. 2 (H319)    |
|                |           |           |    | STOT SE 3 (H335)       |
|                |           |           |    | STOT RE 1 (H372)       |
|                |           |           |    | Aquatic Acute 1 (H400) |

| Component      | Specific concentration limits (SCL's)                         | M-Factor | Component notes |
|----------------|---|----------|-----------------|
| Methyl alcohol | STOT Single Exp. 1 :: >= 10<br>STOT Single Exp. 2 :: 3 - < 10 | -        | -               |
| Iodine         | -   | 1        | -               |

| Components | Reach Registration Number |  |
|------------|---------------------------|--|
| Methanol   | 01-2119433307-44          |  |
| lodine     | 01-2119485285-30          |  |

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

#### 4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Symptoms may be delayed.

## **SECTION 5: FIREFIGHTING MEASURES**

## 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Vapors may form explosive mixtures with air.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Formaldehyde.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

## 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

#### **Hygiene Measures**

When using do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

\_\_\_\_\_

Aqualine™ Titrant 5 Revision Date 20-Oct-2023

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Class 3

#### 7.3. Specific end use(s)

Use in laboratories

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

## **Exposure limits**

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component      | The United Kingdom                 | European Union                  | Ireland                            |
|----------------|------------------------------------|---------------------------------|------------------------------------|
| Methyl alcohol | WEL - TWA: 200 ppm TWA;            | TWA: 200 ppm 8 hr               | TWA: 200 ppm 8 hr.                 |
|                | 266 mg/m³ TWA                      | TWA: 260 mg/m <sup>3</sup> 8 hr | TWA: 260 mg/m <sup>3</sup> 8 hr.   |
|                | WEL - STEL: 250 ppm                | Skin                            | STEL: 600 ppm 15 min               |
|                | STEL; 333 mg/m <sup>3</sup> STEL   |                                 | STEL: 780 mg/m <sup>3</sup> 15 min |
|                |                                    |                                 | Skin                               |
| lodine         | STEL: 0.1 ppm 15 min               |                                 | TWA: 0.01 ppm 8 hr.                |
|                | STEL: 1.1 mg/m <sup>3</sup> 15 min |                                 | inhalable fraction and vapour      |
|                |                                    |                                 | TWA: 0.01 mg/m <sup>3</sup> 8 hr.  |
|                |                                    |                                 | STEL: 0.1 ppm 15 min               |

## **Biological limit values**

List source(s):

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component        | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|------------------|------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Methyl alcohol   |                              | DNEL = 20mg/kg                  |                                | DNEL = 20mg/kg                    |
| 67-56-1 ( 90 )   |                              | bw/day                          |                                | bw/day                            |
| lodine           |                              |                                 |                                | DNEL = 0.01mg/kg                  |
| 7553-56-2 ( 10 ) |                              |                                 |                                | bw/day                            |

| Component                        | Acute effects local         | Acute effects               | Chronic effects local       | Chronic effects             |
|----------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
|                                  | (Inhalation)                | systemic (Inhalation)       | (Inhalation)                | systemic (Inhalation)       |
| Methyl alcohol<br>67-56-1 ( 90 ) | DNEL = 130mg/m <sup>3</sup> |
| lodine<br>7553-56-2 ( 10 )       |                             |                             |                             | $DNEL = 0.07 mg/m^3$        |

#### **Predicted No Effect Concentration (PNEC)**

See values below.

Aqualine™ Titrant 5 Revision Date 20-Oct-2023

| Г | Component        | Fresh water      | Fresh water      | Water Intermittent | Microorganisms in | Soil (Agriculture) |
|---|------------------|------------------|------------------|--------------------|-------------------|--------------------|
|   |                  |                  | sediment         |                    | sewage treatment  |                    |
| Г | Methyl alcohol   | PNEC = 20.8mg/L  | PNEC = 77mg/kg   | PNEC = 1540mg/L    | PNEC = 100mg/L    | PNEC = 100mg/kg    |
|   | 67-56-1 (90)     |                  | sediment dw      |                    | -                 | soil dw            |
| Г | lodine           | PNEC = 18.13µg/L | PNEC = 3.99mg/kg |                    | PNEC = 11mg/L     | PNEC = 5.95mg/kg   |
|   | 7553-56-2 ( 10 ) |                  | sediment dw      |                    |                   | soil dw            |

| Component        | Marine water           | Marine water    | Marine water | Food chain | Air |
|------------------|------------------------|-----------------|--------------|------------|-----|
|                  |                        | sediment        | intermittent |            |     |
| Methyl alcohol   | PNEC = 2.08mg/L        | PNEC = 7.7mg/kg |              |            |     |
| 67-56-1 ( 90 )   |                        | sediment dw     |              |            |     |
| lodine           | PNEC = $60.01 \mu g/L$ | PNEC =          |              |            |     |
| 7553-56-2 ( 10 ) |                        | 20.22mg/kg      |              |            |     |
|                  |                        | sediment dw     |              |            |     |

#### 8.2. Exposure controls

## **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

**Eye Protection** Tight sealing safety goggles (European standard - EN 166)

Hand Protection Protective gloves

| Glove material  | Breakthrough time | Glove thickness | EU standard | Glove comments        |
|-----------------|-------------------|-----------------|-------------|-----------------------|
| Butyl rubber    | > 480 minutes     | 0.35 mm         | Level 6     | (minimum requirement) |
| Viton (R)       | > 480 minutes     | 0.70 mm         | EN 374      |                       |
| Neoprene gloves | < 60 minutes      | 0.45 mm         |             |                       |
| Nitrile rubber  | < 30 minutes      | 0.38 mm         |             |                       |

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: low boiling organic solvent Type AX Brown conforming to

EN371

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** 

Prevent product from entering drains. Do not allow material to contaminate ground water system.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

**Physical State** Liquid

Black - Red **Appearance** Odor Alcohol-like **Odor Threshold** No data available Melting Point/Range No data available **Softening Point** No data available **Boiling Point/Range** > 64 °C / 147.2 °F

Flammability (liquid) Highly flammable On basis of test data

Flammability (solid, gas) Not applicable Liquid

**Explosion Limits Lower** ~ 6.0 vol % **Upper** ~ 36.0 vol %

11 °C / 51.8 °F **Flash Point** Method - No information available

464 °C / 867.2 °F **Autoignition Temperature Decomposition Temperature** No data available Not applicable рΗ Viscosity No data available

**Water Solubility** Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Methyl alcohol -0.74 lodine 2.49

**Vapor Pressure** No data available

**Density / Specific Gravity** 0.84

Not applicable **Bulk Density** Liquid **Vapor Density** > 1.0 (Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

Vapors may form explosive mixtures with air **Explosive Properties** 

## SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization does not occur. **Hazardous Polymerization** 

None under normal processing. **Hazardous Reactions** 

10.4. Conditions to avoid

Incompatible products. Heat, flames and sparks. Keep away from open flames, hot

surfaces and sources of ignition.

#### 10.5. Incompatible materials

Strong oxidizing agents. Peroxides. Acids. Acid anhydrides. Acid chlorides. Metals.

#### 10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Formaldehyde.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

Oral Category 3
Dermal Category 3
Inhalation Category 3

#### Toxicology data for the components

| Component      | LD50 Oral                      | LD50 Dermal                   | LC50 Inhalation             |
|----------------|--------------------------------|-------------------------------|-----------------------------|
| Methyl alcohol | LD50 = 1187 – 2769 mg/kg (Rat) | LD50 = 17100 mg/kg ( Rabbit ) | LC50 = 128.2 mg/L (Rat) 4 h |
| lodine         | 315 mg/kg ( Rat )              | 1425 mg/kg(Rabbit)            | 4.588 mg/L 4h ( Rat )       |

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

| Component        | Test method                         | Test species | Study result    |
|------------------|-------------------------------------|--------------|-----------------|
| Methyl alcohol   | OECD Test Guideline 406             | guinea pig   | non-sensitising |
| 67-56-1 ( 90 )   | Guinea Pig Maximisation Test (GPMT) |              |                 |
| lodine           | OECD Test Guideline 429             | mouse        | non-sensitising |
| 7553-56-2 ( 10 ) | Local Lymph Node Assay              |              |                 |

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity: No data available

| Component |                | Test method             | Test species / Duration | Study result   |
|-----------|----------------|-------------------------|-------------------------|----------------|
|           | Methyl alcohol | OECD Test Guideline 416 | Rat / Inhalation        | NOAEC =        |
|           | 67-56-1 ( 90 ) |                         | 2 Generation            | 1.3 mg/l (air) |

(h) STOT-single exposure; Category 1

Results / Target organs Optic nerve, Central nervous system (CNS).

(i) STOT-repeated exposure; Category 1

Aqualine™ Titrant 5 Revision Date 20-Oct-2023

**Target Organs** Thyroid.

No data available (j) aspiration hazard;

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting.

## 11.2. Information on other hazards

**Endocrine Disrupting Properties** 

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

**Ecotoxicity effects** 

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

| Component      | Freshwater Fish             | Water Flea            | Freshwater Algae     |
|----------------|-----------------------------|-----------------------|----------------------|
| Methyl alcohol | Pimephales promelas: LC50 > | EC50 > 10000 mg/L 24h |                      |
|                | 10000 mg/L 96h              | _                     |                      |
| Iodine         | LC50 = 1.67 mg/L 96h        | EC50 = 0.55 mg/L 48h  | EC50 = 0.13 mg/L 72h |

| Component      | Microtox                 | M-Factor |
|----------------|--------------------------|----------|
| Methyl alcohol | EC50 = 39000 mg/L 25 min |          |
|                | EC50 = 40000 mg/L 15 min |          |
|                | EC50 = 43000 mg/L 5 min  |          |
| lodine         | EC50 = 280 mg/L 3h       | 1        |

## 12.2. Persistence and degradability

**Persistence** Persistence is unlikely, based on information available.

|     | Component                 | Degradability  |
|-----|---------------------------|----------------|
| Г   | Methyl alcohol            | DT50 ~ 17.2d   |
| - 1 | 67-5 <mark>6-1(90)</mark> | >94% after 20d |

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

#### 12.3. Bioaccumulative potential Bioaccumulation is unlikely

| Component      | log Pow | Bioconcentration factor (BCF) |
|----------------|---------|-------------------------------|
| Methyl alcohol | -0.74   | <10 dimensionless             |
| lodine         | 2.49    | No data available             |

The product contains volatile organic compounds (VOC) which will evaporate easily from all 12.4. Mobility in soil

surfaces Will likely be mobile in the environment due to its volatility. Disperses rapidly in

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information** 

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

**European Waste Catalogue (EWC)** 

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations.

## **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

**14.1. UN number** UN1230

14.2. UN proper shipping name METHANOL SOLUTION

14.3. Transport hazard class(es) 3
Subsidiary Hazard Class 6.1
14.4. Packing group II

ADR

**14.1. UN number** UN1230

14.2. UN proper shipping name METHANOL SOLUTION

14.3. Transport hazard class(es)3Subsidiary Hazard Class6.114.4. Packing groupII

IATA

**14.1. UN number** UN1230

14.2. UN proper shipping name METHANOL SOLUTION

14.3. Transport hazard class(es)3Subsidiary Hazard Class6.114.4. Packing groupII

14.5. Environmental hazards No hazards identified

**14.6. Special precautions for user** No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component      | CAS No    | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|----------------|-----------|-----------|--------|-----|-------|------|----------|------|------|
| Methyl alcohol | 67-56-1   | 200-659-6 | -      | -   | Х     | X    | KE-23193 | X    | X    |
| lodine         | 7553-56-2 | 231-442-4 | -      | -   | Х     | Χ    | KE-21023 | Х    | -    |

| Component      | CAS No    | TSCA | TSCA Inventory<br>notification -<br>Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|----------------|-----------|------|---|-----|------|------|-------|-------|
| Methyl alcohol | 67-56-1   | X    | ACTIVE  | X   | -    | Х    | Х     | X     |
| lodine         | 7553-56-2 | X    | ACTIVE  | X   | -    | Х    | Х     | Х     |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## Authorisation/Restrictions according to EU REACH

| Component      | CAS No    | REACH (1907/2006) -<br>Annex XIV - Substances<br>Subject to Authorization | REACH (1907/2006) -<br>Annex XVII - Restrictions<br>on Certain Dangerous<br>Substances  | REACH Regulation (EC<br>1907/2006) article 59 -<br>Candidate List of<br>Substances of Very High<br>Concern (SVHC) |
|----------------|-----------|---|---|---|
| Methyl alcohol | 67-56-1   | -   | Use restricted. See item 69. (see link for restriction details) Use restricted. See item 75. (see link for restriction details) | -   |
| lodine         | 7553-56-2 | -   | Use restricted. See item 75. (see link for restriction details)   | -   |

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

## Seveso III Directive (2012/18/EC)

| Component      | CAS No    | Seveso III Directive (2012/18/EC) -<br>Qualifying Quantities for Major Accident<br>Notification | Seveso III Directive (2012/18/EC) -<br>Qualifying Quantities for Safety Report<br>Requirements |
|----------------|-----------|---|--|
| Methyl alcohol | 67-56-1   | 500 tonne   | 5000 tonne   |
| Iodine         | 7553-56-2 | Not applicable  | Not applicable   |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Aqualine™ Titrant 5 Revision Date 20-Oct-2023

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

#### WGK Classification

Water endangering class = 2 (self classification)

| Component      | Germany - Water Classification (AwSV) | Germany - TA-Luft Class                 |
|----------------|---------------------------------------|---|
| Methyl alcohol | WGK 2                                 | Class I: 20 mg/m³ (Massenkonzentration) |
| lodine         | WGK2                                  |   |

| Component France - INRS (Tables of occupational diseases) |  |
|---|--|
| Methyl alcohol  | Tableaux des maladies professionnelles (TMP) - RG 84 |

| Component                        | Switzerland - Ordinance on the<br>Reduction of Risk from<br>handling of hazardous<br>substances preparation (SR<br>814.81) | Switzerland - Ordinance on<br>Incentive Taxes on Volatile<br>Organic Compounds (OVOC) | Switzerland - Ordinance of the<br>Rotterdam Convention on the<br>Prior Informed Consent<br>Procedure |
|----------------------------------|--|---|--|
| Methyl alcohol<br>67-56-1 ( 90 ) | Prohibited and Restricted<br>Substances  | Group I   |  |
| lodine<br>7553-56-2 ( 10 )       | Prohibited and Restricted<br>Substances  |   |  |

#### 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## **SECTION 16: OTHER INFORMATION**

## Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H370 - Causes damage to organs

H372 - Causes damage to organs through prolonged or repeated exposure

H225 - Highly flammable liquid and vapor

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H400 - Very toxic to aquatic life

#### Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)
Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances ENCS - Japanese Existing and New Chemical Substances

Aqualine™ Titrant 5 Revision Date 20-Oct-2023

**IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances **NZIOC** - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level
RPE - Respiratory Protective Equipment
LC50 - Lethal Concentration 50%
NOEC - No Observed Effect Concentratio

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate
VOC - (Volatile Organic Compound)

TWA - Time Weighted Average

LD50 - Lethal Dose 50%

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

EC50 - Effective Concentration 50%

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards

Health Hazards

Environmental hazards

On basis of test data
Calculation method
Calculation method

## **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Creation Date22-Nov-2010Revision Date20-Oct-2023Revision SummaryNot applicable.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**