

according to Regulation (EC) No. 1907/2006

Creation Date 22-Dec-2009 Revision Date 08-Feb-2024 **Revision Number 4**

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1. Product identifier

Product Description: Antimony(III) oxide

Cat No.: S55320

Synonyms Antimony trioxide **Index No** 051-005-00-X **CAS No** 1309-64-4 EC No 215-175-0 **Molecular Formula** O3 Sb2

REACH registration number

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.

SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites Sector of use

PC21 - Laboratory chemicals **Product category**

Process categories PROC15 - Use as a laboratory reagent

Environmental release category

ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)

No Information available Uses advised against

1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH

Erlenbachweg 2, 76870 Kandel, Germany

Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG Neuhofstrasse 11, CH 4153 Reinach

Tel: +41 (0) 56 618 41 11

https://www.fishersci.ch/ch/en/customer-help-

support/forms/email-us.html

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

ALFAAS55320

Revision Date 08-Feb-2024

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Carcinogenicity Category 2 (H351)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Warning

Hazard Statements

H351 - Suspected of causing cancer

Precautionary Statements

P201 - Obtain special instructions before use

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No
				1272/2008
Antimony oxide (Sb2O3)	1309-64-4	EEC No. 215-175-0	>95	Carc. 2 (H351)
Lead oxide (PbO)	1317-36-8	EEC No. 215-267-0	<0.1	Acute Tox. 4 (H302)
				Acute Tox. 4 (H332)
				Repr. 1A (H360Df)

Antimony(III) oxide Revision Date 08-Feb-2024

				Lact. (H362) STOT RE 1 (H372) Carc. 2 (H351) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
Arsenic oxide (As2O3)	1327-53-3	EEC No. 215-481-4	<0.1	Acute Tox. 2 (H300) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Carc. 1A (H350) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Lead oxide (PbO)	Repr. 2 (H361f) :: C>=2.5% STOT RE 2 (H373) :: C>=0.5%	10 (acute) 1 (Chronic)	-
Arsenic oxide (As2O3)	-	1	-

Note

Note 1: The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture

REACH registration number			-
Components	Reach Re	egistration Number	
Antimony trioxide	01-2	2119475613-35	

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Antimony(III) oxide Revision Date 08-Feb-2024

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Antimony oxide.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Should not be released into the environment. Do not allow material to contaminate ground water system.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Storage Class/LGK 13

Switzerland - Storage of hazardous substances

Storage class - SC 11/13 https://www.kvu.ch/de/themen/stoffe-und-produkte https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Antimony oxide		STEL: 1.5 mg/m ³ 15 min	TWA / VME: 0.5 mg/m ³		TWA / VLA-ED: 0.5
(Sb2O3)		TWA: 0.5 mg/m ³ 8 hr	(8 heures).		mg/m³ (8 horas)
Lead oxide (PbO)		STEL: 0.45 mg/m ³ 15	TWA / VME: 0.1 mg/m ³		TWA / VLA-ED: 0.15
		min	(8 heures). restrictive		mg/m³ (8 horas)
		TWA: 0.15 mg/m ³ 8 hr	limit		
Arsenic oxide		STEL: 0.3 mg/m3 15 min	TWA / VME: 0.2 mg/m ³		TWA / VLA-ED: 0.01
(As2O3)		TWA: 0.1 mg/m ³ 8 hr	(8 heures).		mg/m³ (8 horas)
		Carc. except Arsine	, , ,		, ,

Component	Italy	Germany	Portugal	The Netherlands	Finland
Antimony oxide			TWA: 0.5 mg/m ³ 8 horas		TWA: 0.5 mg/m ³ 8
(Sb2O3)		Stunden). AGW -			tunteina
		exposure factor 8			
Lead oxide (PbO)		TWA: 0.004 mg/m ³ (8	TWA: 0.05 mg/m ³ 8		
		Stunden). MAK except	horas		
		lead arsenate and lead			
		chromate			
		Höhepunkt: 0.032			
		mg/m³			
Arsenic oxide		Haut	TWA: 0.01 mg/m ³ 8	TWA: 0.0028 mg/m ³ 8	TWA: 0.01 mg/m ³ 8
(As2O3)			horas	uren	tunteina

Component	Austria	Denmark	Switzerland	Poland	Norway
Antimony oxide	TRK-KZGW: 1.2 mg/m ³		TWA: 0.1 mg/m ³ 8		TWA: 0.5 mg/m ³ 8 timer
(Sb2O3)	15 Minuten		Stunden		
	TRK-KZGW: 0.4 mg/m ³				
	15 Minuten				
	TRK-TMW: 0.3 mg/m ³				
	TRK-TMW: 0.1 mg/m ³				
	MAK-KZGW: 1.5 mg/m ³				
	15 Minuten				
	MAK-TMW: 0.5 mg/m ³ 8				
	Stunden				
Lead oxide (PbO)	MAK-KZGW: 0.4 mg/m ³		STEL: 0.8 mg/m ³ 15		TWA: 0.05 mg/m ³ 8
	15 Minuten		Minuten		timer
	MAK-TMW: 0.1 mg/m ³ 8		TWA: 0.1 mg/m ³ 8		
	Stunden		Stunden		
Arsenic oxide	TRK-TMW: 0.1 mg/m ³		Haut/Peau		TWA: 0.005 mg/m ³ 8
(As2O3)			TWA: 0.01 mg/m ³ 8		timer
, ,			Stunden		Hud

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Antimony oxide		TWA-GVI: 0.5 mg/m ³ 8			TWA: 0.1 mg/m ³ 8
(Sb2O3)		satima. Sb			hodinách. Sb
, ,					Ceiling: 0.2 mg/m ³ Sb
Arsenic oxide		TWA-GVI: 0.1 mg/m ³ 8			
(As2O3)		satima. As			

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Antimony oxide	TWA: 1 mg/m ³				
(Sb2O3)					

Antimony(III) oxide

Revision Date 08-Feb-2024

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Antimony oxide	MAC: 1 mg/m ³			TLV: 0.25 mg/m ³ 8	
(Sb2O3)	_			timmar. Sb NGV	
Lead oxide (PbO)				TLV: 0.1 mg/m ³ 8	
				timmar. Pb NGV	
				TLV: 0.05 mg/m ³ 8	
				timmar. Pb NGV	
Arsenic oxide		TWA: 0.1 mg/m ³ 8	TWA: 0.1 mg/m ³ 8 urah		
(As2O3)		hodinách	inhalable fraction		
		STEL: 0.5 mg/m ³ 15	STEL: 0.4 mg/m ³ 15		
		minútach	minutah inhalable		ļ
			fraction		

Biological limit values

List source(s):

Component	European Union	United Kingdom	France	Spain	Germany
Lead oxide (PbO)			Lead: 400 µg/L blood		
			Lead: 300 µg/L blood		
			Lead: 200 µg/L blood		
			Lead: 100 µg/L blood		
Arsenic oxide			Metabolites of inorganic		
(As2O3)			Arsenic: 0.05 mg/g		
			creatinine urine end of		
			workweek		

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

MDHS 99 Metals in air by ICP-AES

MDHS 91 Metals and metalloids in workplace air by X-ray fluorescence spectrometry

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local	Acute effects	Chronic effects local	Chronic effects
	(Dermal)	systemic (Dermal)	(Dermal)	systemic (Dermal)
Antimony oxide (Sb2O3) 1309-64-4 (>95)				DNEL = 67mg/kg bw/day
Arsenic oxide (As2O3)				DNEL = 112µg/kg
1327-53-3 (<0.1)				bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Antimony oxide (Sb2O3) 1309-64-4 (>95)			DNEL = 0.315mg/m ³	
Arsenic oxide (As2O3) 1327-53-3 (<0.1)				DNEL = 5µg/m³

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment		Microorganisms in sewage treatment	Soil (Agriculture)
Antimony oxide (Sb2O3)	PNEC = 0.135mg/L			PNEC = 3.05mg/L	PNEC = 44.3mg/kg
1309-64-4 (>95)		sediment dw			soil dw
Arsenic oxide (As2O3)	PNEC = 17.1µg/L	PNEC =	PNEC = 1.2µg/L	PNEC = 80.3µg/L	PNEC = 0.7mg/kg
1327-53-3 (<0.1)		171.1mg/kg			soil dw

Antimony(III) oxide Revision Date 08-Feb-2024

	l sediment dw		
	36dillicit dw		

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Antimony oxide (Sb2O3)	PNEC =	PNEC = 2.68 mg/kg			
1309-64-4 (>95)	0.0135mg/L	sediment dw			
Arsenic oxide (As2O3)	PNEC = 1.2µg/L	PNEC = 12mg/kg		PNEC = 1.31 mg/kg	
1327-53-3 (<0.1)		sediment dw		food	

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use only under a chemical fume hood.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Neoprene	See manufacturers	-	EN 374	(minimum requirement)
-	recommendations			

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Powder Solid

Appearance White Odor Odorless

Odor ThresholdNo data availableMelting Point/Range656 °C / 1212.8 °FSoftening PointNo data available

Antimony(III) oxide Revision Date 08-Feb-2024

Solid

Boiling Point/Range 1550 °C / 2822 °F @ 760 mmHg

Flammability (liquid) Not applicable

Flammability (solid,gas)

Explosion Limits

No information available

No data available

Flash Point No information available Method - No information available

Autoignition Temperature No data available
Decomposition Temperature No data available

pH No information available

Viscosity Not applicable Solid

Water Solubility Insoluble in water
Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Arsenic oxide (As2O3) 18.1

Vapor Pressure1.3 hPa @ 574 °CDensity / Specific GravityNo data availableBulk DensityNo data available

Vapor Density Not applicable Solid

Particle characteristics No data available

9.2. Other information

Molecular Formula O3 Sb2 Molecular Weight 291.42

Evaporation Rate Not applicable - Solid

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Avoid dust formation. Incompatible products. Excess heat.

10.5. Incompatible materials

Strong acids. Strong bases. Reducing Agent. Strong oxidizing agents.

10.6. Hazardous decomposition products

Antimony oxide.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Antimony(III) oxide Revision Date 08-Feb-2024

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Antimony oxide (Sb2O3)	LD50 > 34600 mg/kg (Rat)	LD50 > 2000 mg/kg (Rabbit)	LC50 > 5.2 mg/L (Rat) 4 h
Lead oxide (PbO)	LD50 > 10000 mg/kg (Rat)	LD50 > 2000 mg/kg (Rat)	LC50 > 5.05 mg/L (Rat) 4 h
Arsenic oxide (As2O3)	LD50 = 20 mg/kg (Rat)	-	-

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; Category 2

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Antimony oxide (Sb2O3)				Group 2B
Lead oxide (PbO)				Group 2A
Arsenic oxide (As2O3)	Carc Cat. 1A		Cat. 1	Group 1

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects,both acute and No information available. delayed

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effectsContains a substance which is:. Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment. May cause long-term

following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water

system.

Component Freshwater Fish Water Flea Freshwater Algae

Antimony(III) oxide

F	Revision	Date	08-Feb-2024

Antimony oxide (Sb2O3)	LC50 >1000 mg/L/96h (Brachydanio rerio)	EC50: 361.5 - 496.0 mg/L, 48h Static (Daphnia magna) EC50: > 1000 mg/L, 48h (Daphnia magna)	EC50: 0.65 - 0.81 mg/L, 96h (Pseudokirchneriella subcapitata) EC50: 0.63 - 0.8 mg/L, 72h (Pseudokirchneriella subcapitata)
Lead oxide (PbO)	Pimephales promelas: LC50=0.3 mg/L 96h	EC50=0.13 mg/L 48h	
Arsenic oxide (As2O3)	LC50: = 135 mg/L, 96h (Pimephales promelas) LC50: > 1000 mg/L, 96h static (Oncorhynchus mykiss) LC50: 18.8 - 21.4 mg/L, 96h flow-through (Oncorhynchus mykiss)	EC50 = 0.038 mg/L 24h EC50 = 0.96 mg/L 96h EC50 = 0.038 mg/L 24h	

Component	Microtox	M-Factor
Antimony oxide (Sb2O3)	EC50 > 3.5 mg/L 7 h	
Lead oxide (PbO)		10 (acute)
		1 (Chronic)
Arsenic oxide (As2O3)	EC50 = 31.43 mg/L 60 min	1
	EC50 = 33.39 mg/L 30 min	
	EC50 = 43.56 mg/L 15 min	
	EC50 = 73.73 mg/L 5 min	

12.2. Persistence and degradability Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary

Persistence

based on information available, May persist, Insoluble in water.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

12.3. Bioaccumulative potential

May have some potential to bioaccumulate; Product has a high potential to bioconcentrate

Component	log Pow	Bioconcentration factor (BCF)
Arsenic oxide (As2O3)	18.1	80 - 236 dimensionless

12.4. Mobility in soil

The product is water soluble, and may spread in water systems Spillage unlikely to penetrate soil Will likely be mobile in the environment due to its water solubility. Is not likely mobile in the environment due its low water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

Antimony(III) oxide Revision Date 08-Feb-2024

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

IATA Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable, packaged goods

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Antimony oxide (Sb2O3)	1309-64-4	215-175-0	-	-	X	X	KE-09846	X	Х
Lead oxide (PbO)	1317-36-8	215-267-0	-	-	Х	Х	KE-21926	X	Х
Arsenic oxide (As2O3)	1327-53-3	215-481-4	-	-	X	Х	KE-09858	Х	Х

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Antimony oxide (Sb2O3)	1309-64-4	X	ACTIVE	X	•	X	Х	Х
Lead oxide (PbO)	1317-36-8	X	ACTIVE	Х	-	Х	Х	Х
Arsenic oxide (As2O3)	1327-53-3	X	ACTIVE	Х	-	Х	Х	Х

Antimony(III) oxide Revision Date 08-Feb-2024

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Antimony oxide (Sb2O3)	1309-64-4	-	Use restricted. See item 75. (see link for restriction details)	-
Lead oxide (PbO)	1317-36-8	-	Use restricted. See item 30. (see link for restriction details) Use restricted. See item 63. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - Toxic for reproduction (Article 57 c)
Arsenic oxide (As2O3)	1327-53-3	Carcinogenic Category 1A, Article 57 Application date: November 21, 2013 Sunset date: May 21, 2015 Exemption - None	72. (see link for restriction details)	SVHC Candidate list - 215-481-4 - Carcinogenic, Article 57a

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

REACH links

https://echa.europa.eu/authorisation-list

https://echa.europa.eu/substances-restricted-under-reach

https://echa.europa.eu/candidate-list-table

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report
		Notification	Requirements
Antimony oxide (Sb2O3)	1309-64-4	Not applicable	Not applicable
Lead oxide (PbO)	1317-36-8	Not applicable	Not applicable
Arsenic oxide (As2O3)	1327-53-3	Not applicable	0.1 tonne

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Component	ANNEX I - PART 1 List of chemicals subject to export notification procedure (referred to in Article 8)	ANNEX I - PART 2 List of chemicals qualifying for PIC notification (referred to in Article 11)	ANNEX I - PART 3 List of chemicals subject to the PIC procedure (referred to in Articles 13 and 14)
Lead oxide (PbO) 1317-36-8 (<0.1)	sr — severe restriction	-	-
	i(2) — industrial chemical for		

Revision Date 08-Feb-2024

Antimony(III) oxide

	public		
Arsenic oxide (As2O3)	p(2) — other pesticide including	-	-
1327-53-3 (<0.1)	biocides		
	sr — severe restriction		

https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX%3A32012R0649&qid=1604065742303.

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Antimony oxide (Sb2O3)	WGK1	
Lead oxide (PbO)	WGK3	
Arsenic oxide (As2O3)	WGK3	

	Component	France - INRS (Tables of occupational diseases)	
	Antimony oxide (Sb2O3)	oxide (Sb2O3) Tableaux des maladies professionnelles (TMP) - RG 73	
Lead oxide (PbO) Tableaux des maladies professionnelles (TMP) - RG 1		Tableaux des maladies professionnelles (TMP) - RG 1	
	Arsenic oxide (As2O3)	Tableaux des maladies professionnelles (TMP) - RG 20,RG 20bis	

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Lead oxide (PbO) 1317-36-8 (<0.1)	Prohibited and Restricted Substances		
Arsenic oxide (As2O3) 1327-53-3 (<0.1)	Prohibited and Restricted Substances		Annex I - pesticide

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H351 - Suspected of causing cancer

H300 - Fatal if swallowed

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H350 - May cause cancer

H360Df - May damage the unborn child. Suspected of damaging fertility

H372 - Causes damage to organs through prolonged or repeated exposure

Antimony(III) oxide Revision Date 08-Feb-2024

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

Substances List

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

VOC - (volatile organic compound)

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Ships ATE - Acute Toxicity Estimate

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Prepared By Health, Safety and Environmental Department

Creation Date 22-Dec-2009 **Revision Date** 08-Feb-2024

Revision Summary New emergency telephone response service provider.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 .

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2. Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet