

Page 1 / 10 Creation Date 02-Nov-2009 Revision Date 31-Mar-2025 Version 3

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: Formic acid, 98%, AR Grade
Product Description: Formic acid, 98%, AR Grade

Cat No.: R40051
Synonyms Methanoic acid
CAS No 64-18-6
Molecular Formula C H2 O2

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

**Supplier** 

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

# **SECTION 2: HAZARDS IDENTIFICATION**

### Classification of the substance or mixture

Flammable liquids	Category 3 (H226)
Acute oral toxicity	Category 4 (H302)
Acute Inhalation Toxicity - Vapors	Category 3 (H331)
Skin Corrosion/Irritation	Category 1 A (H314)
Serious Eye Damage/Eye Irritation	Category 1 (H318)

## Label Elements



#### Formic acid, 98%, AR Grade

Revision Date 31-Mar-2025

Signal Word

Danger

#### **Hazard Statements**

H226 - Flammable liquid and vapor

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H331 - Toxic if inhaled

### **Precautionary Statements**

#### Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P284 - Wear respiratory protection

#### Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P331 - Do NOT induce vomiting

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P362 + P364 - Take off contaminated clothing and wash it before reuse

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

#### **Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

## Other Hazards

EUH071 - Corrosive to the respiratory tract

Lachrymator (substance which increases the flow of tears)

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %	
Formic acid	64-18-6	>95	

# **SECTION 4: FIRST AID MEASURES**

## Description of first aid measures

**General Advice** 

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Eye Contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Formic acid, 98%, AR Grade Revision Date 31-Mar-2025

**Skin Contact**Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

**Inhalation** Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give

artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is

required. If not breathing, give artificial respiration.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

#### Extinguishing media

## **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

No information available.

## Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Hydrogen, Thermal decomposition can lead to release of irritating gases and vapors.

## Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

# **Environmental precautions**

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

Revision Date 31-Mar-2025

#### Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

#### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

#### Precautions for Safe Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

## Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame. Containers should be vented periodically in order to overcome pressure buildup.

## Specific End Uses

Use in laboratories.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	Malaysia	ACGIH TLV	OSHA PEL
Formic acid		TWA: 5 ppm	(Vacated) TWA: 5 ppm
		STEL: 10 ppm	(Vacated) TWA: 9 mg/m <sup>3</sup>
			TWA: 5 ppm
			TWA: 9 mg/m <sup>3</sup>

Component	European Union	The United Kingdom	Germany
Formic acid	TWA: 5 ppm 8 hr	STEL: 15 ppm 15 min	TWA: 5 ppm (8 Stunden). AGW -
	TWA: 9 mg/m <sup>3</sup> 8 hr	STEL: 28.8 mg/m <sup>3</sup> 15 min	exposure factor 2
		TWA: 5 ppm 8 hr	TWA: 9.5 mg/m <sup>3</sup> (8 Stunden). AGW
		TWA: 9.6 mg/m <sup>3</sup> 8 hr	- exposure factor 2
			TWA: 5 ppm (8 Stunden). MAK
			TWA: 9.5 mg/m³ (8 Stunden). MAK
			Höhepunkt: 10 ppm
			Höhepunkt: 19 mg/m <sup>3</sup>

## **Exposure Controls**

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

## Personal protective equipment

**Eye Protection** Face protection shield or Goggles

Hand Protection Protective gloves

Formic acid, 98%, AR Grade Revision Date 31-Mar-2025

**Skin and body protection** Chemical resistant apron. Boots. Chemical protection suit (EN 14605).

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Recommended Filter type: Particulates filter conforming to EN 143 Acid gases filter Type E Yellow conforming to

EN14387

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

<u>Hygiene Measures</u> Handle in accordance with good industrial hygiene and safety practice

**Environmental exposure controls** Prevent product from entering drains

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance Colorless
Physical State Liquid
Odor pungent

Odor Threshold No data available

**pH** 2.1 10 g/L aq.sol

Melting Point/Range 8 °C / 46.4 °F Softening Point No data available

Boiling Point/Range 101 °C / 213.8 °F @ 760 mmHg

Flash Point 50 °C / 122 °F Method - No information available

Evaporation Rate

No data available

Flammability (solid,gas) Not applicable Liquid Explosion Limits Lower 10 vol%

Explosion Limits Lower 10 vol% Upper 57 vol%

Vapor Pressure 44 mbar @ 20 °C

Vapor Density No data available (Air = 1.0)

Specific Gravity / Density 1.220

Bulk Density Not applicable Liquid

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Formic acid -0.54

Formic acid, 98%, AR Grade Revision Date 31-Mar-2025

Autoignition Temperature Decomposition Temperature

Viscosity

Explosive Properties
Oxidizing Properties

520 °C / 968 °F No data available 1.47 mPa.s @ 20 °C

No information available

explosive air/vapour mixtures possible

Molecular FormulaC H2 O2Molecular Weight46.02

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

None known, based on information available.

**Chemical Stability** 

Hygroscopic. heat sensitive. Risk of explosion if heated under confinement.

Possibility of Hazardous Reactions

Hazardous Polymerization

Hazardous polymerization does not occur.

**Hazardous Reactions** 

None under normal processing.

Conditions to Avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition. Exposure to moist air or water.

Incompatible Materials

Strong oxidizing agents. Metals. Finely powdered metals. Strong bases.

**Hazardous Decomposition Products** 

Carbon monoxide (CO). Carbon dioxide (CO2). Hydrogen. Thermal decomposition can lead

to release of irritating gases and vapors.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# Information on Toxicological Effects

# **Product Information**

(a) acute toxicity;

Oral Category 4

**Dermal** Based on available data, the classification criteria are not met

Inhalation Category 3

Component	LD50 Oral LD50 Dermal		LC50 Inhalation
Formic acid	730 mg/kg (Rat)	-	7.85 mg/l (Rat) 4h OECD 403

Revision Date 31-Mar-2025 Formic acid, 98%, AR Grade

(b) skin corrosion/irritation; Category 1 A

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory Skin

Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met (f) carcinogenicity;

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met (i) STOT-repeated exposure;

None known. **Target Organs** 

(j) aspiration hazard; Based on available data, the classification criteria are not met

delayed

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

**Endocrine Disrupting Properties** 

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

Contains a substance which is:. Harmful to aquatic organisms. The product contains **Ecotoxicity effects** 

following substances which are hazardous for the environment.

Component Freshwater Fish		Water Flea	Freshwater Algae	Microtox
Formic acid	Leuciscus idus: LC50 =	EC50 = 34 mg/L/48h	EC50 = 25  mg/L/96h	EC50 = 46.7 mg/L/17h
	46-100 mg/L/96h	_	_	_

Persistence and degradability

Readily biodegradable **Persistence** 

Degradation in sewage treatment plant

Miscible with water, Persistence is unlikely, based on information available.

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Formic acid	-0.54	0.22 dimensionless

The product is water soluble, and may spread in water systems. . Will likely be mobile in Mobility in soil

the environment due to its water solubility. Highly mobile in soils.

Formic acid, 98%, AR Grade Revision Date 31-Mar-2025

\_\_\_\_\_

Endocrine Disruptor Information	i nis produ	act does not contain any known or suspec	tea enaocrine aisruptors
Component		EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated
			Substances
Formic acid	•	Applicable	

Other adverse effects No information available

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous Dispose of in accordance with the European Directives on

waste and hazardous waste Dispose of in accordance with local regulations

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous Keep product and

empty container away from heat and sources of ignition

**Other Information**Do not flush to sewer Waste codes should be assigned by the user based on the

application for which the product was used Can be landfilled or incinerated, when in

compliance with local regulations Do not empty into drains Large amounts will affect pH and

harm aquatic organisms

# **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

UN-No UN1779
Hazard Class 8
Subsidiary Hazard Class 3
Packing Group II

Proper Shipping Name FORMIC ACID

Road and Rail Transport

UN-No UN1779
Hazard Class 8
Subsidiary Hazard Class 3
Packing Group II

Proper Shipping Name FORMIC ACID

IATA

UN-No UN1779
Hazard Class 8
Subsidiary Hazard Class 3
Packing Group II

Proper Shipping Name FORMIC ACID

Special Precautions for User No special precautions required

# **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

Formic acid, 98%, AR Grade

Revision Date 31-Mar-2025

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Formic acid	200-579-1	Х	Х	Х	X	Χ	X	Χ	X

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Formic acid				Annex I - Y34

National Regulations

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 16: OTHER INFORMATION**

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

Inventory

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Prepared By** Health, Safety and Environmental Department

**Revision Date** 31-Mar-2025 **Revision Summary** Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Formic acid, 98%, AR Grade

Revision Date 31-Mar-2025

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**